

Case-based Reasoning for Forecasting the Allocation of Perennial Biomass Crops

Florence Le Ber, Jean Lieber, Marc Benoit

► **To cite this version:**

Florence Le Ber, Jean Lieber, Marc Benoit. Case-based Reasoning for Forecasting the Allocation of Perennial Biomass Crops. ERCIM News, ERCIM, 2018, Smart Farming, pp.34-35. hal-01773571v2

HAL Id: hal-01773571

<https://hal.inrae.fr/hal-01773571v2>

Submitted on 25 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.






Figure 2: Wetland mapping on Lake Balaton - The test patches of the wetland database are shown in yellow, followed by the MRF-based multitemporal segmentation [2] and the test site in Google Maps.

of GPS points and polygon data together with field photographs. Beside the location and extent, local water regime, habitat quality (biodiversity) and observation of flora and fauna is also included in the dataset. The database includes the surrounds of the three largest Hungarian lakes: Lake Balaton, Lake Tisza and Lake Neusiedl (Hungarian side). The database contains 150 test patches, out of which 113 are wetlands, providing a good representation of the variety of Hungarian wetlands. Besides wetlands, there are 23 grasslands (also an important habitat type) and 14 croplands.

The main focus of the project is to use this database to investigate temporal, spectral and spatial characteristics of wetlands using Sentinel multispectral satellite imagery, and from this to develop an automatic detection process,

which can provide further information about natural habitats. The detection process applies a fusion based Markov Random Field (MRF) technique [1] on multitemporal and multispectral image series. In our fusion MRF model an unsupervised method tracks temporal changes of wetland areas by comparing the class labelling of different time layers [2]. A classification map based on existing airborne laser scanning data [3] has been used for wetland classification improving the discrimination of land-cover classes with similar spectral characteristics. The proposed method can be extended by machine learning and feature based classification for more accurate monitoring of wetlands.

Links:

[L1] <http://mplab.sztaki.hu>

[L2] <https://kwz.me/hbv>

[L3] <https://kwz.me/hbv>

References:

- [1] T. Szirányi and M. Shadaydeh: "Segmentation Of Remote Sensing Images Using Similarity Measure Based Fusion-MRF Model", *IEEE Geosci. Remote Sens. Lett.*, vol. 11, no. 9, pp. 1544-1548, 2014
- [2] M. Shadaydeh, et al.: "Wetland Mapping by Fusion of Airborne Laser Scanning and Multitemporal Multispectral Satellite Imagery", *Int. J. Remote Sens.*, vol. 38, no. 23, pp. 7422-7440, 2017
- [3] A. Zlinszky, et al.: "Categorizing wetland vegetation by airborne laser scanning on Lake Balaton and Kis-Balaton, Hungary", *Remote Sens.*, vol. 4, no. 6, pp. 1617-1650, 2012

Please contact:

Andrea Manno-Kovacs
MTA SZTAKI, MPLab
andrea.manno-kovacs@sztaki.mta.hu

Case-based Reasoning for Forecasting the Allocation of Perennial Biomass Crops

by Florence Le Ber (Université de Strasbourg, ENGEES), Jean Lieber (Université de Lorraine, Inria) and Marc Benoît (INRA)

A farmer's decision to plant new perennial biomass crops is a complex process that involves numerous parameters and can change the food / non-food balance. The paradigm of case-based reasoning is able to deal with the kind of complex and sparse information that is available in this situation, to model and forecast the allocation of these crops.

Perennial biomass crops are new renewable energy resources that could play an important role in replacing fossil fuels. The expansion of these crops seems unavoidable, and will raise global issues such as competition for space between food and non-food crops. To forecast their introduction in farming systems and their spatial allocation is thus a main challenge. Whilst several land-use change models

deal with biomass crop allocation, most of them simulate large-scale allocation processes, taking into account numerous biophysical variables but only a few true-to-life human variables. In contrast, we aimed to model farmers' allocation decisions regarding new perennial biomass crops as a complex agricultural management system, coupling social, technical and environmental variables.

As this objective raises knowledge acquisition and knowledge integration methodological issues, we proposed to model biomass crop allocation relying on case-based reasoning (CBR), a problem-solving paradigm. CBR consists of solving new problems by reusing the solution of similar problems that have already been solved [1]. A case corresponds to a problem-solving

episode usually represented by a problem-solution pair. Cases are recorded in a case base. A source case is an element of the case base. The CBR process consists of solving a new problem, the target problem, using the case base. A common way of doing this is to select a source case similar to the target problem (case retrieval) and to modify the retrieved case so that it provides a solution that hypothetically solves the target problem (case adaptation). After these inference steps, some learning steps are sometimes implemented.

This approach was tested on a case study located in Burgundy (East of France), where a new perennial biomass crop *Miscanthus sp.* has been established since 2010.

In our model [2], a case is defined as a specific experience of *Miscanthus* allocation (or non-allocation) in a farm field. The case base includes 82 farm fields that have been described by farmers in past interviews (2011-2012) as having *Miscanthus* allocation potential. The problem-solution pair is a farm field and its allocation potential for *Miscanthus*. Each case is represented with a vector of qualitative values, divided into two parts: the problem part is a set of attributes, giving the farm field characteristics, as described by the farmer; the solution part describes the *Miscanthus* allocation potential of the farm field (0-no allocation, 1-allocation, or 2-possible allocation). The model also relies on a set of rules that formalise the elements given by farmers when explaining their decision to plant (or not plant) *Miscanthus* in a field.

To define a similarity measure between cases, we assumed that similar farm management and biophysical constraints of farmland enable analogue farmers' decisions about crop allocation. The comparison of the source cases and the target problem is thus based on a comparison of their attribute values in terms of cropping plan, farm biophysical features and spatial farmland features.

In the adaptation step, we use the rules of the farmer associated to the source case to build the solution. Adaptation knowledge allows the appropriate rule to be chosen and applied, according to a given adaptation context: the system



Figure 1: A *Miscanthus* field in Burgundy.

promotes the rules with conclusion 0 (when the context is not favourable for *Miscanthus*, e.g., because its price is low compared with traditional crops) or those with conclusion 1 or 2, if the economic context is favourable for *Miscanthus*.

Experiments showed the central role of the user, who has to choose parameters and adaptation contexts, and to examine results step by step: retrieved cases, available rules, proposed solutions. Rules in particular can be analysed to highlight the field characteristics that are important with respect to the farmer's decision. Future work will deepen the use of rules for adaptation and explanation. This model could also be tested on other innovative crops. Finally, a formal model for the adaptation of crop allocation has been developed that is based on the application of belief revision in the qualitative algebra RCC8 setting (Dufour et al., 2012): this model still needs to be applied and validated on real farm data.

Farm surveys and knowledge modelling were funded by FUTUROL project [L1] and the French government.

Link:

[L1] <https://www.projetfuturool.com>

References:

- [1] C.K. Riesbeck, R.C. Schank: "Inside Case-Based reasoning", Lawrence Erlbaum Associates Publishers, 1989.
- [2] F. Le Ber, et al.: "A Reasoning Model Based on Perennial Crop Allocation Cases and Rules", ICCBR. Springer, LNAI 10339, 61-75, 2017.
- [3] V. Dufour-Lussier, et al.: "Adapting Spatial and Temporal Cases", ICCBR. Springer, LNAI 7466, 77-91, 2012.

Please contact:

Florence Le Ber, ICube, Université de Strasbourg, CNRS, ENGEES, France
+33 3 88 24 82 30
florence.leber@icube.unistra.fr

Marc Benoit, ASTER, INRA, France
+33 3 29 38 55 01
marc.benoit@inra.fr