



Using the airGRteaching R package for hydrology courses using lumped hydrological models

Olivier Delaigue, Guillaume Thirel, Laurent Coron, Pierre Brigode

► To cite this version:

Olivier Delaigue, Guillaume Thirel, Laurent Coron, Pierre Brigode. Using the airGRteaching R package for hydrology courses using lumped hydrological models. EGU General Assembly 2018, Apr 2018, Vienna, Austria. pp.1, 2018. hal-02607859

HAL Id: hal-02607859

<https://hal.inrae.fr/hal-02607859>

Submitted on 16 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Using the airGRteaching R package for hydrology courses using lumped hydrological models

Olivier Delaigue¹, Guillaume Thirel¹, Laurent Coron², Pierre Brigode³

¹ IRSTEA – Hydrology Research Group (HYCAR) – Antony, France

² EDF – PMC Hydrometeorological Center – Toulouse, France

³ Nice-Sophia-Antipolis University – Géoazur UMR 7329 – Sophia-Antipolis, France

airGRteaching (Delaigue et al., 2018) is an add-on package to the airGR package (Coron et al., 2017). It includes the GR rainfall-runoff models and the CemaNeige snow melt and accumulation model. This package is easy to use and provides graphical devices to help students to explore data and analyse modelling results.

Why using airGRteaching for teaching hydrological modelling?

- ▶ It offers an interactive interface to showcase the rainfall-runoff model components
- ▶ It can be run with your own data
- ▶ It uses fast-running conceptual GR models (annual to hourly time steps)
- ▶ Free and open-source, available on all platforms (Linux, Mac OS & Windows)

airGRteaching functionalities

- ▶ very low programming skills needed
- ▶ only three functions to complete a hydrological modelling exercise:
 - ▷ data preparation (requires few input variables)
 - ▷ model calibration
 - ▷ flow simulation
- ▶ plotting functions to help students to explore observed data and to interpret results:
 - ▷ static graphs ('graphics' package)
 - ▷ interactive graphs ('dygraphs' package)
 - ▷ plot functions automatically recognize the airGRteaching objects
- ▶ a 'Shiny' graphical interface for (only daily models available):
 - ▷ displaying the impact of model parameters on hydrographs
 - ▷ manual and automatic model calibration
 - ▷ state variable visualisation




Getting started with the package

- ▶ Documentation available with the R command: vignette("airGRteaching")
- ▶ airGR Website: <https://webgr.irstea.fr/en/airGR/>

Download the airGRteaching package

- ▶ Freely available on the Comprehensive R Archive Network: <https://CRAN.R-project.org/package=airGRteaching>

Effects of the different action buttons on the 'Shiny' interface




Data preparation, calibration and simulation with the GR5J model (+ CemaNeige snow model)

```
## data.frame of observed data
data(L0123002)
BasinObs2 <- BasinObs[, c("DatesR", "P", "E", "Qmm", "T")]

## Preparation of observed data for modelling
PREP <- PrepGR(ObsDF = BasinObs2, HydroModel = "GR5J", CemaNeige = TRUE,
                 ZInputs = median(BasinInfo$HypsoData), HypsoData = BasinInfo$HypsoData)

## Calibration step
CAL <- CalGR(PrepGR = PREP, CalCrit = "KGE", verbose = FALSE,
               WupPer = NULL, CalPer = c("1990-01-01", "1993-12-31"))


## Plot the parameter values and the criterion during calibration
plot(CAL, which = "iter")
```




```
## Simulation step using the result of the automatic calibration method
SIM <- SimGR(PrepGR = PREP, CalGR = CAL, EffCrit = "NSE",
               WupPer = NULL, SimPer = c("1994-01-01", "1998-12-31"))
```

Crit. NSE[Q] = 0.8376

Plot giving an overview of the model outputs



'Model diagram' & 'State variables' panels of the 'Shiny' interface



Future developments

- ▶ Additional models in the 'Shiny' interface (GR2M & GR4H)
- ▶ New plots to visualize snow simulation in the 'Shiny' interface

References

- ▶ Coron, L., Thirel, G., Delaigue, O., Perrin, C. & Andréassian, V. (2017). The suite of lumped GR hydrological models in an R package. *Environmental Modelling & Software* 94, 166–171. DOI: 10.1016/j.envsoft.2017.05.002.
- ▶ Delaigue, O., Coron, L. & Brigode, P. (2018). airGRteaching: Teaching Hydrological Modelling with the GR Rainfall-Runoff Models ('Shiny' Interface Included). R package version 0.2.2. URL: <https://webgr.irstea.fr/en/airGR/>.
- ▶ Delaigue, O., Thirel, G., Coron, L. & Brigode, P. (under review). airGR and airGRteaching: two open-source tools for rainfall-runoff modeling and teaching hydrology. HIC2018 proceedings, 13th International conference of Hydroinformatics, July 2018, Palermo, Italy.