

### The good, the bad or the ugly? Under what conditions can we trust our models for impact studies?

### Guillaume Thirel, Vazken Andréassian, Charles Perrin

### ▶ To cite this version:

Guillaume Thirel, Vazken Andréassian, Charles Perrin. The good, the bad or the ugly? Under what conditions can we trust our models for impact studies?. EGU General Assembly, Apr 2018, Vienna, Austria. pp.1, 2018. hal-02608250

### HAL Id: hal-02608250 https://hal.inrae.fr/hal-02608250

Submitted on 16 May 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# The good, the bad or the ugly? Under what conditions can we trust our models for impact studies?

# 1. Rationale

Hydrological models (HMs) are simplifications of the real world. This is all the more true in climate change (CC) impact studies, where models are run under unknown conditions, which may generate substantial errors and limit their transposability in time. Here some of the shortcomings of HMs in this perspective are shown. Methods to overcome (or at least to diagnose) these limitations are proposed, based on various modelling experiments.

# 2. The common pathologies of hydrological models (Coron et al., 2011)


- $\succ$  Models are simplifications of the real world  $\Rightarrow$  their conceptualization is modeller-dependent and this impacts simulations.
- $\succ$  Input quality and availability can be limited  $\Rightarrow$  e.g. PE is a poorly-known variable.
- > Model parameters depend on the hydroclimatic conditions of the calibration period.
- Identifiability of parameters can be low.


# 3. Diagnosis


In our past works, we identified model deficiencies through several diagnosis approaches to answer the following questions:

- Is HM performance expected to decrease when the climatic contrast (P or T) between calibration and simulation periods increases? (see Fig. 1)
- Is the long term pattern of HM bias much dependent on the calibration period? (see Fig. 2)
- To which extent do the sign and intensity of flow evolution in CC impact studies depend on the calibration strategy (typically the objective function)? (see Fig. 3)










Nash(v(Q))

Fig. 1: 10-yr mean flow volume errors from 10-yr calibrated HM. High dependency to T (left) and to P (right). (Coron, 2013)



- in time.

### 5. Conclusions and perspectives

order errors.


# 6. References

Coron, L., Andréassian, V., Bourqui, M., Perrin, C. and Hendrickx, F., 2011. Pathologies of hydrological models used in changing climatic conditions: a review, Hydro-Climatology: Variability and Change, IAHS 2011 General Assembly. IAHS Publication. 344, pp. 39-44. Coron, L., 2013. Les modèles hydrologiques conceptuels sont-ils robustes face à un climat en évolution ? Thèse de doctorat, Irstea (Antony), AgroParisTech (Paris), 364 pp. Coron, L., V. Andreassian, C. Perrin, M. Bourqui, and F. Hendrickx, 2014. On the lack of robustness of hydrologic models regarding water balance simulation: a diagnostic approach applied to three models of increasing complexity on 20 mountainous catchments. Hydrology and Earth System Sciences, 1818, 727-746. doi:10.5194/hess-18-727-2014 Thirel, G., Andréassian, V., Perrin, C., Audouy, J.-N., Berthet, L., Edwards, P., Folton, N., Furusho, C., Kuentz, A., Lerat, J., Lindström, G., Martin, E., Mathevet, T., Merz, R., Parajka, J., Ruelland, D., Vaze, J., 2015a. Hydrology under change: An evaluation protocol to investigate how hydrological models deal with changing catchments, Hydrological Sciences Journal, 60:7-8, pages 1184-1199, DOI:10.1080/02626667.2014.967248. Thirel, G., Andréassian, V., Perrin, C., 2015b. On the need to test hydrological models under changing conditions. Hydrological Sciences Journal, 60:7-8, pages 1165-1173, DOI:10.1080/02626667.2015.1050027.

Guillaume Thirel, Vazken Andréassian and Charles Perrin

Hydrology Group – HYCAR Research Unit – Irstea, Antony, France guillaume.thirel@irstea.fr, https://twitter.com/G\_Thirel

4. Tools to evaluate the models robustness and establish more robust solutions



A good model for CC impact studies should not show poor behaviour in the diagnosing phase. This may not be a sufficient condition to trust the HM in all cases, but this may be a good safeguard to avoid first-

A HM failing the test described above may not be definitely bad or ugly. Different approaches may be followed to better understand its pathologies.

Potential ways to advance our capacity of proposing 'good' models for impact studies are: Setting up a dataset of catchments with well-known and documented changes of different types as well as high-quality meteorological and hydrological data.

- Defining and following proper HM setting up protocols for <u>every</u> impact study. Can hydrological modellers agree on the most adequate one?

Process description must be adapted to the expected catchment changes. Whatever good or bad a model may be, the quantification of uncertainties associated to the modelling phase remains an essential step in CC impact studies.

