



HAL
open science

Corrigendum to “Denaturation kinetics of whey protein isolate solutions and fouling mass distribution in a plate heat exchanger”

Marwa Khaldi, Gilles Ronse, Christophe Andre, Pascal Blanpain-Avet, Laurent Bouvier, Thierry Six, Saloua Bornaz, Thomas Croguennec, Romain Jeantet, Guillaume Delaplace

► To cite this version:

Marwa Khaldi, Gilles Ronse, Christophe Andre, Pascal Blanpain-Avet, Laurent Bouvier, et al.. Corrigendum to “Denaturation kinetics of whey protein isolate solutions and fouling mass distribution in a plate heat exchanger”. *International Journal of Chemical Engineering*, 2016, pp.1-2. 10.1155/2016/4924250 . hal-02632144

HAL Id: hal-02632144

<https://hal.inrae.fr/hal-02632144v1>

Submitted on 27 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Corrigendum

Corrigendum to “Denaturation Kinetics of Whey Protein Isolate Solutions and Fouling Mass Distribution in a Plate Heat Exchanger”

Marwa Khaldi,^{1,2,3} Gilles Ronse,^{1,2} Christophe André,^{1,2,4} Pascal Blanpain-Avet,^{1,2} Laurent Bouvier,^{1,2} Thierry Six,^{1,2} Saloua Bornaz,⁵ Thomas Croguennec,⁶ Romain Jeantet,⁶ and Guillaume Delaplace^{1,2}

¹INRA, UR638, Processus aux Interfaces et Hygiène des Matériaux (PIHM), BP 20039, 369 rue Jules Guesde, 59651 Villeneuve d'Ascq, France

²Unité de Matériaux et Transformations (UMET), UMR CNRS 8207, Université de Lille 1, 59650 Villeneuve d'Ascq, France

³Institut National Agronomique de Tunisie, 43 avenue Charles Nicolle, 1082 Tunis Mahrajène, Tunisia

⁴HEI, Laboratoire de Génie des Procédés, 59046 Lille, France

⁵Ecole Supérieure des Industries Alimentaires de Tunis, 58 avenue Alain Savary, 1003 Tunis El Khadra, Tunisia

⁶INRA, AGROCAMPUS OUEST, UMR 1253, 35042 Rennes, France

Correspondence should be addressed to Marwa Khaldi; marwa.khaldi@lille.inra.fr

Received 2 December 2015; Accepted 30 December 2015

Copyright © 2016 Marwa Khaldi et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the paper titled “Denaturation Kinetics of Whey Protein Isolate Solutions and Fouling Mass Distribution in a Plate Heat Exchanger” [1], the authors found 2 errors:

- (i) Due to a data export error, 2 values were inverted in Table 3: at 120 ppm total calcium, the value of $E_{A,\text{unf}} = 271.2 \text{ kJ}\cdot\text{mol}^{-1}$ mentioned in the published paper was replaced by the correct $E_{A,\text{unf}} = 360.7 \text{ kJ}\cdot\text{mol}^{-1}$, and at 100 ppm total calcium, the value of $E_{A,\text{agg}} = 360.7 \text{ kJ}\cdot\text{mol}^{-1}$ mentioned in the published paper was replaced by the correct $E_{A,\text{agg}} = 271.2 \text{ kJ}\cdot\text{mol}^{-1}$.
- (ii) In Figure 6, the caption “Pictures of the deposit collected on heat exchanger surface in the second and last channels of the PHE” has been replaced by “Pictures of the deposit collected on heat exchanger surface in the first and last channels of the PHE.”

TABLE 3: Denaturation parameters at the two calcium concentrations.

Denaturation parameter	100 ppm total calcium	120 ppm total calcium
Unfolding		
$\ln(k_{\text{unf}}^{\circ})$	124.8	117.2
$E_{A,\text{unf}} \text{ (kJ}\cdot\text{mol}^{-1})$	384.5	360.7
Aggregation		
$\ln(k_{\text{agg}}^{\circ})$	86.3	83.1
$E_{A,\text{agg}} \text{ (kJ}\cdot\text{mol}^{-1})$	271.2	260.4

Table 3 and Figure 6 are corrected here.








FIGURE 6: Pictures of the deposit collected on heat exchanger surface in the first and last channels of the PHE.

References

- [1] M. Khaldi, G. Ronse, C. André et al., "Denaturation kinetics of whey protein isolate solutions and fouling mass distribution in a plate heat exchanger," *International Journal of Chemical Engineering*, vol. 2015, Article ID 139638, 10 pages, 2015.



Hindawi

Submit your manuscripts at
<http://www.hindawi.com>

