



The sex-specific transcriptome of the hermaphrodite sparid sharpsnout seabream (*Diplodus puntazzo*)

Tereza Manousaki, Alexandros Tsakogiannis, Jacques Lagnel, Elena Sarropoulou, Jenny Z. Xiang, Nikos Papandroulakis, Constantinos C. Mylonas, Costas S. Tsigenopoulos

► To cite this version:

Tereza Manousaki, Alexandros Tsakogiannis, Jacques Lagnel, Elena Sarropoulou, Jenny Z. Xiang, et al.. The sex-specific transcriptome of the hermaphrodite sparid sharpsnout seabream (*Diplodus puntazzo*). BMC Genomics, 2014, 15, 10.1186/1471-2164-15-655 . hal-02637653

HAL Id: hal-02637653

<https://hal.inrae.fr/hal-02637653>

Submitted on 27 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

FN Clarivate Analytics Web of Science

VR 1.0

PT J

AU Manousaki, T

Tsakogiannis, A

Lagnel, J

Sarropoulou, E

Xiang, JZ

Papandroulakis, N

Mylonas, CC

Tsigenopoulos, CS

AF Manousaki, Tereza

Tsakogiannis, Alexandros

Lagnel, Jacques

Sarropoulou, Elena

Xiang, Jenny Z.

Papandroulakis, Nikos

Mylonas, Constantinos C.

Tsigenopoulos, Costas S.

TI The sex-specific transcriptome of the hermaphrodite sparid sharpsnout seabream (*Diplodus puntazzo*)

SO BMC GENOMICS

LA English

DT Article

DE Sparidae; Sharpsnout seabream; *Diplodus puntazzo*; RNA-Seq; Transcriptome; Gonads; Brain; Sex differentiation; Hermaphroditism

ID PROTANDROUS BLACK PORGY; DIFFERENTIAL EXPRESSION ANALYSIS; SEXUALLY DIMORPHIC EXPRESSION; HIGH WATER TEMPERATURE; DM-DOMAIN GENE; ACANTHOPAGRUS-SCHLEGELI; RNA-SEQ; MOLECULAR-CLONING; DESERT-HEDGEHOG; OVARIAN DEVELOPMENT

AB Background: Teleosts are characterized by a remarkable breadth of sexual mechanisms including various forms of hermaphroditism. Sparidae is a fish family exhibiting gonochorism or hermaphroditism even in closely related species. The sparid *Diplodus puntazzo* (sharpsnout seabream), exhibits rudimentary hermaphroditism characterized by intersexual immature gonads but single-sex mature ones. Apart from the intriguing reproductive biology, it is economically important with a continuously growing aquaculture in the Mediterranean Sea, but limited available genetic resources. Our aim was to characterize the expressed transcriptome of gonads and brains through RNA-Sequencing and explore the properties of genes that exhibit sex-biased expression profiles.

Results: Through RNA-Sequencing we obtained an assembled transcriptome of 82,331 loci. The expression analysis uncovered remarkable differences between male and female gonads, while male and female brains were almost identical. Focused search for known targets of sex determination and differentiation in vertebrates built the sex-specific expression profile of sharpsnout seabream. Finally, a thorough genetic marker discovery pipeline led to the retrieval of 85,189 SNPs and 29,076 microsatellites enriching the available genetic markers for this species.

Conclusions: We obtained a nearly complete source of transcriptomic sequence as well as marker information for sharpsnout seabream, laying the ground for understanding the complex process of sex differentiation of this economically valuable species. The genes involved include known candidates from other vertebrate species, suggesting a conservation of the toolkit between gonochorists and hermaphrodites.

C1 [Manousaki, Tereza; Tsakogiannis, Alexandros; Lagnel, Jacques; Sarropoulou, Elena; Papandroulakis, Nikos; Mylonas, Constantinos C.; Tsigenopoulos, Costas S.] Hellen Ctr Marine Res, Inst Marine Biol Biotechnol & Aquaculture IMBBC, Iraklion, Greece.

[Xiang, Jenny Z.] Weill Cornell Med Coll, Genom Resources Core Facil, New York, NY USA.

RP Tsigenopoulos, CS (reprint author), Hellen Ctr Marine Res, Inst Marine Biol Biotechnol & Aquaculture IMBBC, Iraklion, Greece.

EM tsigeno@hcmr.gr

OI Mylonas, Constantinos/0000-0003-1805-4392; Papandroulakis,

Nikos/0000-0002-7109-7132; Tsigenopoulos, Costas/0000-0003-0615-7941
FU Ministry of Education and Religious Affairs [36]; EU; Hellenic Republic
FX Financial support for this study has been provided by the Ministry of
Education and Religious Affairs, under the Call "ARISTEIA I" of the
National Strategic Reference Framework 2007-2013 (SPARCOMP, #36),
co-funded by the EU and the Hellenic Republic through the European
Social Fund. We would like to thank V. Terzoglou and E. Kaitetzidou for
help in RNA extractions, Irini Sigelaki for help in sampling and Dr.
Hooman Moghadam, Dr. Gianpaolo Zampicinini, Dr. Jon B. Kristoffersen and
Ji Hyoun Kang for valuable discussions. Finally, we would like to thank
three anonymous reviewers for their valuable comments on the manuscript.

NR 120

TC 22

Z9 22

U1 3

U2 63

PU BIOMED CENTRAL LTD

PI LONDON

PA 236 GRAYS INN RD, FLOOR 6, LONDON WC1X 8HL, ENGLAND

SN 1471-2164

J9 BMC GENOMICS

JI BMC Genomics

PD AUG 6

PY 2014

VL 15

AR 655

DI 10.1186/1471-2164-15-655

PG 16

WC Biotechnology & Applied Microbiology; Genetics & Heredity

SC Biotechnology & Applied Microbiology; Genetics & Heredity

GA AN5PN

UT WOS:000340643900001

PM 25099474

OA gold

DA 2018-01-04

ER

EF