



HAL
open science

Sox5 is involved in germ cell regulation and sex determination in medaka following co-option of nested transposable elements

Manfred Schartl, Suzanne Shories, Yuko Wakamatsu, Yusuke Nagao, Hisashi Hashimoto, Chloé Bertin, Brigitte Mourot, Cornelia Schmidt, Dagmar Wilhelm, Lazzaro Centanin, et al.

► To cite this version:

Manfred Schartl, Suzanne Shories, Yuko Wakamatsu, Yusuke Nagao, Hisashi Hashimoto, et al.. Sox5 is involved in germ cell regulation and sex determination in medaka following co-option of nested transposable elements. 8. International Symposium on the Biology of Vertebrate Sex Determination, Apr 2018, Kona (Hawaii), United States. hal-02733852

HAL Id: hal-02733852

<https://hal.inrae.fr/hal-02733852>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

**EIGHTH INTERNATIONAL SYMPOSIUM ON
THE BIOLOGY
OF VERTEBRATE SEX DETERMINATION**



April 16-20, 2018 KONA, HAWAII

EIGHTH INTERNATIONAL SYMPOSIUM ON THE BIOLOGY OF VERTEBRATE SEX DETERMINATION

16-20, APRIL 2018

King Kamehameha's Kona Beach Hotel

Kailua-Kona, Hawaii

Organizers

Richard Behringer
University of Texas MD Anderson Cancer Center
Houston, Texas

Blanche Capel
Duke University
Durham, North Carolina

Martin Cohn
Howard Hughes Medical Institute
University of Florida
Gainesville, Florida

Monika Ward
University of Hawaii at Manoa
Honolulu, Hawaii

Cover: Statue of Ardhanarishvara, the half-male, half-female form of Shiva, India 11th century A.D.

SOX5 IS INVOLVED IN GERM CELL REGULATION AND SEX DETERMINATION IN MEDAKA FOLLOWING CO-OPTION OF NESTED TRANSPOSABLE ELEMENTS

Manfred Schartl^{1, 2, 3}, Susanne Schories¹, Yuko Wakamatsu¹, Yusuke Nagao⁴, Hisashi Hashimoto⁴, Chloé Bertin⁷, Brigitte Mourot⁷, Cornelia Schmidt¹, Dagmar Wilhelm⁵, Lazzaro Centanin⁶, Yann Guiguen⁷ and Amaury Herpin^{1, 7}

¹ University of Wuerzburg, Physiological Chemistry, Biocenter, 97074 Wuerzburg, Germany.

² Comprehensive Cancer Center Mainfranken, University Hospital, 97080 Wuerzburg, Germany.

³ Texas Institute for Advanced Study and Department of Biology, Texas A&M University, College Station, Texas 77843, USA

⁴ Bioscience and Biotechnology Center, Nagoya University, Furo-cho, Chikusa-ku, Nagoya, Aichi, Japan.

⁵ University of Melbourne, Department of Anatomy & Neuroscience, Parkville, Victoria 3010, Australia.

⁶ University of Heidelberg, Centre for Organismal Studies (COS), Heidelberg, Germany.

⁷ INRA, UR1037 Fish Physiology and Genomics, F-35000 Rennes, France.

Sex determination relies on a hierarchically structured network of genes, and is one of the most plastic processes in evolution. The evolution of sex-determining genes within a network, by neo- or sub-functionalization, also requires the regulatory landscape to be rewired to accommodate these novel gene functions. We previously showed that in medaka fish, the regulatory landscape of the master male-determining gene *dmrt1bY* underwent a profound rearrangement, concomitantly with acquiring a dominant position within the sex-determining network. This rewiring was brought about by the exaptation of a transposable element (TE) called *Izanagi*, which is co-opted to act as a silencer to turn off the *dmrt1bY* gene after it performed its function in sex determination.

We now show that a second TE, *Rex1*, has been incorporated into *Izanagi*. The insertion of *Rex1* brought in a preformed regulatory element for the transcription factor *Sox5*, which here functions in establishing the temporal and cell-type-specific expression pattern of *dmrt1bY*. Mutant analysis demonstrates the importance of *Sox5* in the gonadal development of medaka, and possibly in mice, in a *dmrt1bY*-independent manner. Moreover, *Sox5* medaka mutants have complete female-to-male sex reversal. Our work reveals an unexpected complexity in TE-mediated transcriptional rewiring, with the exaptation of a second TE into a network already rewired by a TE. We also show a dual role for *Sox5* during sex determination: first, as an evolutionarily conserved regulator of germ-cell number in medaka, and second, by *de novo* regulation of *dmrt1* transcriptional activity during primary sex determination due to exaptation of the *Rex1* transposable element.