

How forest edges contribute to landscape connectivity?

Marc Deconchat, Luc Barbaro, Antoine Brin, François Calatayud

▶ To cite this version:

Marc Deconchat, Luc Barbaro, Antoine Brin, François Calatayud. How forest edges contribute to landscape connectivity?. IALE World Congress 2019, Jul 2019, Milano, Italy. 993 p. hal-02734805

HAL Id: hal-02734805 https://hal.inrae.fr/hal-02734805

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

How forest edges contribute to landscape connectivity?

Marc Deconchat; Antoine Brin; Luc Barbaro, François Calatayud





Roles of hedgerows and their network in structural connectivity




Journal of Biogeography (J. Biogeogr.) (2004) **31**, 79–92



Animal species diversity driven by habitat heterogeneity/diversity: the importance of keystone structures

J. Tews^{1*}, U. Brose², V. Grimm³, K. Tielbörger¹, M. C. Wichmann¹, M. Schwager¹ and F. Jeltsch¹



Measuring and monitoring linear woody features in agricultural landscapes through earth observation data as an indicator of habitat availability

. Pasher 🗸 🙉 , M. McGovern 🖾 , V. Putinski 🔯

Species movements along woody linear features (WLF)

- Many species move along linear landscape features
 - Foraging
 - Hiding
 - Dispersal
- Consequences for population dynamics



Landscape Ecol (2007) 22:333–351 DOI 10.1007/s10980-006-9064-4

REVIEW

Are hedgerows effective corridors between fragments of woodland habitat? An evidence-based approach

Importance of hedgerows as habitat corridors for forest plants in agricultural landscapes

Stephan Wehling*, Martin Diekmann



The Utility of Movement Corridors in Forested Landscapes

Iari Niemela

Pages 70-78 | Published online: 05 Nov 2010

Ecosystem services

Ecology Letters, (2007) 10: 299-314

doi: 10.1111/j.1461-0248.2007.01018.x

REVIEW AND SYNTHESIS

Pollination and other ecosystem services produced by mobile organisms: a conceptual framework for the effects of land-use change

Ecosystems (2013) 16: 894–908 DOI: 10.1007/s10021-013-9647-2




Linking Landscape Connectivity and Ecosystem Service Provision: Current Knowledge and Research Gaps

Matthew G. E. Mitchell, ** Elena M. Bennett, and Andrew Gonzalez



Several ways to use the connections: Corridor




Ecology, 84(3), 2003, pp. 609-615 © 2003 by the Ecological Society of America

CORRIDOR USE BY DIVERSE TAXA

Nick M. Haddad,^{1,7} David R. Bowne,² Alan Cunningham,³ Brent J. Danielson,⁴ Douglas J. Levey, Sarah Sargent,⁶ and Tim Spira³


Connectivity



An example



Fig. 1 Topographical map of the studied area. Black areas are forests and thin lines mark country borders. The studied forest patches are numbered with the codes displayed in the Tables. For spatial scaling, note that the distance of patch 1 from the largest patch 16 is 40 km and its area totals 1250 ha




Landscape Bool (2007) 22:1527-1539 DOI 10.1007/s10980-007-9149-8

RESEARCH ARTICLE

Carabids (Coleoptera: Carabidae) in a forest patchwork: a connectivity analysis of the Bereg Plain landscape graph

Ferenc Jordán · Tibor Magura · Béla Tóthmérész · Vera Vasas · Viktor Ködöböcz

Several ways to use the connections



Habitat corridors function as both drift fences and movement conduits

MEASURING LANDSCAPE CONNECTIVITY: THE CHALLENGE OF BEHAVIORAL LANDSCAPE ECOLOGY


Marc Bélisle¹

Forest edges: another woody linear feature (WLF)

- Discontinuity between a forest land cover and an open habitat land cover (crops, pastures, roads...)
- > Hedgerow length (France): 566 000 km (Pointereau, 2006)
- Forest edge length (France): 688 000 km (IGN)

Forest-edge utilization by carnivores in relation to local and landscape habitat characteristics in central European farmland

© 2000 Kluwer Academic Publishers. Printed in the Netherlands. Dispersal of woody plants in forest edges and hedgerows in a Southern Swedish agricultural area: the role of site and landscape structure






Ingrid L. Sarlöv Herlin^{1*} & Gareth L. A. Fry²

Martin Šálek^{a,b}, Jaroslav Červinka^{b,c,*}, Petr Pavluvčík^{b,d}, Simona Poláková^e, Emil Tkadlec^{a,d}

Another point of view: connectivity for edge/hedge associated species





2 types of species movement in forest edges




- No paper identified dealing with both dimensions
- Longitudinal movements understudied
- How to characterize edges regarding both types

Shape of forest edge








Landscape Ecol (2014) 29:655–663 DOI 10.1007/s10980-014-0008-0

RESEARCH ARTICLE

Tortuosity of habitat edges affects animal movement

Vilis O. Nams

Conclusions



- The roles of forest edges in landscape connectivity should not be under estimated anymore
- They may influence the diversity of species movements