



**HAL**  
open science

## Genetic architecture of robustness in *Capsicum annuum* for resistance to *Phytophthora capsici* and Potato virus Y under a temperature stress

Valentin Ribaut, Anne Massire, Judith Hirsch, Emmanuel Szadkowski, Loup Rimbaud, Bernard Caromel, Alexandre Bachellez, Nasradin Touhami, Marion Szadkowski, Benoît Moury, et al.

### ► To cite this version:

Valentin Ribaut, Anne Massire, Judith Hirsch, Emmanuel Szadkowski, Loup Rimbaud, et al.. Genetic architecture of robustness in *Capsicum annuum* for resistance to *Phytophthora capsici* and Potato virus Y under a temperature stress. 17. Eucarpi Meeting on Genetics and Breeding of Capsicum and Eggplant, Sep 2019, Avignon, France. INRA, Centre de recherche Provence-Alpes-Côte d'Azur, 263 p., 2019, Innovations in Genetics and Breeding of Capsicum and Eggplant. Proceedings of the 17th EUCARPIA Meeting on Genetics and Breeding of Capsicum and Eggplant September 11-13, 2019 | Avignon - France. hal-02736058

HAL Id: hal-02736058

<https://hal.inrae.fr/hal-02736058v1>

Submitted on 2 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

# Genetic architecture of robustness in *Capsicum annuum* for resistance to *Phytophthora capsici* and Potato virus Y under a temperature stress

Ribaut V<sup>1</sup>, Massire A<sup>1</sup>, Hirsch J<sup>2</sup>, Szadkowski E<sup>1</sup>, Rimbaud L<sup>2</sup>, Caromel B<sup>1</sup>, Bachellez A<sup>1</sup>, Touhami N<sup>1</sup>, Szadkowski M<sup>2</sup>, Moury B<sup>2</sup>, Lefebvre V<sup>1</sup>

<sup>1</sup>INRA, UR1052 GAFL, Avignon, France. <sup>2</sup>INRA, UR407 Pathologie Végétale, Avignon, France

**BACKGROUND** Current climate has an impact on the expression of plant diseases and therefore their management [1]. The plant-pathogen interaction resulting from an infection can be difficult to predict when one or several parameters of the environment are changed. For example, increased mean temperature was reported to inhibit the expression of resistance to pathogens. Usually, the higher the temperature, the higher the virus multiplication. However, the opposite can also be observed: Tobacco rattle virus multiplies faster at 18-22°C than at 26°C [1]. The pathogen multiplication rate is also linked to the host behaviour, which depends on its genetics. This leads to the definition of robustness, sometimes called canalization: the absence or low variation of a phenotypic trait faced to a specific environmental change [2]. Our goal is to identify Quantitative Trait Loci (QTL) and genes involved in the robustness of pepper resistance to *Phytophthora capsici* and Potato virus Y (PVY).

**MATERIALS & METHODS** A collection of 176 pepper (*Capsicum annuum*) accessions was phenotyped for resistance to *P. capsici* under two temperatures, 22/24°C or 28/30°C (the lowest being the night temperature) [3]. The same accessions were inoculated with PVY in two conditions (20°C or 28°C) and relative concentration of virus in apical leaves was measured with Enzyme Linked ImmunoSorbent Assay (ELISA). The collection was genotyped for 10,308 Single Nucleotide Polymorphisms (SNPs). Robustness was calculated as the inverse of the difference of resistance mean between both environmental conditions. Best Linear Unbiased Predictor (BLUP) values of robustness were used for Genome Wide Association Studies (GWAS).

**RESULTS** The temperature regime and the accession have an effect on the mean resistance level (Fig. 1). For both *P. capsici* and PVY, different responses were identified between the two conditions. Mortality at 30 dpi was more frequent at 20°C than at 28°C for PVY. Further analyses will underline the genetic part involved in robustness. QTL determining resistance for each pathogen at each temperature regime and robustness of resistance to these pathogens under thermic variation will be looked for with a GWAS approach. Then, a search into *C. annuum* reference genomes will enable us to identify robustness genes.

**DISCUSSION & CONCLUSION** Thanks to this project, we expect to identify different QTL of robustness for each pathogen. A larger temperature spectrum will allow the determination of reaction norms for each accession across multiple environments. A precise characterization of the response could help the breeding for changing environments. Robustness for different stress (flooding, drought, and other pathogens) and combination of stresses will also be assessed.

## REFERENCES

- [1] Jones and Barbeti, 2012, CAB Reviews 7:1-31. doi :10.1079/PAVSNNR20127022
- [2] Felix and Barkoulas, 2015, Nature Review in Genetics 16: 483-496. doi:10.1038/nrg3949
- [3] Lefebvre and Palloix, 1996, Theoretical and Applied Genetics 93:503-511. doi: 10.1007/BF00417941




Figure 1: Plot of the susceptibility levels of the 176 accessions in both environments. The blue line corresponds to the first bisector *i.e.* the response is similar in both environments. A) For *P. capsici*, susceptibility level corresponds to the AUDPC index. B) For PVY, susceptibility level corresponds to the log transformation of virus concentration.



# Innovations in Genetics and Breeding of Capsicum and Eggplant

Proceedings of the 17<sup>th</sup> EUCARPIA Meeting on Genetics  
and Breeding of Capsicum and Eggplant,

September 11-13, 2019 | Avignon - France

Editors: Véronique Lefebvre & Marie-Christine Daunay

**Editors**

Véronique Lefebvre & Marie-Christine Daunay

**Title**

Innovations in Genetics and Breeding of Capsicum and Eggplant

**Sub-title**

Proceedings of the 17<sup>th</sup> EUCARPIA Meeting on Genetics and Breeding of Capsicum and Eggplant  
September 11-13, 2019 | Avignon - France

**Publisher**

Institut National de la Recherche Agronomique (INRA)

Centre de recherche Provence-Alpes-Côte d'Azur

228 route de l'aérodrome

CS 40 509 - Domaine Saint Paul, Site Agroparc,

84914 Avignon Cedex 9 - France

**Visual identity**

© Armelle Favery

**Artistic director**

© Lyonel Liger assisted by Sabine Laugier

**Layout design and editing**

Salima Kherchache

**Printed by**

SUD LABO, 35 avenue Pierre Sépard, 84000 Avignon - France