



**HAL**  
open science

## Plasticity in plant hydraulic traits: do we know what is going on?

M. Mencuccini, J. Martinez-Vilalta, Cochard, Sylvain Delzon, B. Choat

### ► To cite this version:

M. Mencuccini, J. Martinez-Vilalta, Cochard, Sylvain Delzon, B. Choat. Plasticity in plant hydraulic traits: do we know what is going on?. 14. MEDECOS & 13. AEET meeting. Human driven scenarios for evolutionary and ecological changes, Jan 2017, Séville, Spain. 268 p. <hal-02736179>

**HAL Id: hal-02736179**

**<https://hal.inrae.fr/hal-02736179v1>**

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire HAL, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons CC BY 4.0 - Attribution - International License



# XIV MEDECOS & XIII AEET meeting

Human driven scenarios for evolutionary and ecological changes

Abstract book

31<sup>st</sup> January - 4<sup>th</sup> February 2017  
Seville, Spain



Abstract book of the XIV MEDECOS & XIII AEET meeting,  
Seville, Spain, 31<sup>st</sup> January - 4<sup>th</sup> February 2017

Issued in Open Access, under the terms of Commons attribution Non Commercial License  
Doi.: [10.7818/MEDECOSandAEETCongress.2017](https://doi.org/10.7818/MEDECOSandAEETCongress.2017)

Editorial deadline: 20<sup>th</sup> December, 2016.

Publisher: Asociación Española de Ecología Terrestre (AEET)  
C/ Tulipán s/n, 28399, Móstoles, Madrid, Spain

Layout: Imprenta Sand, S.L. Seville. Spain.

## S.06-27-Poster

**Deciphering the ecophysiological traits involved during water stress acclimation and recovery of the threatened wild carnation, *Dianthus inoxianus***López-Jurado, J.<sup>1</sup>, Balao, F.<sup>2</sup>, Mateos-Naranjo, E.<sup>3</sup>

(1) Faculty of Biology, University of Seville. (2) Faculty of Biology, University of Seville. (3) Faculty of Biology, University of Seville

Correspondence e-mail: [javlopez@us.es]

*Dianthus inoxianus* is an endangered species endemic from a small littoral area in the SW Spain, with an unusual flowering season under the adverse conditions of dry Mediterranean summer. A greenhouse experiment was designed to assess the physiological traits involved in drought acclimation and recovery of 3-month-old plants. The evolution of plant water status, leaf gas exchange, chlorophyll fluorescence, photosynthetic pigments concentrations and a quantitative analysis of photosynthesis limitations were followed during water stress and re-watering. Our results indicated that plant water status values only decreased at the end of the drought period, together with the net photosynthetic rate. Photosynthetic impair was mainly caused by diffusional limitations of CO<sub>2</sub>, as indicated the joint and marked decrease of stomatal and mesophyll conductance and intercellular CO<sub>2</sub> concentration during drought period, while the maximum carboxylation efficiency of Rubisco did not vary. After rewatering, leaf water status recovered faster than photosynthetic one, reaching control values on day 1 after recovery instead on day 7. Additionally, stomatal conductance showed the slowest recovery taking 15 days, but the decrease was enough to keep plant water status variables at constant values throughout the experiment. Results suggest a high tolerance and recovery of *D. inoxianus* from severe drought periods. This drought tolerance was also reflected in the stability of its photochemical apparatus (actual and maximum photochemical efficiency of PSII) and pigments concentrations, as indicated the constant values showed through the whole experiment. Conservation management of this endangered species is discussed in the context of future global climate change.

## S.06-28-Oral

**Plasticity in plant hydraulic traits: do we know what is going on?**Mencuccini, M.<sup>1</sup>, Martinez-Vilalta, J.<sup>2</sup>, Cochard, H.<sup>3</sup>, Delzon, S.<sup>4</sup>, Choat, B.<sup>5</sup>

(1) ICREA. (2) CREAM. (3) INRA PIAF. (4) University of Bordeaux. (5) University Western Sydney

Correspondence e-mail: [m.mencuccini@ed.ac.uk]

In addition to rapid evolution and to dispersal mechanisms, plasticity is often mentioned in the scientific literature as one of the few main processes available to plants in order to respond to climate change. Although the concept of plasticity goes back several decades, significant understanding of its ecological significance has occurred only in the past two decades. This is especially true for plant hydraulics. We contend a globally-wide perspective of the patterns regulating plasticity in plant hydraulic traits is currently missing. We identify the main constraints that limited available generalisations regarding plasticity and acclimation in plant hydraulics and argue that this knowledge gap needs to be urgently filled to help improve our basic understanding of plant functioning and help respond to pressing questions related to our ability to predict terrestrial ecosystem responses to global change-related challenges. Basic questions to be addressed relate to the following areas: the relationship between hydraulic traits showing substantial plasticity versus those showing substantial invariance; the measurement and significance of acclimation in plant hydraulic traits; the balance between physiological and structural acclimation; the significance of plasticity at scales varying from microscopic changes in wood and cellular properties to whole-plant changes in functional balance; the relationship between phenotypic plasticity and individual- and population-level genetic variability. Preliminary results from a global meta-analysis of plasticity in plant hydraulic traits will be presented, with an emphasis on trends specific to Mediterranean ecosystems. Further ways in which these analyses may be developed will also be discussed.