



**HAL**  
open science

## Sex chromosome evolution in Poeciliid fish

Manfred Schartl, Romain Feron, Alvaro Santacruz Roco, Susanne Kneitz, Verena A. Kottler, Du Kang, Mateus C. Adolphi, Céline Roques, Christophe Klopp, Yann Guiguen

► **To cite this version:**

Manfred Schartl, Romain Feron, Alvaro Santacruz Roco, Susanne Kneitz, Verena A. Kottler, et al.. Sex chromosome evolution in Poeciliid fish. Paradigm shift in sex chromosome evolution, Leibniz Institute of Freshwater Ecology and Inland Fisheries (IGB). DEU., Sep 2019, Berlin, Germany. 42 p., 10.4126/FRL01-006417884 . hal-02736598

**HAL Id: hal-02736598**

**<https://hal.inrae.fr/hal-02736598>**

Submitted on 2 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Manfred Schartl<sup>1</sup>, Romain Feron<sup>2</sup>, Alvaro Santacruz Roco<sup>1</sup>, Susanne Kneitz<sup>1</sup>, Verena A. Kottler<sup>1</sup>, Du Kang<sup>1</sup>, Mateus Adolfi<sup>1</sup>, Céline Roques<sup>3</sup>, Christophe Klopp<sup>4</sup>, Yann Guiguen<sup>2</sup>

<sup>1</sup> Physiologische Chemie, Biozentrum, Universität Würzburg, Am Hubland Süd, 97074 Würzburg, Germany;

Corr. author's email: phch1@biozentrum.uni-wuerzburg.de

<sup>2</sup> INRA, UR1037 LPGP, Campus de Beaulieu, Rennes, France.

<sup>3</sup> INRA, US 1426, GeT-PlaGe, Genotoul, Castanet-Tolosan, France.

<sup>4</sup> Plate-forme bio-informatique Genotoul, Mathématiques et Informatique Appliquées de Toulouse, INRA, Castanet Tolosan, France; and SIGENAE, GenPhySE, Université de Toulouse, INRA, ENVT, Castanet Tolosan, France.

### **Sex chromosome evolution in Poeciliid fish**

The outstanding diversity of sex determination mechanisms and the plasticity of the underlying molecular pathways is a hallmark of fish biology. In a few species the description of the varying mechanisms and pathways has already proceeded to high resolution. However, neither the biological meaning of this diversity nor the evolutionary forces, which drive it, are understood. So far, our information mainly comes from a handful of species representing distant branches of the fish tree of life. To contribute the databases on which hypotheses can be built, we are studying sex determining mechanisms and sex chromosome structures in closely related species of three genera of Poeciliids: *Poecilia*, *Gambusia* and *Xiphophorus*. For our comparative work we are using RAD-sequences, pool sequencing, whole genome assemblies and RNA-seq. We find independent development of separate pairs of ancestral chromosomes to opposing heterogametic sex determination mechanisms in two sister species of *Gambusia* with strongly differing effects on sex chromosome evolution. In the genus *Xiphophorus*, the same ancestral chromosome pair became the sex chromosome in all species analysed so far. Surprisingly, this chromosome pair acts as WZ in some species, as XY in others, and as W, X and Y in the platyfish, *Xiphophorus maculatus*. Looking at candidate sex determination genes and sex chromosome-linked genes, we aim to reconstruct the evolution of sex chromosomes on a micro-evolutionary scale.

Funded by

**DFG** Deutsche  
Forschungsgemeinschaft  
German Research Foundation

**IGB**  
Leibniz-Institute of  
Freshwater Ecology  
and Inland Fisheries

# Paradigm shift in sex chromosome evolution

Abstracts of the workshop held in Berlin, 19-22 September 2019

Edited by

Matthias Stöck<sup>1</sup>  <https://orcid.org/0000-0003-4888-8371>

Lukáš Kratochvíl<sup>2</sup>  <https://orcid.org/0000-0002-3515-729X>



<sup>1</sup> Leibniz-Institute of Freshwater Ecology and Inland Fisheries (IGB), Department of Ecophysiology and Aquaculture, Berlin, Germany

<sup>2</sup> Charles University, Faculty of Science, Department of Ecology, Prague, Czech Republic



© 2019. This manuscript version is made available under the [CC-BY 4.0 license](https://creativecommons.org/licenses/by/4.0/)