

## Diachronic study of the effect of growing trees on grapevine yield: 24 years of experience in the South of France

Marie Gosme, Juliette Grimaldi, William Trambouze

#### ▶ To cite this version:

Marie Gosme, Juliette Grimaldi, William Trambouze. Diachronic study of the effect of growing trees on grapevine yield: 24 years of experience in the South of France. 4. World Congress on Agroforestry, May 2019, Montpellier, France. 933 p. hal-02736832

### HAL Id: hal-02736832 https://hal.inrae.fr/hal-02736832

Submitted on 2 Jun2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

#### L02.1 0.03

# Diachronic study of the effect of growing trees on grapevine yield: 24 years of experience in the South of France

Gosme M.<sup>1</sup> (marie.gosme@supagro.inra.fr), Grimaldi J.<sup>2</sup>, Trambouze W.<sup>3</sup>

<sup>1</sup>UMR SYSTEM, INRA, Montpellier, France; <sup>2</sup>CESBIO, Toulouse, France; <sup>3</sup>Chambre d'agriculture de l'Hérault, Montblanc, France

Grapevine growers are fearful of the potential effects of climate change on yield and wine quality: the continuing trend for earlier harvest date leads to a decrease in wine organoleptic quality, and increased temperatures lead to heat stress and reduced yield. Thanks to its microclimatic effect, agroforestry could mitigate these risks. In 1995, trees (mainly *Pinus pinea* and *Sorbus domestica*) were planted with 4 or 5 rows of grapevine between each row of trees, on the Restinclières Agroforestry Platform, in the South of France. Twenty-four years later, the accumulated experience allows us to draw conclusions on the beneficial effects of the agroforestry microclimate, with up to 6 degrees lower in agroforestry compared to the pure grapevine control in the hottest summer days, but also on the negative effects of agroforestry, such as nitrogen competition between the trees and the vine, which is significant only on the grapevine row nearest to the tree line.



Grapevine associated with Sorbus domestica and Pinus pinea

Keywords: grapevine, microclimate, yield, grape juice quality.