



**HAL**  
open science

## Tree-related Microhabitat (TreM) spatial patterns in European beech-dominated forests

Laurent Larrieu, Benoit Courbaud, Goulard Michel, Wilfried Heintz, Daniel Kraus, Thibault Lachat, Sylvie Ladet, Fabien Laroche, Jörg Müller, Yoan Paillet, et al.

### ► To cite this version:

Laurent Larrieu, Benoit Courbaud, Goulard Michel, Wilfried Heintz, Daniel Kraus, et al.. Tree-related Microhabitat (TreM) spatial patterns in European beech-dominated forests. 25. IUFRO world congress 2019, Sep 2019, Curitiba, Brazil. 770 p. hal-02737338

**HAL Id: hal-02737338**

**<https://hal.inrae.fr/hal-02737338>**

Submitted on 2 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


# Tree-related Microhabitat (TreM) spatial patterns in European beech-dominated forests

Laurent Larrieu  
Benoit Courbaud  
Michel Goulard  
Wilfried Heintz  
Daniel Kraus  
Thibault Lachat  
Fabien Laroche  
Sylvie Ladet  
Jörg Müller  
Yoan Paillet  
Andreas Schuck  
Jonas Stillhard  
Miroslav Svoboda





# A TreM is a specific above-ground tree morphological singularity

- **distinct, well delineated structure**
- **borne by standing living or dead trees**
- **essential substrate or life-site for taxa**
- **encompassing decaying wood (=saproxylic TreM) or not (=epixylic TreM)**



Drawings L. Apfelbacher

# TReMs are key features for many taxa and participate in a complex functional habitat network in species life cycles



Examples of supplementation (s) and complementation (c) resources

- By harvesting TreM-bearing trees, **management impacts both TreM density and diversity** (e.g. Larrieu & Cabanettes 2012)
- We observe **poorer communities of TreM-dwelling taxa in managed stands** (e.g. Bouget et al. AC 2014)
- Is this lower biodiversity due to a lower TreM supply only or also to **changes in spatial distribution pattern?**

# **Are spatial distribution patterns of TreMs different in harvested stands compared to unharvested ones?**

**Hypothesis 1: TreM distribution is spatially structured in old-growth forests (>100 years)**

**Hypothesis 2: The spatial distribution of TreMs is mainly driven by the spatial distribution of tree dbh**

**Hypothesis 3: Management affects these patterns by controlling dbh range, density and location of TreM-bearing trees**



# An analysis focusing on beech-dominated stands, recently harvested or not

International standardized TreM database: 267 sites, 1492 plots, 86 754 trees, 17 TreM groups



- **Beech-dominated** (>50% trees) **stands**

Tree coordinates

>20 trees/plot

>10 TreM/plots

- **2 time categories since the last harvest**

< 50 y: managed forest


> 100 y: old-growth forest



**55 sites, 408 plots (0.05-1ha),  
20346 living and standing dead trees**

## 11 TreM-subgroups


selected from Larrieu et al. EI 2018



Set of 6 TreMs common to all databases


# A multi-scale exploratory analysis

## Harvested and unharvested stands




## Plot-grouping scale

- Set of 6 TreMs pooled
- Binomial GLM
- $Y$  (tree bears at least a TreM)  $\sim$  dbh + site + site-plot + time since the last harvest




## Unharvested forest



## Forest scale (Uholka, OGF)


- 8 individual TreMs
- Binomial GLM/GLMM
- 266 x 500m<sup>2</sup>-plots

# No consistent spatial pattern, neither in managed nor in old growth forests




MPP without control of the spatial structure for dbh

## General case



and very rarely...




Aggregation of TreM-bearing trees

Repulsion

- random distribution of the TreM-bearing trees
- █ Confidence interval
- L1,1 (r) function: counts the nb of TreM-bearing trees in the r-radius disc



# Neighbourhood features have a significant effect on TreM bearing tree occurrence



GLM binomial

Y=tree bears a TreM or not

for **50 %** of the plots in Managed forest




**+ 10% of variance explained** by neighbourhood  
(in addition to dbh)

for **25%** of the plots in Old-growth forest






**+ 18% of variance explained** by neighbourhood  
(in addition to dbh)

# The effect of dbh on TreM occurrence depends on both TreM and forest status




GLM binomial  
Y=tree bears a TreM or not

TreM	Old Growth Forests	Dbh effect	Managed forest
	+ for 97% of the plots	=	+ for 100% of the plots
	+ for 52% of the plots	+ → +	+ for 88% of the plots
	- for 65% of the plots	- → +	+ for 94% of the plots

% var. explained by plot:dbh >> % var. explained by dbh

# Local conditions are the main driver of TreM occurrence




GLM binomial

Y=tree bears a TreM or not

- **dbh \*\*\*, but low explanatory power (3%)**
- Time since the last harvest (dbh\*time) \*\*\*, medium explanatory power (17%)
- Site (dbh\*site)\*\*\*, high explanatory power (36%)
- **Site-plot (dbh\*site-plot)\*\*\*, the highest explanatory power (42%)**

**Same trend observed at the individually TreM level!**

# In addition to dbh, plot features matters for explaining the occurrence of most of the TreMs




GLM & GLMM, binomial  
Y=tree bears a TreM or not



## Drivers

- DBH
- Plot features
  - canopy cover
  - slope
  - elevation

## TreMs




# Crown deadwood is mostly driven by a spatially-autocorrelated plot random effect



Bayesian CAR

posteriori residual variation of crown deadwood occurrence



Distance decay=260m



# In a nutshell

- **Tree dbh spatial distribution is not a consistent surrogate within plot for TreM spatial distribution in old-growth forests**
- **Strong effect of local conditions on TreM spatial structuration**
- **Management influences the way TreM spatialization occurs (mainly by changing relationship between TreM and dbh)**

**Thanks for your attention**