



HAL
open science

A pyramiding strategy for resistance to rootknot nematodes *meloidogyne* spp. in prunus rootstock material

Henri Duval

► To cite this version:

Henri Duval. A pyramiding strategy for resistance to rootknot nematodes *meloidogyne* spp. in prunus rootstock material. Innovation in Integrated & Organic Horticulture, INNOHORT 2015, International Society for Horticultural Science (ISHS). INT., Jun 2015, Avignon, France. hal-02738895

HAL Id: hal-02738895

<https://hal.inrae.fr/hal-02738895>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



ISHS INTERNATIONAL SYMPOSIUM

INNOHORT

Innovation in
Integrated & Organic
Horticulture

Avignon, France

2015

June 8 - 12


PROGRAM
AND ABSTRACT BOOK



© Photo C. Rodde - Avignon Tourisme



INNOHORT
is organized by



tersys
l'intelligence du vivant
structure fédérative de recherche

A PYRAMIDING STRATEGY FOR RESISTANCE TO ROOT-KNOT NEMATODES MELOIDOGYNE SPP. IN PRUNUS ROOTSTOCK MATERIAL

Henri Duval¹, C Van Ghelder² and D Esmenjaud²

¹INRA, UR Génétique et Amélioration des Fruits et Légumes (UGAFL), 84914 Avignon, France ; ²INRA, UMR Institut Sophia-Agrobiotech (ISA), INRA1355, CNRS7254, Université de Nice, 06903 Sophia Antipolis, France

Many *Prunus* species are used pure or in interspecific crosses as rootstocks for apricot, peach or almond crops. The wide genetic variability within the *Prunus* genus allows to breed a high diversity of rootstocks. Besides their graft-compatibility with the variety, rootstocks need a vigor fitting the growing system and an adaptation to the different types of orchard soils that may notably be waterlogged, dry or calcareous. However, stone fruit crops *Prunus* spp. grown under mediterranean climates are severely damaged by root-knot nematodes (RKN) *Meloidogyne* spp. and breeding for RKN-resistant rootstocks is a promising control alternative to nematicide ban. Resistance (R) genes that confer different spectra to the predominant species *M. arenaria*, *M. incognita* and *M. javanica* have been identified and mapped in plums (Ma and Rjap), peach (RMia) and almond (RMja). Thus sustainable resistance in *Prunus* is based on pyramiding of R genes in interspecific rootstock material to take into account the risk of resistance breaking in the durable plant-nematode interaction for perennials. In the INRA rootstock breeding program, marker-assisted-selection (MAS) for the Ma and RMia genes have been developed and some hybrid rootstocks carrying one or two R genes have been preselected. In Morocco, first trials in peach orchards infected with several RKN species have confirmed the expected R spectrum of these preselections in comparison with the susceptible control rootstock GF677. Identification of markers for the RMja almond gene will open the way to MAS of interspecific rootstocks 'almond x peach x plum' carrying three genes, one from each *Prunus* species.

Keywords: Rootstock breeding, Nematodes, Resistance, *Prunus*, stone fruit