



Vitamin C and cell wall metabolisms in tomato: GDP-D-mannose epimerase (GME) a key actor of these interrelated pathways

Louise Gilbert, Marie Dumont, Carine Ferrand, Celine Bournonville, Antoine Monier, Joana Jorly, Isabelle Atienza, Michel Hernould, Rebecca Stevens, Arnaud Lehner, et al.

► To cite this version:

Louise Gilbert, Marie Dumont, Carine Ferrand, Celine Bournonville, Antoine Monier, et al.. Vitamin C and cell wall metabolisms in tomato: GDP-D-mannose epimerase (GME) a key actor of these interrelated pathways. The 12th Solanaceae Conference SOL 2015, Oct 2015, Bordeaux, France.
hal-02739180

HAL Id: hal-02739180

<https://hal.inrae.fr/hal-02739180>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

SOL2015



The 12th Solanaceae Conference

October 25 -29, 2015
ENSEIRB Building, Talence

Bordeaux, France



Vitamin C and Cell Wall Metabolisms in Tomato: GDP-D-mannose epimerase (GME) a key actor of these interrelated pathways

Gilbert L^a, Dumont M^b, Ferrand C^a, Bourdonville C^a, Monier A^a, Jorly J^a, Atienza I^a, Hernould M^a, Stevens R^b, Lehner A^c, Mollet JC^c, Rothan C^a, Lerouge P^c and Baldet P^a

^a Institut National de la Recherche Agronomique (INRA), Université de Bordeaux, Unité Mixte de Recherche 1332 Biologie du Fruit et Pathologie, 71 Avenue E. Bourlaux, CS20032, F-33882 Villenave d'Ornon Cedex, France.

^b Institut National de la Recherche Agronomique (INRA), Unité de Recherche 1052 Génétique et Amélioration des Fruits et Légumes, Domaine Saint Maurice, 67, Allée des chênes, CS 60094 F-84143 Montfavet Cedex, France

^c Université de Rouen, Laboratoire Glycobiologie et Matrice Extracellulaire Végétale, EA 4358, Institut Fédératif de Recherche 23, 76821 Mont-Saint-Aignan, France.

The GDP-D-mannose epimerase (GME, EC 5.1.3.18), which converts GDP-D-mannose to GDP-L-galactose, is generally considered as a central enzyme of the major ascorbate biosynthesis pathway in higher plants but experimental evidence for its role in planta is lacking. By using transgenic tomato lines RNAi-silenced for the two GME genes, we could decipher the respective function of GME1 and GME2 proteins during tomato development. Both GME1 and GME2 participate to AsA biosynthesis pathway confirming that GMEs indeed play a key role in the regulation of ascorbate biosynthesis in tomato plants. Regarding the role of the GME activity in the cell wall biogenesis, our data suggest the existence of a specific cell wall-related activity of SIGME1 and SIGME2 according to the considered plant tissue and its developmental stage. On the basis of the gene expression patterns, SIGME2 displayed predominance during the vegetative growth phase, since only RNAi-GME2 transgenic lines exhibited growth delay. On the other hand, GME1 seems to be the major player during the early phase of development of reproductive tomato organs, namely flowers and fruits, as shown by the smaller fruits produced by RNAi-SIGME1 lines. When considered together, these findings confirm the intimate linkage of ascorbate and cell wall biogenesis in tomato plants, and they also reveal the possible existence of specificity of the GME activities related to cell wall that depends on the organ type and its stage of development.