



HAL
open science

Membrane dynamics of sugar transports in plant-microbe interactions

Carole Pfister, Marine Forges, Pierre-Emmanuel Courty, Nathalie
Leborgne-Castel, Daniel D. Wipf

► **To cite this version:**

Carole Pfister, Marine Forges, Pierre-Emmanuel Courty, Nathalie Leborgne-Castel, Daniel D. Wipf. Membrane dynamics of sugar transports in plant-microbe interactions. 13. European Conference on Fungal Genetics (ECFG13), Apr 2016, Paris, France. 624 p., 2016. hal-02739278

HAL Id: hal-02739278

<https://hal.inrae.fr/hal-02739278>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ABSTRACT BOOK



ECFG13

13th European Conference
on Fungal Genetics

**Bridging
fungal genetics,
evolution
and ecology**



Crédit photo : P. Marin / G. O. NET

APRIL 3-6, 2016 PARIS - LA VILLETTE

CITÉ DES SCIENCES ET DE L'INDUSTRIE - CENTRE DES CONGRÈS DE LA VILLETTE



www.ecfg13.org
info@ecfg13.org

Administrative Office
H O P
S C O
T C H
CONGRÈS

POSTER SESSION ABSTRACTS
Session CS1 Cell biology and traffic
CS1M03

Monday 4th April
14:00 - 16:00

**PFISTER Carole (1), FORGES Marine (1), COURTY Pierre Emmanuel (2),
LEBORGNE CASTEL Nathalie (1), WIPF Daniel (1)**

(1) Agroécologie, INRA, Agrosup, CNRS, Université de Bourgogne, , Dijon, France

(2) University of Fribourg, Department of Biology, Fribourg, Switzerland

Membrane dynamics of sugar transports in plant-microbe interactions

Plants can influence populations of mutualistic and pathogenic microorganisms present in their rhizosphere through exudation of sugars, a carbon source crucial for their growth and development. Beside their nutritional role, sugars could act as signaling molecules in plant-microorganism interactions. Mycorrhizal symbiosis is a mutualistic association in which the plant receives mineral nutrients (phosphate, nitrogen...) by the fungal partner, which in return receives sugars. In a pathogenic association, the microorganism diverts sugars provided by the plant without any compensation. Microorganisms are thus able to manipulate the host to modify fluxes of sugar(s). Despite the identification of sugar transport proteins at biotrophic interfaces, molecular and cellular mechanisms by which microorganisms operate the distribution of sugars produced by plants are still poorly understood. In this context, we aim to characterize plant membrane dynamics related to the transport of sugars in mutualistic and pathogenic interactions. The project is first conducted on *Nicotiana tabacum* cell suspension to analyze sugar flows (sucrose and glucose) through the plasma membrane of WT and endocytosis affected mutant cells subjected to various microbial molecules (e.g. defense elicitors, mycorrhizal factors). Secondly, tobacco sugar transporters are identified by screening gene and protein databases, and characterized by expression analysis to select leading candidates. Finally, selected carriers will be localized at the cellular level and their dynamic into the membrane system will be followed in response to mutualistic and pathogenic microorganisms or microbial molecules.
