



HAL
open science

Protection of the durability of major resistance genes to plant viruses through quantitative resistance, a modeling approach

Elsa Rousseau, Jérôme Coville, Frédéric Fabre, Ludovic Mailleret, Alain Palloix, Benoît Moury, Frédéric Grognard

► To cite this version:

Elsa Rousseau, Jérôme Coville, Frédéric Fabre, Ludovic Mailleret, Alain Palloix, et al.. Protection of the durability of major resistance genes to plant viruses through quantitative resistance, a modeling approach. ECMTB14 - 9. European Conference on Mathematical and Theoretical Biology, Jun 2014, Goteborg, Sweden. hal-02739537

HAL Id: hal-02739537

<https://hal.inrae.fr/hal-02739537v1>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Protection of the durability of major resistance genes to plant viruses through quantitative resistance, a modeling approach.

Elsa Rousseau^{1,2,3}, Jérôme Coville⁴, Frédéric Fabre⁵, Ludovic Mailleret^{1,2}, Alain Palloix⁶, Benoît Moury³, Frédéric Grognard¹

¹ INRIA, Biocore Team, F-06902 Sophia Antipolis, France, ² INRA, UMR 1355 ISA, 400 route des Chappes, BP 167, F-06903 Sophia Antipolis, France, ³ INRA, UR407 Unité de Pathologie Végétale, F-84140 Montfavet, France, ⁴ INRA, Unité BioSp, Domaine Saint Paul, Site Agroparc, 84914 Avignon cedex 9, ⁵ INRA, UMR 1065 Unité Santé et Agroécologie du Vignoble, BP 81, 33883 Villenave d'Ornon cedex, ⁶ INRA, UR1052 Unité de Génétique et Amélioration des Fruits et Légumes, F-84140 Montfavet, France

The deployment of virus-resistant crops often leads to the emergence of resistance-breaking (RB) pathogens that suppress the yield benefit provided by the resistance [1]. Although breakdowns are well known for plant genes conferring total, *i.e.* qualitative resistance to the virus, they are still poorly understood for plant genetic factors conferring partial, *i.e.* quantitative resistance. Furthermore, it has been proved for several pathosystems that combining qualitative and quantitative resistances can increase the durability of the qualitative resistance [2, 3]. Two mechanisms can explain this result : either (i) an increase of genetic drift in the virus population, or (ii) a decrease of the selection advantage of the RB mutant. Here, we aim at disentangling the role of these two mechanisms on the durability of plant qualitative resistances to viruses.

To investigate this, we follow by high-throughput sequencing the within-host demo-genetic dynamics of several *Potato virus Y* (PVY) variants in contrasted pepper plant genotypes, carrying a qualitative resistance and different combinations of quantitative resistances. PVY variants carry distinct mutations, each mutation conferring weak to strong adaptation to the qualitative resistance. We collect the within-host virus variants frequencies and the relative virus population size at different time points. The respective effects of genetic drift and selection are evaluated by fitting Lotka-Volterra population dynamics models to these data [4]. We estimate the fitness of the different virus variants through the evolution of the mean variants frequencies and of population size, while we evaluate the strength of genetic drift through between-host variances in variants frequencies at each time point. With this modeling approach, we will determine the mode of action by which quantitative resistance increases the durability of qualitative resistance, and provide criteria to screen host genotypes with sustainable pathogen resistance.

Références

- [1] F. Fabre, E. Rousseau, L. Mailleret, and B. Moury. Durable strategies to deploy plant resistance in agricultural landscapes. *New Phytologist*, 193 :1064–1075, 2012.
- [2] A. Palloix, V. Ayme, and B. Moury. Durability of plant major resistance genes to pathogens depends on the genetic background, experimental evidence and consequences for breeding strategies. *New Phytol.*, 183 :190–199, 2009.
- [3] J. Quenouille, J. Montarry, A. Palloix, and B. Moury. Farther, slower, stronger : how the plant genetic background protects a major resistance gene from breakdown. *Molecular Plant Pathology*, 14 :109–118, 2013.
- [4] F. Fabre, J. Montarry, J. Coville, R. Senoussi, V. Simon, and B. Moury. Modelling the evolutionary dynamics of viruses within their hosts : a case study using high-throughput sequencing. *PLoS Pathogens*, 8 :1–9, 2012.

Keywords : quantitative resistance, genetic drift, selection advantage, viral population dynamics, durable resistance.

ECMTB

9TH EUROPEAN CONFERENCE

ON MATHEMATICAL AND THEORETICAL BIOLOGY



GÖTEBORGS
UNIVERSITET

CHALMERS



GOTHENBURG 2014

15–19 JUNE

PLENARY SPEAKERS

MATTHIAS BIRKNER Mainz

TOM BRITTON Stockholm

MARIE DOUMIC INRIA, Paris

MIKAEL FORTELIUS Helsinki

TREVOR GRAHAM London

MATHISCA DE GUNST Amsterdam

SEBASTIAN SCHREIBER Davis

DAVID RAND Warwick

JOHAN PAULSSON Boston

WWW.ECMTB2014.ORG