



HAL
open science

Puberty-accelerating male pheromones induce early expression of male-directed odor preference in adult female mice

Mélanie Jouhanneau, Camille Goudet, Chantal Moussu, Bruno Buatois, Takuya Tashiro, Kenji Mori, Guila Ganem, Matthieu Keller

► To cite this version:

Mélanie Jouhanneau, Camille Goudet, Chantal Moussu, Bruno Buatois, Takuya Tashiro, et al.. Puberty-accelerating male pheromones induce early expression of male-directed odor preference in adult female mice. 22. Congress of the European Chemoreception Research Organization, ECRO 2013, Aug 2013, Louvain-La-Neuve, Belgium. Oxford University Press, Chemical Senses, 39 (1), pp.P039, 2014, XXIIInd Congress of the European Chemoreception Research Organization. <10.1093/chemse/bjt055>. <hal-02740011>

HAL Id: hal-02740011

<https://hal.inrae.fr/hal-02740011v1>

Submitted on 10 Jan 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire HAL, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

#P039 Puberty-accelerating male pheromones induce early expression of male-directed odor preference in adult female mice

JOUHANNEAU Mélanie (1), GOUDET Camille (1), MOUSSU Chantal (1), BUATOIS Bruno (2), TASHIRO Takuya (3), MORI Kenji (3), GANEM Guila (4), KELLER Matthieu (1)

(1) Laboratory of Behavioral & Reproductive Physiology, UMR 7247, INRA Val de Loire - Nouzilly, France

(2) Centre of Evolutionary and Functional Ecology, UMR 5175 - Montpellier, France

(3) Laboratory for Immune Regulation, RIKEN Research Center for Allergy and Immunology - Saitama, Japan

(4) Institute of Evolutionary Sciences, UMR 5554 - Montpellier, France

Puberty onset in female mice is accelerated by male pheromones. Whether peripubertal exposure to male odors also influences female sexual behavior in adulthood is at present unclear. We provide evidence that females exposed to male odors and thus showing puberty acceleration, displayed a preference for intact male over female or castrated male odors at postnatal day (PD) 45; while a preference for male odors emerged later (at PD60) in control females. By GC/MS analysis, we found several volatiles in male-soiled bedding known to induce puberty acceleration, such as 6-hydroxy-6-methyl-3-heptanone (HMH), 2-sec-butyl-4,5-dihydrothiazole (SBT) and 3,4-dehydro-exo-brevicommin (DHB) and we replicate previous results showing that peripubertal exposure to HMH, SBT or DHB accelerated the onset of puberty in female mice. In addition, we show that exposure to the blend of these three molecules induced early expression of male-directed odor preference at PD45, contrary to the single exposure to each of these molecules. In conclusion, male pheromones exposed during the peripubertal period influence both female puberty and adult expression of male-directed odor preference. I thank ECRO to support my attendance to this meeting.