



HAL
open science

Is the efficacy of biological control against plant diseases likely to be more durable than that of chemical pesticides?

Marc Bardin, Benoit Graillot, M. Lopez-Ferber, Philippe C. Nicot, Myriam Siegwart

► To cite this version:

Marc Bardin, Benoit Graillot, M. Lopez-Ferber, Philippe C. Nicot, Myriam Siegwart. Is the efficacy of biological control against plant diseases likely to be more durable than that of chemical pesticides?. 2. Stakeholders Congress IPM innovation in Europe, Jan 2015, Poznan, Poland. hal-02740013

HAL Id: hal-02740013

<https://hal.inrae.fr/hal-02740013v1>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

IS THE EFFICACY OF BIOLOGICAL CONTROL AGAINST PLANT DISEASES LIKELY TO BE MORE DURABLE THAN THAT OF CHEMICAL PESTICIDES?

Marc Bardin¹, Benoît Graillot^{2,3}, Miguel Lopez-Ferber², Philippe Nicot¹, Myriam Siegwart⁴

¹ INRA, UR407 Pathologie Végétale, 84143 Montfavet Cedex, France

² LGEI, ARMINES/Ecole des mines d'Alès. 6, Avenue de Clavières. 30319 Alès France

³ Natural Plant Protection, Arysta LifeScience group, Avenue Léon Blum, 64 000 Pau, France

⁴ INRA, unité PSH, Agroparc, 84914 Avignon Cedex 9, France

marc.bardin@avignon.inra.fr

A meta-analysis of the scientific literature was conducted to assess the potential for plant pathogens and plant pests to become resistant to biocontrol agents. Although many plant bioaggressors are known for their capacity to develop resistance to chemical pesticides or to overcome varietal resistance, only few studies have explored their ability to potentially overcome the effect of biocontrol agents. This presentation will be focused on plant diseases. The case of pests will be discussed in another presentation addressing the resistance of codling moth to *Cydia pomonella* Granulovirus (CpGV).

Reports on the effect of biocontrol agents on plant pathogens often consider only a single strain and one specific stage in the life cycle of the pathogen. However, among the available references analyzed in this review, some studies highlight differences in the sensitivity of various isolates of plant pathogens to biocontrol agents and the capacity of plant pathogens to adapt to biocontrol agents. Is it possible to link specific traits (of the pathogens or of the biocontrol agents) to the loss of effectiveness of biocontrol agents? Data are still too sparse to elaborate a general theory on the use of biocontrol agents in practice. This study highlights the necessity of proper management of these new products to avoid repeating the mistakes made with chemical pesticides.

Significant research efforts are still needed to acquire sufficient knowledge on the mode of action of biocontrol agents to optimize their use, to anticipate the potential failure of biological control and finally to integrate durability concerns in the screening procedure of new biocontrol agents and the careful management of their use once they become commercially available.





IPM Innovation in Europe

Poznań, Poland
January 14–16, 2015

Book of Abstracts



WOJEWODA WIELKOPOLSKI



MARSZAŁEK WOJEWÓDZTWA
WIELKOPOLSKIEGO
MAREK WOŹNIAK

POZnań*
*Eastern energy, Western style

psor
Polskie Stowarzyszenie Ochrony Roślin