



HAL
open science

Is the efficacy of biological control against insect pests likely to be more durable than that of chemical pesticides? Lessons learned using CPGV to protect apples from codling moth

M. Lopez-Ferber, Benoit Graillot, Christine Blachère-Lopez, Myriam Siegwart, Samantha Besse, Marc Bardin, Philippe C. Nicot

► To cite this version:

M. Lopez-Ferber, Benoit Graillot, Christine Blachère-Lopez, Myriam Siegwart, Samantha Besse, et al.. Is the efficacy of biological control against insect pests likely to be more durable than that of chemical pesticides? Lessons learned using CPGV to protect apples from codling moth. 2. Stakeholders Congress IPM innovation in Europe, Jan 2015, Poznan, Poland. hal-02740036

HAL Id: hal-02740036

<https://hal.inrae.fr/hal-02740036v1>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

IS THE EFFICACY OF BIOLOGICAL CONTROL AGAINST INSECT PESTS LIKELY TO BE MORE DURABLE THAN THAT OF CHEMICAL PESTICIDES? LESSONS LEARNED USING CPGV TO PROTECT APPLES FROM CODLING MOTH

Miguel Lopez-Ferber¹, Benoît Graillot^{1, 2}, Christine Blachere-Lopez³, Myriam Siegart⁴, Samantha Besse², Marc Bardin⁵, Philippe Nicot⁵

¹ LGEI, ARMINES/Ecole des mines d'Alès. 6, Avenue de Clavières. 30319 Alès, France

² Natural Plant Protection, Arysta LifeScience group, Avenue Léon Blum, 64 000 Pau, France

³ INRA, 6, Avenue de Clavières, 30319 Alès, France

⁴ INRA, unité PSH, Agroparc, 84914 AVIGNON Cedex 9, France

⁵ INRA, UR407 Pathologie Végétale, 84143 Montfavet Cedex, France

miguel.lopez-ferber@mines-ales.fr

A meta-analysis of the scientific literature was conducted to assess the potential for insect pests to become resistant to biocontrol agents. Although many plant bioaggressors are known for their capacity to develop resistance to chemical pesticides or to overcome varietal resistance, only few studies have explored their ability to potentially overcome the effect of biocontrol agents. This presentation will be focused on the resistance of codling moth to *Cydia pomonella granulovirus* (Mexican isolate) (CpGV-M). The case of resistance to plant diseases will be discussed in another presentation.

The codling moth is the major pest of apple orchards, showing resistances to most chemical insecticides. The use of CpGV-M represented a primary choice for organic producers and a useful alternative in IPM.

Generalization of use of the almost pure genotype CpGV-M against codling moth resulted in an increasing failure of apple protection in various orchards in Europe, due to selection of a CpGV-M resistant insect genotype. Previous work allowed the identification of virus isolates active against these CpGV-M resistant populations, by screening virus natural populations and by selection of existing isolates. However, the question of an "arms race" remained. To evaluate the risk of development of new resistances it is important to understand how, in the natural environment, equilibrium is reached between virus and host populations, and how populations containing mixed genotypes behave.

Various aspects have been addressed both by partners of the PURE project or by other research teams, particularly, the cost for a larva to become resistant; the cost for a virus to overcome this resistance; the possibility of new kinds of resistance, and the importance of retaining genetic variability on the virus population. We can now draw a more global picture allowing us to better protect our orchards reducing the risk of new outbreaks.





IPM Innovation in Europe

Poznań, Poland
January 14–16, 2015

Book of Abstracts

