



HAL
open science

Genetic drift as a tool to increase the durability of plant qualitative resistance to viruses

Elsa Rousseau, Mélanie Bonneault, Frédéric Fabre, Benoît Moury, Ludovic Mailleret, Frédéric Grognard

► To cite this version:

Elsa Rousseau, Mélanie Bonneault, Frédéric Fabre, Benoît Moury, Ludovic Mailleret, et al.. Genetic drift as a tool to increase the durability of plant qualitative resistance to viruses. 13. International plant virus epidemiology symposium, Jun 2016, Avignon, France. , 165 p., 2016, “Building bridges between disciplines for sustainable management of plant virus diseases”. IPVE 2016. Programme and abstracts. hal-02740450

HAL Id: hal-02740450

<https://hal.inrae.fr/hal-02740450v1>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

GENETIC DRIFT AS A TOOL TO INCREASE THE DURABILITY OF PLANT QUALITATIVE RESISTANCE TO VIRUSES

Elsa Rousseau (1,2,3), Mélanie Bonneault (1), Frédéric Fabre (4), Benoît Moury (3), Ludovic Mailleret (1,2) and Frédéric Grogard (1)



(1) *Biocore Team, INRIA, Sophia Antipolis, France (elsa.rousseau@inria.fr)*

(2) *INRA, Univ. Nice Sophia Antipolis, CNRS, UMR 1355-7254 Institut Sophia Agrobiotech, Sophia Antipolis, France*

(3) *UR PV, INRA, Montfavet, France*

(4) *UMR SAVE, INRA, Villenave d'Omon, France*

BACKGROUND and OBJECTIVES

Plant qualitative (i.e. total) resistance to viruses is an efficient way of protecting crops, but it is often broken down by the emergence of adapted virus variants, able to infect those resistant plants. This evolutionary phenomenon can occur particularly quickly in monocultures deployed in vast areas. Different strategies have been studied, aiming at increasing the durability of resistant crops, such as the use of multiline cultivars or cultivar mixtures in space and time. Here we study a complementary strategy that can yield interesting results in terms of yield increase and resistance durability. It exploits the evolutionary principles governing virus populations for the management of plant resistance, particularly regarding the effect of genetic drift on the evolution of plant viruses.

MATERIAL and METHODS

We have developed a stochastic plant epidemic model at the field scale, coupling epidemiology and population genetics. It allowed to study the effect of genetic drift controlled by quantitative (i.e. partial) resistances on qualitative resistance durability. Our model yields predictions of the added value of pyramiding quantitative resistances controlling virus effective population sizes, and thus the intensity of genetic drift, on crop damage reduction. We investigated the role of field features - such as the intensity of epidemics or the proportion of resistant plants -, and of population genetics features - such as virus bottlenecks sizes and their evolutionary equilibrium within hosts - on yield benefit.

RESULTS

The model provided insightful guidelines for the management of cultivars pyramiding qualitative and quantitative resistances controlling virus effective population sizes. Notably, those quantitative resistances should be particularly helpful when the qualitative resistance gene is not highly efficient, or when the adapted variants are not already present at high frequency in the landscape. Two additional points emerged from the simulations in our framework, (i) it is often preferable to deploy a large proportion of resistant cultivars and (ii) when helpful, it is better to choose quantitative resistances leading to the smallest virus effective population sizes, hence to the strongest genetic drift.

CONCLUSIONS

This model is, to our knowledge, the first one to depict the impact of genetic drift on plant disease resistance durability. We decided to build it as simple as possible, to be able to discriminate which underlying processes enhance durability. It provided promising qualitative results, encouraging further finer research on this subject. In all, we were able to prove the interest of introducing quantitative resistances controlling virus effective population sizes in breeding strategies to increase the durability of plant qualitative resistances.

Building bridges between disciplines for sustainable management of plant virus diseases



13th International Plant Virus Epidemiology Symposium
6-10 June 2016, Avignon, FRANCE

Programme and Abstracts