



HAL
open science

A balance between JNK and Hippo signalling pathways maintains the cellular homeostasis of the intestine upon bacterial food poisoning

Armel Gallet, Rihab Loudhaief, Alexandra Brun-Barale, Olivia Benguettat,
Marie-Paule Esposito, Marcel Amichot

► To cite this version:

Armel Gallet, Rihab Loudhaief, Alexandra Brun-Barale, Olivia Benguettat, Marie-Paule Esposito, et al.. A balance between JNK and Hippo signalling pathways maintains the cellular homeostasis of the intestine upon bacterial food poisoning. 28. Annual French Drosophila Conference, Université Toulouse III - Paul Sabatier (UPS). FRA.; Centre National de la Recherche Scientifique (CNRS). FRA., Oct 2014, Sète, France. hal-02741106

HAL Id: hal-02741106


<https://hal.inrae.fr/hal-02741106>

Submitted on 3 Jun 2020


HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

28th Annual French Drosophila Conference



Invited speakers:
Clemens Cabernard
Marc Dionne
Bénédicte Durand
Alex Gould
Yacine Graba
Mounia Lagha
Stéphane Noselli
Pauline Speder



Sète 2014

Relais Cap France LE LAZARET

27-30 Octobre

ANDOR
an Oxford Instruments company



Sponsors

 **dominique
Dutscher**
CONSOMMABLES ET MATERIELS DE LABORATOIRE

 UNIVERSITÉ
TOULOUSE III
PAUL SABATIER  Université
de Toulouse

**Organizing committee: Michèle CROZATIER, Jean-Louis FRENDU, Guillaume ISABEL,
Serge PLAZA, Magali SUZANNE and Xiaobo WANG**



Abstract plenary sessions

28th Annual French Drosophila Conference

Sète - France
27-30 octobre 2014

A balance between JNK and Hippo signalling pathways maintains the cellular homeostasis of the intestine upon bacterial food poisoning

Gallet Armel ^{1*}, Loudhaief Rihab, Brun-Barale Alexandra, Benguettat Olivia, Esposito Marie-Paule, Amichot Marcel

1 : Institut Sophia Agrobiotech (ISA)

UMR

UMR INRA 1355/CNRS 7254/UNS 400 route des Chappes, BP 167 06903 Sophia Antipolis Cedex - France

* : Corresponding author

The digestive tract is continuously subjected to multiple aggressions by virus, bacteria, toxins and chemicals present in the food. Therefore the gut lining has established a mechanism of replenishment in order to maintain the physiological function of the organ called "the gut homeostasis". Upon aggression, a complex network of signaling pathways is taking place between the different cell types, allowing the proliferation of the Intestinal Stem Cells and then the appropriate differentiation of ISC's daughter cells in order to replace the defective epithelial cells. Among the aggressors hidden in the food, there is the bacterium *Bacillus thuringiensis* (Bt) that is widely used worldwide as bioinsecticides. Indeed, Bt bioinsecticides are increasingly used instead of chemical pesticides since the few years. These bioinsecticides are mainly used in organic farming and in forestry to fight against pest lepidopterans and there are also used for mosquito control either for the well being of the population or to fight vectors of human diseases such as yellow fever, chikungunya, and malaria. Consequently, the Bt bacterium is more and more present in the feed and environment.

Although the specificity of the acute toxicity of the Bt bioinsecticides has been proved since many years, with no acute toxicity observed towards non-target species ranging from bees to human, data are scarce on adverse effects that could result from chronic exposure. The question today is how far non-target organisms will be impacted by the augmentation of the use of Bt bioinsecticides?

To answer this challenge, we are using *Drosophila* (a non-target organism) to study the impacts of Bt bioinsecticides on the gut physiology. I will present how the intestine quickly mounts physiological defences against Bt bacteria and is able to overcome a Bt food poisoning. I will also present the consequences of a prolonged exposition to Bt bioinsecticides.