

## STICS: a generic and robust soil-crop model for modelling agrosystems response in various climatic conditions

Nicolas N. Beaudoin, Samuel Buis, Dominique Ripoche, Eric E. Justes, Patrick P. Bertuzzi, Eric Casellas, Julie J. Constantin, Benjamin Dumont, Jean-Louis Durand, Inaki Garcia de Cortazar Atauri, et al.

#### ▶ To cite this version:

Nicolas N. Beaudoin, Samuel Buis, Dominique Ripoche, Eric E. Justes, Patrick P. Bertuzzi, et al.. STICS: a generic and robust soil-crop model for modelling agrosystems response in various climatic conditions. Climate-Smart Agriculture 2015: Global Science Conference, Mar 2015, Montpellier, France. 226 p., 2015, Parallel session L3. Towards Climate-smart Solutions. hal-02741475

#### HAL Id: hal-02741475 https://hal.inrae.fr/hal-02741475v1

Submitted on 3 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Parallel Session L3 Towards Climatesmart Solutions

Wednesday, 18 March 2015

8:30-12:30

### 69. STICS: a generic and robust soil-crop model for modelling agrosystems response in various climatic conditions

<u>Beaudoin Nicolas</u><sup>1</sup>, Buis Samuel<sup>2</sup>, Ripoche Dominique<sup>3</sup>, Justes Eric<sup>4</sup>, Bertuzzi Patrick<sub>3</sub>, Casellas Eri<sup>5</sup>, Constantin Julie<sup>4</sup>, Dumont Benjamin<sup>6</sup>, Durand Jean Louis<sup>7</sup>, Garcia de Cortazar-Atauri Iñaki<sup>3</sup>, Jégo Guillaume<sup>8</sup>, Launay Marie<sup>3</sup>, Le Bas Christine<sup>9</sup>, Lecharpentier Patrice<sup>2</sup>, Leonard Joël<sup>1</sup>, Mar Bruno<sup>1</sup>, Poupa Jean Claude<sup>10</sup>, Ruget Françoise<sup>2</sup>, Louarn Gaetan<sup>7</sup>, Coucheney Elsa<sup>11</sup>

<sup>1</sup>INRA, UR 1158 AgroImpact, Site de Laon, 02000 Barenton-Bugny, France

<sup>2</sup>INRA, UMR 1114 EMMAH, INRA – UAPV, F-84914 Avignon, France

3INRA, US 1116 AGROCLIM, F-84914 Avignon, France

4INRA, UMR 1248 AGIR, INRA-INP-ENSAT, 31326 Castanet-Tolosan, France

5INRA, UMR 875 MIA-T, INRA-INP-ENSAT, 31326 Castanet-Tolosan, France

<sup>6</sup>Université de Liège - Gembloux Agro-Bio Tech, Unité d'Agriculture de Précision, 5030, Gembloux, Belgium

7INRA, URooo4 URP3F. F-86600 Lusignan, France

<sup>8</sup>Agriculture et Agroalimentaire Canada, CRDSGC, 2560 Boulevard Hochelaga, Québec, QC G1V 2J3, Canada

9INRA, US1106 InfoSol, 45075 Orleans, France

10 INRA UMR1302 SMART, F- 35011, Rennes, France

<sup>11</sup>Swedish University of Agricultural Sciences, Box 7014, 75007 Uppsala, Sweden

The engineering of a climate smart agriculture will strategically depend on the quality of process-based agricultural models used to assess candidate solutions of adaptation and mitigation of climate change (CC). STICS is a dynamic soil-crop model which has been developed in France at INRA since 1996 (Brisson et al., 1998, 2002, 2003, 2008). It simulates production and environmental impacts of cropping systems, including one, two intercropped or several successive crop cycles. It simulates both crop production (quantity, quality of annual, perennial, herbaceous and woody plants), and environmental outputs as water drainage, emissions of CO<sub>2</sub>, N<sub>2</sub>O, NO<sub>3</sub>, NH<sub>3</sub> and soil C, N storages. The model performances have been recently evaluated over a large dataset covering 15 crops and a wide range of agropedoclimatic conditions in France (76 sites) representing 1809 various situations (Coucheney et al., 2015). Model results showed a good overall accuracy and trends induced by contrasted environmental conditions and management practices were also well reproduced. The STICS traits (genericity, robustness, operationnality) enable its use for studying the effects of changes in a wide diversity of agro-ecosystems and with future climate scenarios. Currently, the STICS crop model is used into international model intercomparison exercises such as AqMIP (the Agricultural Model Intercomparison and Improvement Project) and in MACSUR (Modelling European Agriculture with Climate Change for Food Security). At national level, the model is integrated in several programs such as ISOP System-Pastures production evaluation for the Agriculture Ministry, PIREN-Seine research program (water catchment services), Veille Agroclimatique (to evaluate crop climatic conditions), CLIMATOR/ORACLE projects (CC impacts in agriculture)... The model can be used alone (java HCI) or integrated in modelling platforms (RECORD). STICS software and documentation are freely available (http://www6.paca.inra.fr/stics\_eng).

