

Biostimulation of grapevine: mode of action and possible agronomic uses

Yuko Krzyżaniak, Sophie Trouvelot, Marie-Claire Héloir, P. Fourquez, Jean-Bernard Magnin-Robert, Béatrice Randoux, A. Siah, Patrice Halama, Emmanuelle Moreau, Marielle Adrian

▶ To cite this version:

Yuko Krzyżaniak, Sophie Trouvelot, Marie-Claire Héloir, P. Fourquez, Jean-Bernard Magnin-Robert, et al.. Biostimulation of grapevine: mode of action and possible agronomic uses. 5ème Journée des Doctorants de l'UMR 1347 Agroécologie, Institut National de la Recherche Agronomique (INRA), Mar 2016, Dijon, France. pp.27. hal-02743214

HAL Id: hal-02743214 https://hal.inrae.fr/hal-02743214v1

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Journée des Doctorants

Lundi 14 Mars (9 h -14h)

Amphi Ampère – Bât. Gabriel

Au programme : 8 posters, 11 présentations orales dont1 invité surprise + 1 buffet Contacts : <u>carole.pfister@dijon.inra.fr</u>; <u>jeremie.zerbib@dijon.inra.fr</u>









Biostimulation of grapevine: mode of action and possible agronomic uses

KRZYZANIAK Yuko., TROUVELOT S.¹, HELOIR M.-C.¹, REIGNAULT P.², FOURQUEZ A.², MAGNIN-ROBERT M.², RANDOUX B.², SIAH A.³, HALAMA P.³, MOREAU E.⁴, ADRIAN M.¹, and members of IRIS+ consortium.

¹ UMR 1347 Agroécologie, Pôle Mécanismes et Gestion des Interactions Plantes – Microorganismes, Groupe résistance induite, 17 rue Sully, 21 000 Dijon, France (yuko.krzyzaniak@dijon.inra.fr; marielle.adrian@u-bourgogne.fr)

(<u>yuko.krzyzaniak@dijon.inra.fr</u>; <u>marielle.adrian@u-bourgogne.fr</u>) ² Unité de Chimie Environnementale et Interactions sur le Vivant (UCEIV-EA4492), Université du Littoral Côte d'Opale, Univ. Lille-Nord de France, GIS PhyNoPi, CS80699, F-62229 Calais cedex, France

³ Equipe Biotechnologie et Gestion des Agents Pathogènes en agriculture, Laboratoire Charles Viollette, GIS PhyNoPi, Institut Supérieur d'Agriculture, Univ. Lille Nord de France, 48 Bd Vauban, 59046 Lille cedex, France

⁴ Parc Technopolitain Atalante, CS41908 35435 Saint Malo cedex, France.

Although there is a growing interest for the use of biostimulants in agriculture, only few methods allowing a precise description of their effects on plants have been reported. In the IRIS+ FUI project, two major and highly different worldwide crops, wheat (annual, monocotyledon) and grapevine (perennial, broadleaf), were chosen to deepen our knowledge of such compounds and explore their potential additional interest. The first objective is to develop in greenhouse conditions, a panel of tools and methods to study the impact of a series of biostimulants on the development (aerial and root system biomass measurements and corresponding phenotyping), and the physiology (photosynthetic activity, primary and secondary metabolites) of both plants. The second objective is to check if biostimulants, via their effects on the plant physiology, could be associated to resistance inducer-based control strategies against fungal aerial diseases. Unlike fungicides which directly target path! ogens, resistance inducers request plant metabolism dedicated to defense, a fitness-costly process. Hence, an improvement of both crops' physiological status by biostimulation is expected to increase its responsiveness to resistance inducer application.

Key words: Biostimulants, elicitors, grapevine, induced resistance, physiology