



HAL
open science

Trophic relationships between host and parasitic plants: a case study with the parasitic plant species *Phelipanche ramosa*

Delphine Moreau, Stéphanie Gibot-Leclerc, Annette Girardin, Carole Reibel,
Florence Strbik, Nathalie Colbach

► To cite this version:

Delphine Moreau, Stéphanie Gibot-Leclerc, Annette Girardin, Carole Reibel, Florence Strbik, et al.. Trophic relationships between host and parasitic plants: a case study with the parasitic plant species *Phelipanche ramosa*. 17. European Weed Research Society Symposium: "Weed management in changing environments", Jun 2015, Montpellier, France. , 28p., 2015. hal-02743550

HAL Id: hal-02743550

<https://hal.inrae.fr/hal-02743550>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM **EWRS 2015**

22-26 June 2015



Montpellier SupAgro, France



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

CAMPUS DE LA GAILLARDE



- 5** Reception
- 6** Training rooms
- 9** Conference hall
- 11** Restaurant
- 34** Student Residence

Accueil SupAgro

Tel. +33 (0)4 99 61 22 00
Fax +33 (0)4 99 61 29 00



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

What is the EWRS ?

The European Weed Research Society is an international body which was formed in 1975. It is open to everyone who has an interest in weed research and related topics. Its members come from official, commercial, university and independent research organizations: all have a particular interest in the many different aspects of weed science and its technology. The official language of the society is English and all the societies' publications are in English. More information is available at www.ewrs.org.

EWRS MISSION STATEMENT

To support the development of weed science, and the exchange of knowledge among weed scientists, with a primary aim of improving weed management systems, emphasizing the sustainable use of natural resources and protection of the environment.

THE 17TH EWRS SYMPOSIUM

This Symposium, which celebrates the 40th anniversary of the constitution of the EWRS, is returning to France after its inaugural meeting in Paris in 1975. It aims at bringing people together to report on and examine all topics of weed science. It will emphasize "Weed management in changing environments".

Practical information

- Shuttle schedule: morning departure Tuesday 23 (7h20 - 7h40 - 8h) - Wednesday 24, Thursday 25 and Friday 26 (7h50 - 8h - 8h10) - Afternoon : 15 and 35 mn after the end of the activities.
- Lunches: at the "Chateau" on the side of amphitheatres buildings.
- Poster display: from Tuesday 23, 8h to Friday 26, 14h; poster board will be ranked by session and marked with the name of first author and a number; authors are expected to be at their poster and available to answer questions during the poster session.
- Oral presentations: speakers are requested to upload the presentation file (if not yet sent to the organizers), no less than one hour in advance of the session, in front of the registration desk.
- Symposium dinner: Les Cuisiniers Vignerons, Mas de Saporta, 34970 Lattes, Tel: 33 (0)4 67 06 88 66

22-26 June 2015


SYMPOSIUM VENUE

The symposium will take place at the campus of Montpellier SupAgro (International Centre for Higher Education in Agricultural Sciences, Chateau de la Gaillarde, Place Viala, 34060, Montpellier) which is situated close to the city center of Montpellier, south of France.

CONTACTS

Henri DARMENCY
INRA, UMR1347 Agroécologie
17 rue Sully, Bat. Coste, BP 86510, 21065 Dijon, France
Tel: 33 (0)3 80 69 31 86 - Fax: 33 (0)3 80 69 32 62
Cell phone during Symposium: 33 (0)6 70 01 09 70
E-mail: ewrs2015@dijon.inra.fr

France CASSIGNOL
Association Française de Protection des Plantes
42, rue Raymond Jaclard, 94140 Alfortville, France
Tel: 33 (0)1 41 79 19 80 - Fax: 33 (0)1 41 79 19 81
E-mail: fcassignol@afpp.net





Schedule 17th EWRS Montpellier 2015

Monday 22 June 2015

9H00 - 17H00

EWRS Education and Training Workshop: "How to write a paper for a scientific journal" (*J. Marshall & JC. Streibig*)

9H00 - 17H00

EWRS Education and Training Workshop: "Scientific and documentary photography for professionals in agriculture" (*D. Cloutier & JC. Streibig*)

10H00 - 18H00

Working Group meeting: Germination and early growth (*KS. Torresen*)

Tuesday 23 June 2015

8H00 - 9H00

Registration

9H00 - 9H45

Welcome addresses (Amphithéâtre Philippe Lamour)
Marie-Laure Navas (Montpellier SupAgro)
Radics Laszlo (President of EWRS)
Marc Delattre (President of AFPP)
Henri Darmency (Organizing committee)

9H45 - 10H30

Invited paper: Big data analytics for weed control and crop protection
Spyros Fountas (Agricultural University of Athens, Greece)

10H30 - 11H15

Coffee break

11H15 - 13H15

PLENARY SESSION (Amphithéâtre Philippe Lamour)

Session I - New management approaches

Chair: *Svend Christensen & Hanan Eizenberg*

- Using a fleet of robots for patch spraying - *C. Fernandez-Quintanilla (Instituto de Ciencias Agrarias, Spain)*
- Sensor-based inter- and intrarow weed hoeing - *R. Gerhards (University of Hohenheim, Germany)*
- Pre-harvest assessment of perennial weeds in cereals based on images from unmanned aerial systems (UAS) - *J. Rasmussen (University of Copenhagen, Denmark)*
- Aerial imagery for site specific weed management - *M. Louargant (AgroSup Dijon, France)*
- Knowing weed growth stages in real time to improve weed control - *F. Vuillemin (ACTA, France)*
- Small weeding tools for small vegetable farms - *M. Leblanc (Institut de recherche et de développement en agroenvironnement, Canada)*
- Using fuzzy logic to estimate a competition index - *C. Andreasen (University of Copenhagen, Denmark)*





Schedule 17th EWRS Montpellier 2015

13H15 - 14H30

Lunch

14H30 - 15H30

CONCURRENT SESSIONS

Session IIA - Chemical weed management (Amphithéâtre Philippe Lamour)

Chair: *Per Kudsk & Jens Carl Streibig*

- Investigating glyphosate use and weed patterns in German arable farming - *L.A. Koning (University of Rostock, Germany)*
- Prediction of herbicide efficacy in the decision support system DSSHerbicide - *F. de Mol (University of Rostock, Germany)*
- Response of grass weeds to herbicides depending on spraying techniques and spray liquid properties - *R. Kierzek (Institute of Plant Protection, Poland)*
- Aspects of Glyphosate Mechanism in Egyptian Broomrape Control - *T. Shilo (Department of Plant Pathology and Weed Research, Israel)*

Session IIB - Weed biology (Amphithéâtre 206)

Chair: *Hansjoerg Kraehmer & Kirsten Torresen*

- Differential germination in seeds produced in apical and basal fruits of two *Thlaspi arvense* populations - *E. Edo (HBJ, ETSA, UdL, Spain)*
- Assessment of phylogenetic signal in the germination ability of broomrape (*Phelipanche ramosa*) on Brassicaceae hosts - *R. Perronne (INRA Dijon, France)*
- Effect of burial depth and environmental factors on seasonal germination of bearded sprangletop (*Leptochloa fusca*) - *H. Mennan (University Faculty of Agriculture Samsun, Turkey)*
- Study of germination parameters of summer annual weeds: transferability of AlertInf model to Croatia - *V. Sostarcic (University of Zagreb, Croatia)*

15H30 - 16H00

Coffee break

16H00 - 17H00

CONCURRENT SESSIONS (continued)

Session IIA - Chemical weed management (Amphithéâtre Philippe Lamour)

Chair: *Per Kudsk & Jens Carl Streibig*

- Assessment of drift potential of sprays produced from forward tilted shielded rotary atomizers compared to hydraulic nozzles - *S. Ouled Taleb Salah (Gembloux Agro-Bio Tech, Belgium)*
- Characterization of *Ambrosia artemisiifolia* dose-response to ALS-inhibiting herbicides - *L. Meyer (INRA Dijon, France)*
- Are herbicide efficacy, selectivity and resistance factors well defined by dose-response curves? - *J.-S. Streibig (University of Copenhagen, Denmark)*





Schedule 17th EWRS Montpellier 2015

Session IIB - Weed biology (Amphithéâtre 206)

Chair: *Hansjoerg Kraehmer & Kirsten Torresen*

- A simulation model to predict dormancy changes in underground buds of *Sonchus arvensis* - *A. Taab (Weed Science at Ilam University, Iran)*
- Effect of temperature on the development of *Ambrosia confertiflora* - *Y. Yair (Tel Aviv University, Israel)*
- Northern adaptation of short-day weeds - *R. Scalone (University of Agricultural Sciences, Sweden)*

17H00 - 18H00

Working Group meetings

18H00 - 19H00

Welcome cocktail

Wednesday 24 June 2015

PLENARY SESSION (Amphithéâtre Philippe Lamour)

9H00 - 9H45

Invited paper: A horizon scan for research priorities in weed ecology, evolution and management
Paul Neve - (Rothamsted Research, United Kingdom)

9H45 - 10H30

Invited paper: Translating research into an Integrated Weed Management Program: sharing our company experience
Christine Brunel-Ligneau - (Bayer CropScience AG, Germany)

10H30 - 11H15

Coffee break

11H15 - 13H15

Poster session

13H15 - 14H30

Lunch





Schedule 17th EWRS Montpellier 2015

14H30 - 15H30

CONCURRENT SESSIONS

Session IIIA - Herbicide resistance (Amphithéâtre Philippe Lamour)

Chair: *Ivo Brants & Paul Neve*

- Managing ALS-resistant broad-leaved weeds: current research and future needs - *L. Tatnell (ADAS, United Kingdom)*
- Impact of the amino acid substitution Asp376Glu on the efficacy of acetohydroxyacid synthase inhibiting herbicides in *Lolium sp.* (L.) - *A. Menegat (University of Hohenheim, Germany)*
- Monitoring of resistance development against ALS inhibiting herbicides in dicotyledonous weeds in Germany - *D. Rissel (Julius Kühn-Institut, Germany)*
- Patterns of cross-resistance to ACCase-inhibitor herbicides in winter wild oat (*Avena ludoviciana*) populations - *H. Sasanfar (Ferdowsi University of Mashhad, Iran)*

Session IIIB - Weed ecology (Amphithéâtre 206)

Chair: *Garifalia Economou & Paula Westerman*

- Understanding scale-dependent relationships between spatially heterogeneous populations of *Alopecurus myosuroides* and soil properties - *H. Metcalfe (Rothamsted Research, United Kingdom)*
- Does plant activator application help the antioxidant defense of tomato plants during broomrape infection? - *O. Acar (Canakkale Onsekiz Mart University, Turkey)*
- Importance of habitat, local management and landscape composition on the abundance of weed seed-eating carabid species in crop fields - *S. Labruyère (INRA Dijon, France)*
- Density-dependent seed predation in maize monoculture - *H. Pannwitt (Faculty of Agricultural and Environmental Science of Rostock, Germany)*

15H30 - 16H00

Coffee break

16H00 - 17H00

CONCURRENT SESSIONS (continued)

Session IIIA - Herbicide resistance (Amphithéâtre Philippe Lamour)

Chair: *Ivo Brants & Paul Neve*

- Evaluating the risk of herbicide resistance in weeds in glyphosate-based maize cropping systems. A simulation study - *N. Colbach (INRA Dijon, France)*
- Glyphosate resistance on *Conyza species*: mechanism and standardization of screening tests - *I. Travlos (Agricultural University of Athens, Greece)*
- Identification of genes involved in non-target-site based resistance to ALS inhibitors in *Lolium sp.*: a step toward the development of diagnostic tools - *A. Duhoux (INRA Dijon, France)*
- Mechanism of resistance to mesotrione in an *Amaranthus rudis* population from Nebraska, USA - *D. Kaundun (Syngenta Ltd., United Kingdom)*





Schedule 17th EWRS Montpellier 2015

Session IIIB - Weed ecology (Amphithéâtre 206)

Chair: *Garifalia Economou & Paula Westerman*

- Crop competitive interactions drive the functional structure of weed communities within arable fields - *R. Perronne (INRA Dijon, France)*
- Attempting to separate resource competition from allelopathic root interactions - *J. Wirth (Agroscope, Switzerland)*
- Effect of herbicide treatments on the assembly of weed communities - *G. Fried (Anses, France)*
- Density-dependent effects during re-establishment of rare arable plants - *H. Albrecht (Technische Universitaet Muenchen, Germany)*

17H00 - 18H00

General assembly

Thursday 25 June 2015

9H00 - 10H30

PLENARY SESSION (Amphithéâtre Philippe Lamour)

Session IV - Integrated weed management

Chair: *Euro Pannacci, Marleen Riemens & Theo Verwijst*

- Towards a control strategy against *Cyperus esculentus* L. in Switzerland - *C. Bohren (Agroscope, Switzerland)*
- Sensitivity of *Echinochloa crus-galli* populations to maize herbicides: a comparison between cropping systems - *S. Claerhout (Ghent University, Belgium)*
- On-farm evaluation of integrated weed management tools in maize production: agronomic efficacy, herbicide use reduction and economic sustainability - *V. Vasileiadis (National Research Council, Italy)*
- What are the real effects of herbicide use on weed control and crop yield in farmers' arable crops? - *S. Gaba (INRA Dijon, France)*
- Effect of herbicide dose, rotation and crop competition on management of cross-resistance to pre-emergence herbicides - *R. Busi (University of Western, Australia)*
- The effect of seed rate and herbicide programme on *Alopecurus myosuroides* in hybrid barley and wheat - *S. Cook (ADAS, Cambridge, United Kingdom)*





Schedule 17th EWRS Montpellier 2015

10H30 - 11H15

Coffee break

11H15 - 13H15

PLENARY SESSION (continued)

Session IV - Integrated weed management

Chair: *Euro Pannacci, Marleen Riemens & Theo Verwijst*

- An analysis of the effects of cover crops' competition strategies on weed growth - *F. Tardy (CIRAD, France)*
- Long term effects of cover crops on weeds in Mediterranean low input arable management systems - *S. Carlesi (Scuola Superiore Sant'Anna, Italy)*
- Cover crops in potatoes as an alternative environmentally-friendly management practice - *H. Kuzikaro (Hebrew University of Jerusalem, Israel)*
- Effect of conservation agriculture on weed infestation in rainfed rice - *L. Ranaivoson (FOFIFA - CIRAD UPR AIDA, Madagascar)*
- Weed emergence and population dynamics in alternative irrigation systems in California rice - *W. Brim-DeForest (University of California, USA)*
- Assessment of temporary grassland impact on weed flora in following crops - *S. Médiène (AgroParisTech, France)*
- Multiple benefits of delayed drilling for *Alopecurus myosuroides* (black-grass) control in winter wheat - *R. Hull (Rothamsted Research Harpenden, United Kingdom)*
- How to control weeds in arable farming? Analysis of technical drivers in a national demonstration farm network FERMEcophyto - *C. Denieul (InVivo AgroSolutions, France)*

13H15 - 14H30

Lunch

14H30

Excursions

Tour n° 1: Rare arable weeds on the Larzac Plateau in farmers' fields and steppe-like lawn with *Stipa*; a glance to and regional historic sites (La Couvertoirade, Millau viaduc) if time left... (*Guillaume Fried*)

Tour n° 2: Visit of a rice production farm in West Camargue with research trials, global management and weed flora; return along Aigues-Mortes if time left... (*Pascal Marnotte*)

Tour n° 3: Visit of the experimental Agroforestry domain of Restinclières: global approach and weed control trials; surprise if time left... (*Christian Dupraz & Delphine Mézière*)

Tour n° 4: Visit to weed control trials in vineyard near Perpignan; grass covering trial; herbicide control and a stop at Baixas cellar. (*Éric Chantelot*)

20H00

Symposium dinner and dancing party at the restaurant "Les Cuisiniers Vignerons" in Lattes

23H30

Return to hotels





Schedule 17th EWRS Montpellier 2015

Friday 26 June 2015

9H00 - 9H45

PLENARY SESSION (Amphithéâtre Philippe Lamour)

Invited paper: Ecology theory meets agronomy
Cyrille Violle - (CEFE-CNRS, France)

9H45 - 10H30

Invited paper: Is agroecology a relevant and achievable pathway for sustainable food systems?
Philippe Baret - (ELI - University of Louvain, Belgium)

10H30 - 11H15

Coffee break

11H15 - 13H15

PLENARY SESSION (Amphithéâtre Philippe Lamour)

Session V - New challenges

Chair: *Christian Bohren & Maurizio Vurro*

- Climate change and weed flora from a Fenno-Scandinavian perspective - *L. Andersson (Dept. of Crop Production Ecology, Sweden)*
- Weed control by allelopathic potential of corn (*Zea mays* L.) - *H.-M. Mezori (University of Duhok, Iraq)*
- Let's take advantages of *Eucalyptus globulus* plantations for weed control in sustainable agriculture! - *C. Puig (University of Vigo, Spain)*
- *Abutilon theophrasti*: from a weed to a crop for modern use of renewable resources - *J. Petersen (University of Applied Sciences Bingen, Germany)*
- Use of allelopathic plants as living mulch in apple orchards - *A. Uludag (Onsekiz Mart University, Turkey)*
- "Vraies Messicoles": a label for rare arable plants produced from the wild for functional and ornamental purposes as a way to preserve biodiversity - *J. Cambecèdes (Fédération des Conservatoires botaniques nationaux, France)*
- Control of *Ailanthus altissima* in a natural environment - *F. Casella (Institute of Sciences of Food Production, Italy)*
- Investigating a potential auxin-related mode of hormetic/inhibitory action of the phytotoxin parthenin - *R. Belz (University of Hohenheim, Germany)*

13H15 - 13H30

Conclusion
Bärbel Gerowitt (Vice President of EWRS)

13H30 - 14H30

Lunch

14H30

End of the symposium



Poster presentations

Session I - New management approaches

S1-P-001

Manual for Propane-Fueled Flame Weeding in Corn, Soybean, and Sunflower
S. Knezevic (University of Nebraska, USA)

S1-P-002

Effect of microencapsulated caraway (*Carum carvi*) essential oil on the weed infestation in maize and a number of microorganisms in the soil
A. Synowiec (University of Agriculture, Poland)

S1-P-003

Assessment of allelopathic potential of alcohol and aqueous extracts of *Solidago gigantea* in terms of their effect on dry mass of two weeds *Echinochloa crus-galli* and *Amaranthus retroflexus*
T. Sekutowski (Institute of Soil Science and Plant Cultivation, Poland)

S1-P-004

Effects of fungal toxins on *Ambrosia artemisiifolia*
M. Vurro (Institute of Sciences of Food Production National Research Council, Italy)

S1-P-005

Herbicidal efficacy of metabolites from *Streptomyces scopuliridis* on upland weed species
K.-W. Park (Chungnam National University, South Korea)

S1-P-006

Amino acids as orobanchicides: an innovative approach for biocontrol of broomrape weeds
D. Moreau (INRA Dijon, France)

S1-P-007

eyeWeed: mapping of black-grass (*Alopecurus myosuroides*) infestations using ground-based machine vision
A. Murdoch (University of Reading, United Kingdom)

S1-P-008

RGB imagery as basis for site-specific management of perennial weeds
T. Berge (Bioforsk, Plant Health and Plant Protection Division, Norway)

S1-P-009

Precision control of weeds in carrots and onions - Challenges
B. Panneton (Horticultural R&D Centre Agriculture and Agri-Food, Canada)

S1-P-010

Biodegradable paper mulch for weed control
J. Salonen (MTT Agrifood Research, Finland)

S1-P-011

Excellent weed control with biodegradable mulches in pepper
A. Cirujeda (Unidad de Sanidad Vegetal, Spain)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

Session IIA - Chemical weed management

S2A-P-012

Chemical control of sensitive and resistant to ALS inhibitors *Apera spica-venti* populations
M. Stankiewicz-Kosyl (Warsaw University of Life Sciences, Poland)

S2A-P-013

Resistance management and control of sulfonylurea-resistant broadleaf weeds in cereals with the phenoxyalkanoates, picolinate, pyridyloxyalkanoate and arylpicolinate herbicides belonging to group O (auxinic herbicides)
E. Paterson (Dow AgroSciences, United Kingdom)

S2A-P-014

Herbicide control of imidazolinone resistant volunteer oil seed rape in winter wheat
V. Spacilova (Agrotest fyto, s.r.o., Czech Republic)

S2A-P-015

Herbicide control of *Cirsium arvense* in winter wheat, Czech Republic
V. Spacilova (Agrotest fyto, s.r.o., Czech Republic)

S2A-P-016

Glyphosate 71% SG (Ammonium Salt) in Tea - bio-efficacy against weeds, phyto-toxicity in tea & effect on soil physico-chemical and biological properties
P. Poddar (Uttar Banga Krishi Viswavidyalaya, India)

S2A-P-017

An optimized glyphosate formulation
Z. Woznica (Poznan University of Life Sciences, Poland)

S2A-P-018

Efficacy of rice herbicides on *Echinochloa spp.* as affected by repeated use
F. Vidotto (DISAFA, Italy)

S2A-P-019

Sensitivity of different *Zea mays Sh2* genotypes to foramsulfuron
A. Paporisch (Hebrew University of Jerusalem, Israel)

S2A-P-020

Maize tolerance to herbicides - Role of secondary metabolites
M. Brankov (Maize Research Institute "Zemun Polje", Serbia)

S2A-P-021

Efficacy and phytotoxicity of herbicides applied pre and post-emergence in lupin crops
L. Sobiech (Poznan University of Life Sciences, Poland)

S2A-P-022

Weed control with post-emergence herbicides in yellow lupin (*Lupinus luteus* L.) and narrow-leaved lupin (*Lupinus angustifolius* L.)
R. Krawczyk (Institute of Plant Protection, Poland)

S2A-P-023

Effect of seed size and herbicide placement on dry bean injury from flumioxazin
R. Boydston (Agricultural Research Service, USA)

S2A-P-024

Weeds control in haricot bean sowings under the forest-steppe zone conditions of Ukraine
V. Zadorozhnyi (Institute of Feed research and Agriculture, Ukraine)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S2A-P-025

Oxidative stress parameters of an invasive weed species *Ambrosia artemisiifolia* L. in relation to the irrigation water quality
M. Meseldzija (University of Novi Sad Faculty of Agriculture, Serbia)

S2A-P-026

Chemical control of *Ambrosia artemisiifolia* L. in production of forest seedlings
V. Vasic (University of Novi Sad, Czech Republic)

S2A-P-027

Sensitivity of naturalized *Digitaria aequiglumis* populations to 4-hydroxyphenyl pyruvate dioxygenase- and acetolactate synthase-inhibiting herbicides in maize
S. Claerhaut (Faculty of Bioscience Engineering, Belgium)

S2A-P-028

Efficiency and selectivity of the herbicide combination flumioxazin and glyphosate in intensive cherry orchard
Z. Rankova (Fruit Growing Institute, Bulgaria)

S2A-P-029

Metsulfuron-methyl + thifensulfuron-methyl mixture - New opportunity for efficient chemical control of broad-leaved weeds in wheat
M. Tityanov (Fruit Growing Institute, Bulgaria)

S2A-P-030

Ionic liquids based on auxin-like herbicides
K. Marcinkowska (Institute of Plant Protection, Poland)

S2A-P-031

Mineralization of ¹⁴C-hexazinone in Commercial Herbicide Mixture with Diuron and Sulfometuron-methyl
F. Reis (São Paulo University, Brazil)

S2A-P-032

OPTIHERB: a Decision Support System (DSS) for a site-specific optimization of herbicide application doses with regard to ALS- and ACCase inhibitors
A. Brathuhn (University of Applied Sciences, Germany)

Session IIB - Weed biology

S2B-P-033

Influence of environmental factors on germination of three Brazilian Rubiaceae weeds tolerant to glyphosate
M. Trezzi (Campus Pato Branco, Brazil)

S2B-P-034

What is more important for weed seed survival during dairy manure composting: seed source or manure properties?
S. Rahimi (University of Tehran, Iran)

S2B-P-035

Effect of different temperatures on germination of *Euphorbia maculata* L., a novel invasive weed in north of Iran
M. Oveisi (University of Tehran, Iran)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S2B-P-036

How soil disturbance affects the emergence of 30 rare arable plants in Spain
J. Torra (University of Lleida, Spain)

S2B-P-037

Effect of soil depth on the germination of some weeds in the Saharan agrosystem of Algeria
S. Kaci (University of Ouargla, Algeria)

S2B-P-038

Seed longevity of *Cortaderia selloana* compared with the native *Saccharum ravennae* in the Valencian Community populations
T. Company (Botanical Garden, University of Valencia, Spain)

S2B-P-039

Weed seeds ability to emerge on the soil surface
D. Lizon-au-Cire (INRA Dijon, France)

S2B-P-040

Effect of irrigation period and soil depth on seedling emergence of *Chenopodium album*
A. Taab (Ilam University, Iran)

S2B-P-041

Effect of irrigation period and soil depth on seedling emergence of *Amaranthus retroflexus*
A. Taab (Ilam University, Iran)

S2B-P-042

Seedling emergence of *Brassica kaber* affected by soil depth
A. Taab (Ilam University, Iran)

S2B-P-043

Seedling emergence under no-till conditions from increasing seed burial depth
D. Loddo (University of Padova, Italy)

S2B-P-044

Variability of germination response of European populations of *Abutilon theophrasti* as a function of seed maturing season
D. Loddo (University of Padova, Italy)

S2B-P-045

Effect of the ripening season on germination response of *Datura stramonium* populations
D. Loddo (University of Padova, Italy)

S2B-P-046

Heteroblasty and viability of *Setaria faberi* seeds change in response to cutting method and environmental conditions
F. Kordbacheh (University of Tehran, Iran)

S2B-P-047

Study on variability of *Cichorium intybus* L. flowers and fruits
N. Ionescu (Agricultural and Development Research, Romania)

S2B-P-048

Effect of drought on stolon germination of Sprangletop (*Leptochloa fusca* L.) under natural conditions
M. Oveisi (University of Tehran, Iran)

S2B-P-049

Allelopathy of tree of Heaven (*Ailanthus altissima*), common milkweed (*Asclepias syriaca*) and giant hogweed (*Heracleum mantegazzianum*) on the germination of winter wheat
E. Nadasy (University of Pannonia, Hungary)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S2B-P-050

Differentiation of wild oat (*Avena spp.*) species in Turkey by classical and molecular methods
S. Türkseven (Ege University, Turkey)

S2B-P-051

No evolutionary shift in the mating system of the invasive weed *Ambrosia artemisiifolia* populations in France
L. Meyer (INRA Dijon, France)

Session IIIA - Herbicide resistance

S3A-P-052

Gene flow from tribenuron-methyl resistant sunflower hybrids to weedy sunflower
D. Bozic (University of Belgrade, Serbia)

S3A-P-053

Hybridization rates between wheat (*Triticum aestivum*) and its wild relative *Aegilops triuncialis* under real field conditions
I. Loureiro (INIA, Spain)

S3A-P-054

Chlorsulfuron resistance in *Lolium rigidum* Gaud. in winter cereal fields in Spain: evolution of resistance 10 years after
I. Loureiro (INIA, Spain)

S3A-P-055

Occurrence and spread of resistance of common groundsel (*Senecio vulgaris*) to acetolactate synthase (ALS) inhibitors
S. Michel (INRA Dijon, France)

S3A-P-056

First European cases of *Sorghum halepense* resistant to ALS inhibitors: resistance patterns and mechanisms
S. Panozzo (IBAF-CNR, Italy)

S3A-P-057

Identification and distribution of ALS resistant *Sorghum halepense* populations in Serbia
G. Malidza (Institute of Field and Vegetable Crops, Serbia)

S3A-P-058

Tracing biotypes of turnip weed (*Rapistrum rugosum* L.) resistant to tribenuron-methyl in wheat fields of Iran
Z. Hatami-Moghaddam (University of Gorgan, Iran)

S3A-P-059

Inheritance of ALS herbicide resistance in *Tripleurospermum perforatum*
L. Ulber (Julius Kühn-Institut, Germany)

S3A-P-060

Determination of ALS herbicides resistance biotypes of *Galium aparine* L. (Catchweed bedstraw) and *Bifora radians* Bieb. (Bifra) in wheat fields by bioassay methods
E. Kaya-Altop (Ondokuz Mayıs University, Turkey)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S3A-P-061

Microevolution of ALS inhibitor herbicides resistance in *Apera spica-venti* (L.) Beauv.
M. Babineau (Aarhus University, Denmark)

S3A-P-062

Growth and impact of herbicide sensitive and multiple resistant *Alopecurus myosuroides* in winter wheat
Y. I. Kaiser (University of Hohenheim, Germany)

S3A-P-063

A long term study on spatial and temporal development of ACCase and ALS inhibitor resistance in blackgrass (*Alopecurus myosuroides* Huds.). Review of a three year period in neighboring fields in Germany
J. Herrmann (Bayer CropScience, Germany)

S3A-P-064

Genetic diversity of resistant and susceptible glyphosate populations of *Leptochloa virgata* collected in citrus orchards in Mexico
R. Alcantara-de-la-Cruz (University of Córdoba, Spain)

S3A-P-065

Genetic characterization of EPSPS from *Conyza canadensis* resistant to glyphosate
I. Calha (Instituto Nacional de Investigação Agrária e Veterinária, Portugal)

S3A-P-066

Giant ragweed resistance to glyphosate in Nebraska
S. Knezevic (University of Nebraska, USA)

S3A-P-067

Waterhemp resistance to post-emergent application of HPPD herbicides
S. Knezevic (University of Nebraska, USA)

S3A-P-068

Resistance study of (Spanish) *Papaver rhoeas* (biotypes) to bromoxynil
J. Rey Caballero (University of Lleida, Spain)

S3A-P-069

Discovering the mechanism of enhanced metabolism in flufenacet resistant ryegrass (*Lolium spp.*)
R. Dücker (Bayer CropScience, Germany)

S3A-P-070

Analysis of candidate gene expression in blackgrass populations exhibiting different degrees of metabolic resistance
M. Höfer (RLP Agrosience GmbH, Germany)

S3A-P-071

Conyza spp.: distribution and evolution of herbicide resistance
M. Matzrafi (Institute of Plant Sciences and Genetics in Agriculture, Israel)

S3A-P-072

Investigation on resistance of *Apera spica-venti* in Lithuania
R. Stefanoviciene (Institute of Agriculture, LRCAF, Lithuania)

S3A-P-073

A farmer survey on herbicide resistance in loose silky bent grass in the Czech Republic
K. Hamouzova (University of Life Sciences, Czech Republic)

S3A-P-074

Assessment of herbicides resistances cases in France
C. Denieul (InVivo AgroSolutions, France)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S3A-P-075

Monitoring herbicide resistance in *Chrysanthemum coronarium* in Tunisia
Y. Menchari (Institut Supérieur de Biotechnologie, Tunisia)

S3A-P-076

What is the status of rice systems in Uruguay in terms of herbicide resistance?
C. Marchesi (Instituto Nacional de Investigacion Agropecuaria, Uruguay)

S3A-P-077

A modelling tool for assessing herbicide resistance development in arable weed seedbanks
D. Skirvin (ADAS, United Kingdom)

S3A-P-078

Simulation exercises on long-term management of widespread herbicide resistance in a field weed population
C. von Redwitz (University of Rostock, Germany)

S3A-P-079

Weed PAM: A rapid in-season herbicide resistance detector
P. Wang (University of Hohenheim, Germany)

S3A-P-080

Fast Discovery of SSR markers in *Echinochloa crus-galli* using Next Generation Sequencing technology
J. Lee (National Academy of Agricultural Science, South Korea)

S3A-P-081

Morphological and molecular characterization of weedy species of the genus *Chloris* spp. from Cuba
R. Alcantara-de la Cruz (University of Córdoba, Spain)

Session IIIB - Weed ecology

S3B-P-082

Inventory of the adventitious plants of henna (*Lawsonia inermis* L.) in the region of South East Algeria and the effect of colocynth's fruit extract as bio herbicide
K. Benaissa (University Mohamed Khider, Algeria)

S3B-P-083

Weed communities in the croplands of Central Argentina
R. Rauber (Instituto Nacional de Investigacion Agropecuaria, Argentina)

S3B-P-084

Weed survey of soybean fields in north-west Hungary
G. Pinke (University of West, Hungary)

S3B-P-085

Evolution of weed communities of arable fields over two decades in northern Sahara
A. Eddoud (Université Kasdi Merbah Ouargla, Algérie)

S3B-P-086

Parameters affecting phytosociological profile of vineyard flora in Switzerland
M. Mota (University of Applied Sciences and Arts, Switzerland)

S3B-P-087

Phytosociological groups of weeds of crops Oran, Algeria
K. Hanitét (Djilali Liabes University, Algeria)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S3B-P-088

National surveys of weeds in arable fields in Latvia
I. Vanaga (Plant Protection Research Centre, Latvia)

S3B-P-089

Effect of wild oat (*Avena fatua* L.) density on development and yield of spring wheat
Z. Mintale (Plant Protection Research Centre, Latvia)

S3B-P-090

Relationship between precipitation and weed infestation in cereals
S. Chovancova (Merdel University, Czech Republic)

S3B-P-091

Spatio-temporal shifts in weed patchiness in barley
G. Economou (University of Athens, Greece)

S3B-P-092

Can the efficacy of broomrape control methods be hampered by inter- and intraspecific variability as observed in germination studies for three broomrape species?
G. Economou (University of Athens, Greece)

S3B-P-093

Estimation of the degree of seed limitation in a weed population in maize and the importance of weed seed predation
C. Selig (University of Rostock, Germany)

S3B-P-094

Trophic relationships between host and parasitic plants: a case study with the parasitic plant species *Phelipanche ramosa*
D. Moreau (INRA Dijon, France)

S3B-P-095

Can the Atlantic Shrubland compromise the invasive success of *Eucalyptus globulus* Labill?
A. Lopez-Nogueira (University of Vigo, Spain)

S3B-P-096

Field studies of weed populations influenced by glyphosate products
L. Koning (University of Rostock, Germany)

S3B-P-097

About the risk, that seeds of wild plants used for biogas production enter the biogas-chain
F. de Mol (University of Rostock, Germany)

S3B-P-098

Can sowing selected flowering plants in the field margins support watermelon pollination?
V. Kati (Benaki Phytopathological Institute, Greece)

S3B-P-099

Allelopathic effect of *Casuarina* spp. residues on wheat yield and its associated weeds
M. Hozayn (Field Crop Research, Egypt)

S3B-P-100

Exploring the life-history strategy of the facultative root parasitic weed *Rhamphicarpa fistulosa*
S. Kabiri (Wageningen University, The Netherlands)

S3B-P-101

How are rare arable weeds descriptors of low farming intensification?
F. Dessaint (INRA Dijon, France)

S3B-P-102

Biodiversity-based ecosystem services in vineyards
S. Winter (Institute of Integrative Nature Conservation Research, Austria)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S3B-P-103

Effect of tillage on vertical distribution and diversity of weed seed in the soil
O. Auskalniene (Institute of Agriculture, Lithuania)

S3B-P-104

Influence of P or N fertilization on weed seed germination
J. Urbano (ETSIA University of Sevilla, Spain)

S3B-P-105

Effects of organic amendments on emergence and initial growth of some weed and crop species
R. Naderi (Shiraz University, Iran)

S3B-P-106

A functional approach to test the response of weed communities to agriculture intensification across two countries
Y. Pallavicini (Instituto de Agricultura Sostenible, Spain)

S3B-P-107

High importance of intraspecific trait variability in weeds in response to climate and management changes
R. Perronne (INRA Dijon, France)

S3B-P-108

The adaptation of cornflower in different compartments of the agricultural landscape
H. Darmency (INRA Dijon, France)

Session IV - Integrated weed management

S4-P-109

The competitive ability of chickpea (*Cicer arietinum*) against wild mustard (*Sinapis arvensis*) under non-irrigated conditions
D. Chachalis (Benaki Phytophath. Institut, Greece)

S4-P-110

Competitiveness of four sunflower hybrids against the invasive weed *Solanum eleagnifolium* Cav.
D. Chachalis (Benaki Phytophath. Institut, Greece)

S4-P-111

Weed interference, plant growth and yield of *Jatropha curcas* L. in the southeastern of Brazil
E. Furlani Junior (Sao Paulo State University, Brazil)

S4-P-112

Effect of period of weed interference on growth and yield of maize (*Zea mays* L.) in the Southern Guinea Savanna of Nigeria
E. Imoloame (Kwara State University, Nigeria)

S4-P-113

Duration of competitiveness of giant sensitive plant (*Mimosa invisa* Mart) on oil palm (*Elaeis guineensis* Jacq.) nursery seedlings
F. Ekhatior (Nigerian Institute for Oil Palm Research, Nigeria)

S4-P-114

Orobanche (*Orobanche spp.*) and Phelipanche (*Phelipanche spp.*) in lentil (*Lens culinaris* Medic.); Impacts on yield, quality and marketing prices
I. Özberk (Harran University, Turkey)

S4-P-115

Traits relevant for crop-weed competition in single stands and varietal mixtures of common wheat
M. Lazzaro (Scuola Superiore Sant'Anna, Italy)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S4-P-116

The impact of application methods of biofertilizers and nitrogen levels on growth and yield of Triticale under weed competition
R. Naderi (Shiraz University, Iran)

S4-P-117

Effect of crop planting pattern and nitrogen application method on weed control in chickpea
A. Taab (Weed Science at Ilam University, Iran)

S4-P-118

Weed-crop interaction: influence of fertilization on early growth
J. Urbano (University of Sevilla, Spain)

S4-P-119

Influence of cover crops and tillage on weeds in soybean production in southern Germany
J. Weber (University of Hohenheim, Germany)

S4-P-120

Integrated effects of cropping system and herbicides on maize competitiveness
M. Simic (Maize Research Institute, Serbia)

S4-P-121

Effect of various innovative cropping systems including legumes on weed community and biomass
E. Dayoub (LUNAM Université, France)

S4-P-122

Vicia faba for weed management: application, effects and mechanisms underlying weed control
L. Alvarez-Iglesias (University of Vigo, Spain)

S4-P-123

The critical period for weed control in sugar beet (*Beta vulgaris* L.) in Kayseri-Turkey
D. Isik (University Faculty of Agriculture, Turkey)

S4-P-124

Cover Crops for Weed Suppression in Persimmon Orchards in Turkey
D. Isik (University Faculty of Agriculture, Turkey)

S4-P-125

Can weed management in vegetable systems be improved by cover crop species mixtures?
Step 1: Screening of cover crop species and varieties
M. Rinaldo (Institute of Life Sciences, Italy)

S4-P-126

Impact of cover crops and crop rotations on the re-establishment of threatened arable plants
H. Albrecht (University of München, Germany)

S4-P-127

Effects of flooding and farming practices on amphibious plant populations in temporarily flooded arable fields
H. Albrecht (University of München, Germany)

S4-P-128

Effect of crop variety and organic mulches on weeds in potato
I. Deveikyte (Research Centre for Agriculture and Forestry, Lithuania)

S4-P-129

Effects of rice straw and digestate soil incorporation on growth of weedy rice (*Oryza sativa*) and barnyardgrass (*Echinochloa crus-galli*)
S. Fogliatto (DISAFA, Italy)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S4-P-130

Effect of straw mulch application and seed burial depth on growth characteristics of common cocklebur (*Xanthium strumarium* L.)
R. Amini (University of Tabriz, Iran)

S4-P-131

Comparison among different available strategies for weed control in maize
M. Milan (DISAFA, Italy)

S4-P-132

Are wheat hybrids more affected by weeds than conventional varieties?
M. Milan (DISAFA, Italy)

S4-P-133

Wheat cultivars versus *Alopecurus myosuroides* (L.) - What makes a winning cultivar?
R. Hull (Rothamsted Research, United Kingdom)

S4-P-134

Effects of combination of different agronomic practices on weed in french cereals rotation
C. Vacher (Arvalis - Institut du végétal, France)

S4-P-135

Oilseed rape crop density and demographic traits of three annual weed species
C. Flucke (University of Rostock, Germany)

S4-P-136

Modeling population dynamics of *Bromus japonicus* in wheat in arid environments: simulating various scenarios of weed management
M. Oveisi (University of Tehran, Iran)

S4-P-137

Medicinal and Aromatic plants tolerance to different weed control methods
E. Graviil (University of Athens, Greece)

S4-P-138

Weed population dynamics under site-specific weed management
P. Hamouz (CULSP, Czech Republic)

S4-P-139

Synergy among cultural weed control measures
L. Bastiaans (Wageningen University, The Netherlands)

S4-P-140

Weed management strategies for poplar energy crops
C. San Martin (CSIC, Spain)

S4-P-141

Economic evaluation of mechanical and chemical weed control alternatives in transplanted cabbage
E. Stefanic (University of Osijek, Croatia)

S4-P-142

Weeds and weed management in peppers
E. Pannacci (University of Perugia, Italy)

S4-P-143

Management options for multiple herbicide resistant *Papaver rhoeas* in Spain
J. Torra (University of Lleida, Spain)

S4-P-144

Different farming managements in apple orchards: effect on plant species composition and diversity
M. Kolarova (CULS, Czech Republic)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S4-P-145

Team-up crop diversification and weed management: PRODIVA
B. Gerowitt (University of Rostock, Germany)

S4-P-146

Weed species richness in genetically modified glyphosate-tolerant maize
J. Holec (University of Life Sciences, Czech Republic)

S4-P-147

Does reduced herbicide use affect biodiversity and crop production?
D. Mézière (INRA Dijon, France)

S4-P-148

Analysis of relationships between farming practices, weed flora and crop production
M. De Waele (INRA Dijon, France)

S4-P-149

Vinegar and different weed control methods in potato (*Solanum tuberosum* L.)
A. Dabbagh Mohammadi Nasab (University of Tabriz, Iran)

S4-P-150

Integration of post emergence herbicide application with stale seedbed for the weed control in potato
H. Abaee (University of Tehran, Iran)

S4-P-151

Weed species in row and interrow of Bordeaux vineyard fields according to their management
L. Cazenave (Chambre d'agriculture de Gironde, France)

S4-P-152

Influence of different types of tillage and herbicides on weed infestation and crop in corn monoculture conditions, Forest- Step zone of Ukraine
V. Zadorozhnyi (Institute of Feed Research and Agriculture, Ukraine)

S4-P-153

Weed management in no-till systems greatly benefits from low-disturbance seeding
G. Theisen (Embrapa, Brazil)

S4-P-154

Soil conservation practices combination with low herbicide use to control weeds in grain crop systems in Switzerland
C. Amossé (Agroscope, Switzerland)

Session V - New challenges

S5-P-155

Allelopathic potential of Goldenrod (*Solidago virgaurea* L.) towards germination of some crops
K. Matysiak (Institute of Plant Protection, Poland)

S5-P-156

Phytotoxic compounds from volatile extracts of *Cytisus scoparius* and *C. striatus*
M. Pardo Muras (University of Vigo, Spain)

S5-P-157

Digitaria sanguinalis-Ustilago syntherismae pathosystem: is there any variability in the smut infectivity and the plant resistance?
A. Verdu (Universitat Politècnica de Catalunya, Spain)

S5-P-158

Fungal pathogens of the genus *Diaporthe* as sources of novel herbicidal compounds
M. Vurro (ISPA, CNR, Italy)



17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S5-P-159

Modelling the damage niche to estimate future weed problems under climate change
J. Bürger (University of Rostock, Germany)

S5-P-160

How to evaluate the effect of field neighbourhood on weed flora and its impact on agricultural production and biodiversity with a model
N. Colbach (INRA Dijon, France)

S5-P-161

Screening of *Solanum elaeagnifolium* in the West Algerian
Y. Bendaikha (National Institute for the Protection of plants of Misserghin, Algeria)

S5-P-162

Influence of shading on the phenological development of the invasive weed *Amsinckia micrantha*
M. Yasin (University of Copenhagen, Denmark)

S5-P-163

Impact of an invasive vine (*Humulus japonicus*) on riparian vegetation
G. Fried (Anses, France)

S5-P-164

Ambrosia species in the Czech Republic and the first findings of fields heavily infested with *A. artemisiifolia*
J. Holec (University of Life Sciences, Czech Republic)

S5-P-165

Spreading of invasive species under the influence of reduced tillage
S. Kovacs (Institut of Crop Sciences, Hungary)

S5-P-166

Early detection and eradication of invasive species in Pozega valley, Croatia
E. Stefanic (University of Osijek, Croatia)

S5-P-167

Effect of changing climate on growth and control of invasive weed *Bromus tectorum* L. by glyphosate
K. Jabran (Adnan Menderes University, Turkey)

S5-P-168

The destructive invasion by *Ailanthus altissima* (Mill.) Swingle of the eighteenth century fortress "Cittadella" of Alessandria
F. Vidotto (DISAFA, Italy)

S5-P-169

Flame weeding: a new approach in weed control for archaeological sites
E. Kanellou (University of Athens, Greece)

S5-P-170

Pesticide retention by weeds during summer fallow: development of a new indicator of weed impact
W. Queyrel (AgroSup Dijon, France)

S5-P-171

Reaction of *Sinapis arvensis* L. and *Ambrosia artemisiifolia* L. plants on induced temperature stresses
O. Ivashchenko (Institute of Bioenergy Crops and Sugar Beet of NAAS, Ukraine)

S5-P-172

Behavioural ecology of weed regulation by carabid beetles
A. Charalabidis (INRA Dijon, France)

S5-P-173

Role of bare grounds in agricultural landscape in post-dispersal weed seed predation
S. Noroozi (University of Tehran, Iran)





17th EUROPEAN WEED RESEARCH SOCIETY SYMPOSIUM

S5-P-174

Effect of temperature on post-dispersal weed seed predation in lucerne fields
S. Noroozi (University of Tehran, Iran)

S5-P-175

Spatially variable correlations of barley yield with infestations of black-grass (*Alopecurus myosuroides*) in barley fields
A. Murdoch (University of Reading, United Kingdom)

S5-P-176

The occurrence of weed species in field crops and seed material
D. Dostatny (Plant Breeding and Acclimatization Institute, Poland)

S5-P-177

Troublesome weeds in Spain: Survey to farm advisors in 2014
J. Urbano (University of Seville, Spain)

S5-P-178

Which decision-support system for sustainable weed management: needs and constraints of crop advisors
F. Colas (NRA Dijon, France)

S5-P-179

ESENIAS-TOOLS: A concrete regional activity
A. Uludag (COMU Canakkale, Turkey)



NOTES





NOTES







BASF

We create chemistry



MONSANTO



syngenta

