



Multi-scalar modelling of climate applied to european vineyard sites in the climate change context

Renan Le Roux, Etienne Neethling, Cornelis van Leeuwen, Laure de Resseguiier, Malika Madelin, Cyril Bonnefoy, Gérard Barbeau, Hervé Quénot

► To cite this version:

Renan Le Roux, Etienne Neethling, Cornelis van Leeuwen, Laure de Resseguiier, Malika Madelin, et al.. Multi-scalar modelling of climate applied to european vineyard sites in the climate change context. Procedia Environmental Sciences, 2015, 29, p. 62-63. 10.1016/j.proenv.2015.07.158 . hal-02743832

HAL Id: hal-02743832

<https://hal.inrae.fr/hal-02743832>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Available online at www.sciencedirect.com

ScienceDirect

Procedia Environmental Sciences 29 (2015) 62 – 63

Procedia
Environmental Sciences

Agriculture and Climate Change- Adapting Crops to Increased Uncertainty (AGRI 2015)

Multi-scalar modelling of climate applied to european vineyard sites in the climate change context

Renan Le Roux¹, Etienne Neethling¹², Cornelis Van Leeuwen³, Laure De Resseguier³,
Malika Madelin⁴, Cyril Bonnefoy¹, Gerard Barbeau² And Hervé Quenol¹

1 LETG-COSTEL, UMR 6554 CNRS, Université de Rennes 2, Place du Recteur Henri Le Moal, Rennes, France

1,2INRA UE 1117, Vigne et Vin, UMT Vinitera², 42, rue Georges Morel, Beauzouzé, France

3Bordeaux Sciences Agro, Univ. Bordeaux, ISVV, Ecophysiology and functional genomics of grapevines, UMR 1287, F-33140 Villenave d'Ornon, France

4 Laboratoire de géographie PRODIG UMR 8586 Université Paris-Diderot Paris7, Case 7001, 75 205 Paris Cedex13

Abstract

Firstly this study illustrate regional climate projections for several European vineyards areas at mean- and long-term. Secondly, from a network of data loggers, a modeling approach at local scale is presented to reveal climate variability as an important component to reduce local uncertainties and its impacts on plant behaviour.³

First part of study concerns all of ADVICLIM vineyards sites. Downscaled Regional Euro-Cordex models are used to map average temperatures and growing degree days differences between 1970-2000, 2020-2050 and 2050-2070. Simulated data from two scenarios are used to show the potential impact of climate change on grapevine behavior at regional scale. Second part of study draws on data obtained from two sites : Saint-Emilion and Coteaux du Layon, France. Daily temperature data are used to quantify and model local climate variability in relation with local environmental features^{1,2}.

At regional scale, a large variability of climate appears inter- and intrasites Projected directional climate change demonstrate significant warming and changes in rainfall patterns, however results reveal great uncertainties as a result of natural climate variability, climate models and socio-economic scenarios. Local scale study show important variability of temperature and growing degree days over very short distances which is related to grapevine phenology and productivity.

Regional models are not accurate enough to take into account local climate variability. For this reason Working with nested scales (local and regional) allow to better frame adaptations options to future climate change.

© 2015 The Authors. Published by Elsevier B.V This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Peer-review under responsibility of the organizing committee of the Agriculture and Climate Change - Adapting Crops to Increased Uncertainty (AGRI 2015)

Keywords: Climate change; Vine; modeling; nested scales

References

- ¹Parker, A.K., Ig. De Cortázar-Atauri, C. Van Leeuwen, et I. Chuine. 2011. « General Phenological Model to Characterise the Timing of Flowering and Veraison of Vitis Vinifera L. » Australian Journal of Grape and Wine Research 17 (2): 206-16. doi:10.1111/j.1755-0238.2011.00140.x.
- ²Quénol, Hervé. 2011. « Observation et modélisation spatiale du climat aux échelles fines dans un contexte de changement climatique ». Université Rennes 2. <http://tel.archives-ouvertes.fr/tel-00694300>.
- ³Van Leeuwen, C., V. Renouf, J. C. Payan, W. Trambouze, C. Garnier, C. Agut, I. Garcia-Cortazar, et al. 2008. « Heat requirements for grapevine varieties is essential information to adapt plant material in a changing climate ». 7th International Terroir Congress, Nyon, Switzerland. <http://ikee.lib.auth.gr/record/258020>.
1. Van der Geer J, Hanraads JAJ, Lupton RA. The art of writing a scientific article. *J Sci Commun* 2000;163:51-9.
 2. Strunk Jr W, White EB. *The elements of style*. 3rd ed. New York: Macmillan; 1979.
 3. Mettam GR, Adams LB. How to prepare an electronic version of your article. In: Jones BS, Smith RZ, editors. *Introduction to the electronicage*. New York: E-Publishing Inc; 1999. p. 281-304.