

Interactions with the water cycle as a driver of microbial evolution: clues from the life history of plant pathogens

Cindy E. Morris, David Sands

► To cite this version:

Cindy E. Morris, David Sands. Interactions with the water cycle as a driver of microbial evolution: clues from the life history of plant pathogens. Bioaerosols effects on clouds 2012, Desert Research Institute. Storm Peak laboratory, Steamboat Springs, USA., Aug 2012, Steamboat Springs, United States. hal-02744400

HAL Id: hal-02744400

<https://hal.inrae.fr/hal-02744400>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Interactions with the water cycle as a driver of microbial evolution: clues from the life history of plant pathogens

Cindy E. Morris¹ and David C. Sands²

1. INRA, UR407 Plant Pathology, Montfavet, France

2. Montana State University, Dept. Plant Sciences and Plant Pathology, Bozeman, MT

The last decade has witnessed a conceptual leap toward the idea that air-borne micro-organisms have reciprocal interactions with the atmosphere that surrounds them: They are subject to the physico-chemical conditions of this environment and they can also contribute to modifying these conditions as the case of microbial ice nucleation activity illustrates particularly well. There is a surge of research to understand the importance of these interactions for the atmosphere and the implications for the biology and evolution of micro-organisms. In the case of ice nucleation activity, we have observed that plant disease epidemiology gives several interesting clues to the selective pressures endured throughout the life history of ice nucleation active (INA) micro-organisms (*Pseudomonas*, *Pantoea* and *Xanthomonas* species and rusts in particular) that have driven the evolution of this property- and that might also provide insight into the potential significance for atmospheric processes. These epidemiological clues concern the capacity of micro-organisms to enhance frost sensitivity of plants and insect vectors, the resistance of INA micro-organisms to sub-zero temperatures or the capacity to over-winter in association with plants, the host range and aggressiveness of INA strains of plant pathogens, the importance of rainfall in initiation of disease epidemics, and the climatic conditions of air-masses that bring precipitation carrying INA micro-organisms. The ensemble of this information corroborates the hypothesis that ice nucleation activity contributes to the capacity of micro-organisms to avoid lethal sub-zero temperatures or other stressful conditions during long distance aerial transport by providing a mechanism of precipitation with growing ice crystals.

Bioaerosol Effects
on Clouds 2012



Storm Peak
Laboratory

Steamboat Springs, CO
August 4-7, 2012

Program and Abstracts