

Analytical approaches for the determination of food quality markers: a focus on chemical safety and aroma of animal-derived products

Erwan Engel, Jérémy Ratel, Christelle Planche, Anupam Giri, Weeraya Khummueng, Caroline Thomas, Jean-Louis Berdagué

▶ To cite this version:

Erwan Engel, Jérémy Ratel, Christelle Planche, Anupam Giri, Weeraya Khummueng, et al.. Analytical approaches for the determination of food quality markers: a focus on chemical safety and aroma of animal-derived products. 24. Conference of Residue Chemists, Nov 2013, Melbourne, Australia. n.p. hal-02745740

HAL Id: hal-02745740 https://hal.inrae.fr/hal-02745740

Submitted on 3 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Analytical approaches for the determination of food quality markers: a focus on chemical safety and aroma of animal-derived products

<u>Erwan Engel</u>, Jérémy Ratel, Christelle Planche, Anupam Giri, Weeraya Khummueng, Caroline Thomas, Jean-Louis Berdagué

INRA, UR QuaPA, Microcontaminants, Aroma and Separation Science group (MASS), 63122 Saint-Genès-Champanelle, France-Contact : erwan.engel@clermont.inra.fr

Based on research examples, the paper shows some recent analytical developments of our group for the investigation of both chemical safety and aroma of animal-derived food products.

A first section describes an original strategy based on foodomics to back-trace animal exposure to environmental micropollutants. In order to reveal animal exposure, metabolism end-products like volatile compounds were analyzed on edible tissues of animals fed with normal or intentionally contaminated diets. This untargeted approach was assessed on a large set of micropollutants including PCBs, Dioxins, PAHs, Brominated Flame Retardants and antibiotics.

A second section presents the development of GC×GC-MS/TOF methods for the multiresidue determination of targeted micropollutants in food. The versatility of the technique was assessed on a mix of micro-pollutants including PCDD/Fs, PCBs, OP- and OC-pesticides, Brominated Flame retardants and PAHs, whereas its resolution was demonstrated on a mix of 209 PCBs and 17 PCDD/Fs.

The third and last section of the paper shows our recent development in multidimensional GC and high resolution olfactometry for the monitoring of toxicants and odorants in processed food. In a first example, GC×GC-TOF/MS was used for the multiresidue determination of process-induced PAHs in meat cooked according to different cooking modes while a set of unique GC-Olfactometry devices including a patented GC-8O/MS system equipped with 8 sniffing booths and a heart-cut GC-GC-MS/O system enabled to reveal parallel changes in process-induced odorants. The relevance of these tools for designing safe and desirable processed food is also pointed out in a second example dealing with the development of meat products with reduced nitrite content.