

Comparison of metabolomic, proteomic and genomic variability in tomato fruit

Mathilde Causse, Jiaxin Xu, Laura Pascual, Yves Gibon, Annick Moing, Nelly Desplat, Dominique Brunel

► **To cite this version:**

Mathilde Causse, Jiaxin Xu, Laura Pascual, Yves Gibon, Annick Moing, et al.. Comparison of metabolomic, proteomic and genomic variability in tomato fruit. 9. Solanaceae Conference (SOL2012), Aug 2012, Neuchâtel, Switzerland. 2012, SOL 2012: From the Bench to Innovative Applications. hal-02745839

HAL Id: hal-02745839

<https://hal.inrae.fr/hal-02745839>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Veronique Lefebvre




SOL2012

9th Solanaceae Conference

August 26-30, 2012

From the Bench to
Innovative Applications



**Abstract
Book**

unine

UNIVERSITÉ DE
NEUCHÂTEL

P19 Comparison of metabolomic, proteomic and genomic variability in tomato fruit

Mathilde Causse, Jiaxin Xu, Laura Pascual, Yves Gibon, Annick Moing, Nelly Desplat and Dominique Brunel

INRA, Montfavet, France

Tomato fruit quality is an important trait for tomato consumers, but complex to improve due to the number of components involved and by their polygenic nature. In order to decipher the genetic diversity and the inheritance of fruit quality components at a global level, we have conducted a large multi-level omic experiment. A set of 8 contrasted lines and 4 of their F1 hybrids were phenotyped for fruit development traits. Fruits were harvested and pericarp samples analysed at 2 stages (cell expansion and orange) and different scales: (1) primary and secondary metabolome profiles, (2) activities of 28 enzymes involved in primary metabolism, (3) proteome profiles revealed by 2D-PAGE and sequencing of 470 spots showing quantitative variations and (4) gene expression analysis by Digital Gene Expression. In parallel, the 8 lines were resequenced and more than 4 millions SNPs identified when aligned on the reference tomato genome. These data are managed in the FlagDB++.

This experiment allowed us to address several question. The range of variability for the metabolic traits and expression data were compared. Correlation networks were constructed within and between levels of analysis to identify regulatory networks. Diversity of chosen candidate genes was analysed, relating the polymorphisms at the sequence levels with their expression. Some examples will be presented.