



HAL
open science

Central role of AMPK in the regulation of skeletal muscle protein turnover

Anthony Sanchez, Alfredo Csibi, Audrey Raibon, Allan Pagano, Robin Candau,
Henri Bernardi

► **To cite this version:**

Anthony Sanchez, Alfredo Csibi, Audrey Raibon, Allan Pagano, Robin Candau, et al.. Central role of AMPK in the regulation of skeletal muscle protein turnover. 6. Colloque "Protéolyse Cellulaire" de la Société Française de Biochimie et Biologie Moléculaire (SFBBM), Nov 2012, Clermont-Ferrand, France. 2012. <hal-02746335>

HAL Id: hal-02746335

<https://hal.inrae.fr/hal-02746335v1>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.




Distributed under a Creative Commons CC BY 4.0 - Attribution - International License

INTRODUCTION:

Skeletal muscle mass is depending upon a dynamic balance between anabolic and catabolic processes. At a cellular level, two major signaling pathways are involved: the transcription factors FoxO related pathway, implicated in the control of protein breakdown systems (ubiquitin-proteasome system and autophagy), and the IGF-1/Akt/mTORC1 pathway associated with the canonic pathway of protein synthesis and hypertrophy (3, 4). The aim of this study is to better understand the role played by the metabolic sensor system AMPK in the regulation of protein synthesis and breakdown. We show in muscle cells that the AMP-activated protein kinase (AMPK) decreases the mTORC1 pathway activity and simulates ubiquitin-proteasome and autophagy systems in a FoxO3-dependant manner. Furthermore, we identify Ulk1 as a new interacting partner of AMPK, which plays a major role in the autophagy induction.

Regulation of muscular mass


Signaling pathways:



AICAR induces autophagy in proliferating C2C12 cells and primary myotubes


C2C12 myoblasts, prolifération (J3)

AMPK activation increases autophagic fluxes in proliferating cells



Primary myotubes, différenciation (D4)



AMPK activation increases autophagic fluxes in primary myotubes



AICAR inhibits protein translation and induces protein ubiquitination

Primary myotubes, différenciation (D4)


AMPK inhibits protein translation and induces primary myotubes atrophy




FoxO3a-dependent regulation of autophagy induced by AMPK activation

AMPK induces the expression of autophagic proteins in a FoxO3-dependant manner


Primary myotubes, différenciation (D4)




AICAR induces a transient FoxO3a nuclear localization



AMPK interacts with FoxO3a and induces Ser-588 phosphorylation




AMPK stabilizes FoxO3a




Ulk1 : A new target of AMPK

Proliferating myoblasts


AMPK interacts with Ulk1 and induces Ser467 phosphorylation



Complex AMPK/Ulk1/mTOR/raptor/Atg13/FIP200 formation




Dynamique du complexe ???




Conservation des résultats In vivo ???

Formation de vésicules autophagiques dans les fibres électroporées avec des formes activées de l'AMPK ou de FoxO3a



In summary



CONCLUSION :

In this study, we identified AMPK-associated signaling pathways implicated in the muscular mass regulation. The characterization of a new interacting partner of AMPK, essential to the autophagy process suggests novel therapeutic perspectives in the treatment of myopathies associated to an increase of proteolysis.

REFERENCES :

- (1) Greer EL, Oskoui PR, Banko MR, Maniar JM, Gygi MP, Gygi SP, Brunet A. (2007). *J Biol Chem*, 282(41):30107-19.
- (2) Mammucari C, Milan G, Romanello V, Masiero E, Rudolf R, Del Piccolo P, Burden SJ, Di Lisi R, Sandri C, Zhao J, Goldberg AL, Schiuffino S, Sandri M (2007). *Cell Metab*. 6(6):458-71.
- (3) Rivas DA, Lessard SJ, Coffey VG (2009). *Appl Physiol Nutr Metab*, 34(5):807-16, pour revue.
- (4) Sanchez AMJ, Candau RB, Csibi A, Pagano AF, Raibon A, Bernardi H. (2012). *Am J Physiol Cell Physiol*, 303(5):C475-85 for review.