



HAL
open science

A smartphone application to evaluate energy expenditure and duration of moderate-intensity activities

Romain Guidoux, Robert Boualit, Martine M. Duclos, Gérard Fleury, Philippe Lacomme, Nicolas Lamaudière, Sylvie Rousset

► To cite this version:

Romain Guidoux, Robert Boualit, Martine M. Duclos, Gérard Fleury, Philippe Lacomme, et al.. A smartphone application to evaluate energy expenditure and duration of moderate-intensity activities. ICTRNH 2013 Second International Congress of Translational Research in Human Nutrition Integrative Approaches in Nutrition Research, Mar 2013, Clermont-Ferrand, France. , 2013. hal-02747272



HAL Id: hal-02747272

<https://hal.inrae.fr/hal-02747272>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



PO15

Title: A SMARTPHONE APPLICATION TO EVALUATE ENERGY EXPENDITURE AND DURATION OF MODERATE-INTENSITY ACTIVITIES

Authors and addresses: Romain Guidoux (1) Robert Boualit (2), Martine Duclos (3,6), Gérard Fleury (4), Philippe Lacomme (5), Nicolas Lamaudière (3,6), Sylvie Rousset (1)

(1) Institut National de la Recherche Agronomique, Unité de Nutrition Humaine UMR 1019 CRNH d'Auvergne, 58 rue Montalembert, 63000 Clermont-Ferrand

(2) Almerys, Service santé, 46 rue du Ressort, 63009 Clermont-Ferrand Cedex 1

(3) CHU de Clermont-Ferrand, Service de médecine du sport et des explorations fonctionnelles, 58 rue Montalembert, 63000 Clermont-Ferrand

(4) Université Blaise Pascal, Laboratoire de Mathématiques UMR CNRS 6620, Campus des Cézeaux, 63177 Aubière Cedex

(5) Université Blaise Pascal, Laboratoire d'Informatique (LIMOS) UMR CNRS 6158, Campus des Cézeaux, 63177 Aubière Cedex

(6) Université d'Auvergne, 49, boulevard François-Mitterrand, B.P. 32, 63001 Clermont-Ferrand

Presenting author: Romain Guidoux

Abstract: Obesity and sedentary lifestyles are constantly increasing for many years. Most of the studies use expensive and / or complex methods in order to estimate energy expenditure in controlled conditions or in free-living conditions. The aim of the project is to recognize low to moderate physical activities and to estimate volunteers' energy expenditure in free-living conditions by using smartphones, equipped with tri-axial accelerometers.

The project consists of 2 main steps: 1) the creation of energy expenditure estimation functions; 2) their validation over 18 volunteers.

Twelve volunteers have first been equipped with an Android smartphone (a Samsung Galaxy Xcover) and with two sensors used in research to estimate energy expenditure (Armband and Actiheart) during several controlled activities such as sitting, standing, walking and transportation. The accelerometry data collected by the smartphone allowed creating functions of energy expenditure prediction. Then, 6 other participants had the smartphone and sensors during one day in free-living conditions. Their data allowed testing the functions.

Two functions have been created during the research study:

* f(AEDES), which recognizes physical activities in order to estimate energy expenditure.

* f(NRJSI), which uses accelerometry data for estimating energy expenditure directly.

The results of our study showed that the difference between the energy expenditure estimation provided by f(AEDES) and f(NRJSI) were 14.03% and 9.60% from Armband, respectively. Moreover, physical activity categorization was good for categories "immobile activities" (less than 2 METs) and "light and moderate activities" (from 2 to 6 METs). However, it was not possible to conclude over the "vigorous activities" category (6 METs or more), since there were not enough data.

The next step will consist in recruiting 24 new volunteers for validating this study's results. Indeed, the functions have been optimized over the data of all the 18 volunteers, so it is normal to obtain low error rates for this population. New volunteers will allow us to estimate performances of the functions with a population that has not been used to parameter them.

Keywords: obesity, sedentary lifestyles, low to moderate physical activities, energy expenditure, smartphones, accelerometers, free-living conditions