



GPR40: a new relevant target for nutraceutical-based prevention of bone loss

Y. Wittrant, Laurent L. Leotoing, Fabien F. Wauquier, Claire C. Philippe,
Véronique Coxam

► To cite this version:

Y. Wittrant, Laurent L. Leotoing, Fabien F. Wauquier, Claire C. Philippe, Véronique Coxam. GPR40: a new relevant target for nutraceutical-based prevention of bone loss. Vitafoods Europe Conference. The Neutracila, May 2014, Genève, Switzerland. , 2013. hal-02747878

HAL Id: hal-02747878

<https://hal.inrae.fr/hal-02747878>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

GPR40: a new relevant target for nutraceutical-based prevention of bone loss

Yohann Wittrant^{1,2,3}, Laurent Léotoing^{1,2,3}, Fabien Wauquier^{1,2,3}, Claire Philippe^{1,2,3}, and Véronique Coxam^{1,2,3}

¹INRA, UMR 1019, UNH, CRNH Auvergne, F-63009 CLERMONT-FERRAND, FRANCE

²Clermont Université, Université d'Auvergne, Unité de Nutrition Humaine, BP 10448, F-63000 CLERMONT-FERRAND, FRANCE

³Equipe Alimentation, Squelette et Métabolismes

Keywords: GPR40, fatty acids, osteoporosis, osteoclast, NF- κ B

Background:

Industrialized countries face an amplified prevalence of metabolic disorders as a consequence of increased amount of fat in daily food intake. The main social and economic burdens of these pathologies lay in their complications including cardio-vascular diseases, cancers and osteoporosis. However, from a “bone” point of view, mechanisms linking fat intake to bone alteration remain quite controversial.

Objectives:

By demonstrating the expression of the free fatty acid receptor G-coupled Protein Receptor 40 (GPR40) in bone cells, we hypothesized that this receptor may play a role in mediating the effects of fatty acids on bone remodeling.

Methods and Results:

Using μ CT analysis, we showed that GPR40^{-/-} mice exhibit osteoporotic features suggesting a positive role of GPR40 on bone density. In primary cultures of bone marrow, we revealed that GW9508, a GPR40 agonist, abolished bone resorbing cell differentiation. This alteration of the Receptor Activator of NF- κ B Ligand (RANKL)-induced osteoclast differentiation occurred via the inhibition of the Nuclear Factor κ B (NF- κ B) signalling pathway as demonstrated by decrease in gene reporter activity, inhibitor of κ B kinase (IKK α/β) activation, inhibitor of κ B (I κ B α) phosphorylation and Nuclear Factor of Activated T cells 1 (NFATc1) expression. The GPR40-dependent effect of GW9508 was confirmed using shRNA interference in osteoclast precursors and GPR40^{-/-} primary cell cultures. In addition, *in vivo* administration of GW9508 counteracted ovariectomy-induced bone loss in wild-type but not GPR40^{-/-} mice enlightening the obligatory role of the GPR40 receptor.

Conclusions:

In a context of growing prevalence of metabolic and age-related bone disorders, our results demonstrate for the first time in translational approaches that GPR40 is a relevant target for the design of new nutritional and therapeutic strategies to counter bone complications.

Funding:

N/A

References:

1. Ono, K., Kaneko, H., Choudhary, S., Pilbeam, C. C., Lorenzo, J. A., Akatsu, T., Kugai, N., and Raisz, L. G. (2005) *J Bone Miner Res* **20**, 23-29
2. Tsutsumi, R., Xie, C., Wei, X., Zhang, M., Zhang, X., Flick, L. M., Schwarz, E. M., and O'Keefe, R. J. (2009) *J Bone Miner Res* **24**, 1753-1762

3. Itoh, Y., Kawamata, Y., Harada, M., Kobayashi, M., Fujii, R., Fukusumi, S., Ogi, K., Hosoya, M., Tanaka, Y., Uejima, H., Tanaka, H., Maruyama, M., Satoh, R., Okubo, S., Kizawa, H., Komatsu, H., Matsumura, F., Noguchi, Y., Shinohara, T., Hinuma, S., Fujisawa, Y., and Fujino, M. (2003) *Nature* **422**, 173-176
4. Latour, M. G., Alquier, T., Oseid, E., Tremblay, C., Jetton, T. L., Luo, J., Lin, D. C., and Poitout, V. (2007) *Diabetes* **56**, 1087-1094