



HAL
open science

Mechanisms for disease dilution: effect of plant species community composition and differences in host competence for virus and vector reproduction

Christelle Lacroix, Anna Jolles, Elizabeth T Borer, Eric W Seabloom, Alison G Power, Charles E Mitchell

► To cite this version:

Christelle Lacroix, Anna Jolles, Elizabeth T Borer, Eric W Seabloom, Alison G Power, et al.. Mechanisms for disease dilution: effect of plant species community composition and differences in host competence for virus and vector reproduction. 14. Rencontres de Virologie Végétale (RVV 2013), Jan 2013, Aussois, France. hal-02748788

HAL Id: hal-02748788

<https://hal.inrae.fr/hal-02748788v1>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Mechanisms for disease dilution: effect of plant species community composition and differences in host competence for virus and vector reproduction.

Christelle Lacroix^{1*}, Anna Jolles^{2,3}, Elizabeth T. Borer^{1,3}, Eric W. Seabloom^{1,3}, Alison G. Power⁴, Charles E. Mitchell⁵

¹ Department of Ecology, Evolution, and Behavior, University of Minnesota, Saint Paul, MN 55108, USA

² Department of Biomedical Sciences, Oregon State University, Corvallis, OR 97331, USA

³ Department of Zoology, Oregon State University, Corvallis, OR 9733, USA

⁴ Department of Ecology & Evolutionary Biology, Cornell University, Ithaca, NY 14853, USA

⁵ Department of Biology, University of North Carolina, Chapel Hill, NC 27599 USA

*e-mail address: clacroix@umn.edu

Abstract

The loss of biodiversity in communities can degrade ecosystem services including productivity, stability, resilience and disease regulation. While high species richness has been often correlated with reduced infection and transmission risk, multiple interacting mechanisms could underlie this dilution effect. The effects of biodiversity on disease prevalence can depend on both the species loss order in community disassembly and the traits of species left in low richness communities. If host communities decay to a predictable subset of hosts in low richness communities, infection risk by generalist, vector-borne parasites may be elevated because the remaining hosts are highly susceptible as well as highly competent to transmit parasites to vectors and/or to support vector reproduction.

Using grassland communities along the US West Coast as our model system, we measured the distribution and local abundance (% cover) of grass species among eleven sites across a latitudinal gradient of 15 degrees and 2000 kilometers. At each site, we monitored the prevalence of a group of generalists aphid-vectored pathogens, the *Barley* and *Cereal yellow dwarf* viruses (B/CYDVs), using two widespread grass species as sentinel hosts (*Elymus glaucus* and *Bromus hordeaceus*). We assessed in controlled conditions the ability of twenty common grass hosts to support i) viral infection after inoculation of a BYDV-PAV isolate, ii) secondary infection of new hosts and iii) reproduction of the aphid vector *Rhopalosiphum padi*. Finally, using a reduced set of six grass hosts, we quantified the reproductive rate of three aphid vectors of B/CYDVs (*R. padi*, *R. maidis* and *Sitobion avenae*), in field and/or lab experimental settings.

Using these data, we show that the change in plant community composition due to biodiversity loss is associated with an altered overall competence of host species assemblages to sustain the reproduction and transmission of infectious agents, as well as the reproduction of their aphid vectors.

Key words: disease dilution effect, vector-borne pathogen, grasslands, B/CYDV, nestedness