

Early colonisation of a constructed Technosol by soil organisms after industrial site reclamation

Jérôme J. Cortet, Thierry Beguiristain, Anne-Marie Charissou, Elodie-Denise Chenot, Sylvain Corbel, Daniel Cluzeau, Farhan Hafeez, Mickael Hedde, Corinne Leyval, Fabrice Martin-Laurent, et al.

▶ To cite this version:

Jérôme J. Cortet, Thierry Beguiristain, Anne-Marie Charissou, Elodie-Denise Chenot, Sylvain Corbel, et al.. Early colonisation of a constructed Technosol by soil organisms after industrial site reclamation. 7. International Conference of the Working Group on Soils in Urban, Industrial, Traffic, Mining and Military Areas (SUITMA) of International Union of Soil Sciences, Sep 2013, Torun, Poland. 151 p. hal-02748977

HAL Id: hal-02748977 https://hal.inrae.fr/hal-02748977

Submitted on 3 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

EARLY COLONISATION OF A CONSTRUCTED TECHNOSOL BY SOIL ORGANISMS AFTER INDUSTRIAL SITE RECLAMATION

Jérôme Cortet^{a,b}, Thierry Béguiristain^c, Anne-Marie Charissou^d, Elodie-Denise Chenot^a, Sylvain Corbel^e, Daniel Cluzeau^f, Farhan Hafeez^g, Mickael Hedde^e, Corinne Leyval^c, Fabrice Martin-Laurent^g, Jean-François Masfaraud^h, Johanne Nahmani^h, Denis Piron^f, Christophe Schwartz^a, Geoffroy Séré^a, Cécile Villenave^{i,j}, Françoise Watteau^a

^aLaboratoire Sols et Environnement, UMR 1120 Université de Lorraine/INRA, Vandoeuvre-les-Nancy, France

 ^bLaboratoire de Zoogéographie, Université Paul Valery/CEFE UMR 5175, Montpellier cedex 5
^cLaboratoire Interdisciplinaire des Environnements Continentaux, UMR 7360 Université de Lorraine -CNRS, Faculté des Sciences, BP239 54506 Vandoeuvre-les-Nancy Cedex
^dEUROFINS IPL EST, Rue Lucien Cuenot, site Saint Jacques II, BP 51005, 54521 Maxéville, France
^eINRA-PESSAC, Bâtiment 6, RD 10 78026 Versailles Cedex
^fUniversité de Rennes I, UMR 6553 CNRS EcoBio, Station Biologique, 35380 Paimpont, France
^gUMR 1347 Agroécologie, INRA/Agrosup/Université de Bourgogne, DIJON Cedex, France
^hLaboratoire Interdisciplinaire des Environnements Continentaux UMR 7360 Université de Lorraine -

CNRS, Campus Bridoux, Metz, France ¹UMR ECO&SOLS 210, IRD, SupAgro, Montpellier cedex 1 ¹ELISOL environnement, Montpellier cedex 1 e-mail: jerome.cortet@univ-montp3.fr

Keywords: soil biota, Technosols, biodiversity, soil functioning

Technosols (USS Working Group WRB 2006) are soils, whose properties and pedogenesis are dominated by artificial or transported materials. In the case of industrial brownfield management, constructed Technosols can be used intentionally to reclaim ecosystem. These Technosols are made of anthropogenic materials that are legally considered as wastes or by-products.

Sponsored by the French National Soil Programme GESSOL, and within the GISFI (Groupement d'Intérêt Scientifique sur les Friches Industrielles, www.gisfi.fr), a consortium of soil biologists has been constituted to study a model constructed Technosol ecosystem at the field scale on a derelict brownfield in the Lorraine Region (France). The studied Technosol, implemented in 2007, is made of a layer of green-waste compost at the surface, a layer of a mixture of treated industrial soil and paper-mill sludge, and a bottom layer of pure paper-mill sludge. The pedogenesis of this Technosol has been studied for several years demonstrating its capacity to perform basic soil functions (Séré, Schwartz *et al.* 2008). The working group comprised soil ecologist specialists of various biota (bacteria and mycorhiza, nematodes, microarthropods, macroarthropods and earthworms), agronomists, and soil bio-physicians. Sampling has occurred each year at spring time since 2008.

The main question of the project focuses on the capacity of the Technosols to fulfill essential functions of a natural soil, particularly vegetation development, which means restoration of physical and chemical fertility. Our hypothesis is that soil organisms, by their diversity and functional complementarities, are essential actors in the system for the main physical (aggregation, bioturbation) and chemical (carbon and nitrogen cycles) processes. In this context, our objective is to assess the colonisation dynamic of the Technosol by soil biota and their impact on several soil functions.

The results obtained within the 4 first years (2008 to 2011) of the project indicate that the initial system is typical of pioneer ecosystems, with the presence of bacterivorous nematodes and the absence of macrofauna. Initial Collembola communities are mainly influenced by the initial materials (origins of the composts) and the borders of the field, showing a centripetal colonisation during the first 2 years. However, an increase of species richness, particularly concerning nematodes, is

observed between 2008 and 2009. Furthermore, in 2011, an explosion of earthworm densities is observed, showing a fast colonisation of soil engineers. Finally this soil biota development can be strongly linked with the evolution of the soil structure and leads to a biomass production similar to a "natural" pasture, which conducts to the occurrence of a brumifer horizon.