



**HAL**  
open science

## Some aspects of the spatial variability of N<sub>2</sub>O emissions from an agricultural soil in central France

Agnès Grossel, Bernard B. Nicoullaud, Philippe Rochette, Christophe Guimbaud, C Robert, Adeline Besnault, Guy Richard, Catherine Hénault

► **To cite this version:**

Agnès Grossel, Bernard B. Nicoullaud, Philippe Rochette, Christophe Guimbaud, C Robert, et al..  
Some aspects of the spatial variability of N<sub>2</sub>O emissions from an agricultural soil in central France.  
4. International Congress EuroSoil 2012, European Confederation of Soil Science Societies. INT., Jul  
2012, Bari, Italy. hal-02749511

**HAL Id: hal-02749511**

**<https://hal.inrae.fr/hal-02749511>**

Submitted on 3 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Some aspects of the spatial variability of N<sub>2</sub>O emissions from an agricultural soil in Central France

Agnès Grossel a\*, Bernard Nicoullaud a, Philippe Rochette c, Christophe Guimbaud b, Claude Robert b, Adeline Besnault a, Guy Richard a, Catherine Hénault a

<sup>a</sup> INRA, UR 0272 Science du sol, Centre de recherche d'Orléans, CS 40001 Ardon, 45075 Orléans cedex 2, France ;

<sup>b</sup> Laboratoire de Physique et Chimie de l'Environnement et de l'Espace, Orléans, France ;

<sup>c</sup> Agriculture and Agri-Food Canada, 2560 Hochelaga Blvd, Québec, QC, G1V 2J3, Canada;

\* Corresponding Author:

Agnès Grossel, [agnes.grossel@orleans.inra.fr](mailto:agnes.grossel@orleans.inra.fr)

Centre de Recherche INRA d'Orléans - Unité de Science du Sol

2163 Avenue de la Pomme de Pin - CS 40001 ARDON

45075 ORLEANS Cedex 2 - France

Tel: +33 (0)2 38 41 80 48 Fax: +33 (0)2 38 41 78 69

Soil N<sub>2</sub>O flux are affected by several soil variables such as temperature, water content and the availability of mineral nitrogen and labile organic carbon. The complex interactions between these factors as well as soil heterogeneity result in large spatial variations in soil N<sub>2</sub>O fluxes.

Developing methodologies for quick spatial sampling of N<sub>2</sub>O fluxes is thus of concern to improve our understanding of the variables controlling the heterogeneity of emissions. The main objective of this paper is to assess in a case study the spatial variability of N<sub>2</sub>O fluxes at local and plot scales, to define methods for measuring the spatial variability of N<sub>2</sub>O fluxes, determining its control factors and modelling it. A campaign was carried out in March 2011 in the Faux-Perche region in Central France. The plot had a gentle slope (1.6%) with hydromorphic loamy soils under winter barley. Soil N<sub>2</sub>O fluxes were measured during two 1-day campaigns using a laboratory-built quantum cascade laser spectrometer coupled to a "fast box", i.e. a mobile closed chamber without base. During the first day, fluxes were measured in 7 x 4 points (150m along the main slope x 12m). On the second day, 48 measurements were made in a small area (2.4 x 3.2m) at the footslope to sample most (77 %) of the selected surface.

This sampling methodology enabled to study the spatial variability and control factors of emissions. No pattern was observed at the local scale but at the plot scale, fluxes showed a clear pattern along the main slope, related to soil moisture, nitrogen and carbon patterns.