

A mutation in the NIb cistron of Potato virus Y confers virulence towards the Pvr4 resistance of pepper and a high competitiveness cost in susceptible cultivar

Bérenger Janzac, Josselin Montarry, Alain Palloix, Olivier Navaud, Benoît Moury

▶ To cite this version:

Bérenger Janzac, Josselin Montarry, Alain Palloix, Olivier Navaud, Benoît Moury. A mutation in the NIb cistron of Potato virus Y confers virulence towards the Pvr4 resistance of pepper and a high competitiveness cost in susceptible cultivar. 11. International Plant Virus Epidemiology Symposium, Jun 2010, Ithaca, United States. hal-02751150

HAL Id: hal-02751150 https://hal.inrae.fr/hal-02751150

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A mutation in the NIb cistron of *Potato virus Y* confers virulence towards the *Pvr4* resistance of pepper and a high competitiveness cost in susceptible cultivar

Bérenger Janzac, ¹ Josselin Montarry, ¹ Alain Palloix, ² Olivier Navaud, ³ and Benoît Moury ¹ INRA, UR407 Pathologie Végétale, F- 84140 Montfavet, France ²INRA, UR1052 Génétique et Amélioration des Fruits et Légumes, F- 84140 Montfavet, France ³INRA, UMR441 Laboratoire des Interactions Plantes Microorganismes, F-31326, Castanet-Tolosan, France

The *Pvr4* resistance of pepper against potyviruses is highly durable in field conditions but *Potato virus Y* (PVY) virulent variants can be selected in laboratory conditions. To understand this discrepancy, we studied the molecular mechanisms which generated these variants and their consequences on viral fitness. We found that the region coding for the NIb protein (RNA-dependent RNA polymerase) of PVY was the avirulence factor corresponding to *Pvr4* and that a single non-synonymous nucleotide substitution in that region was sufficient for virulence. This substitution imposed a high competitiveness cost to the virus against an avirulent PVY variant in plants devoid of *Pvr4*. In addition, during serial passages in susceptible pepper plants, the only observed possibility of the virulent mutant to increase its fitness was through the reversion of the virulence mutation, strengthening the high durability potential of the *Pvr4* resistance. This is in accordance with the high evolutionary constraint exerted on the NIb protein of PVY and other potyviruses and with a model predicting the durability of virus resistances as a function of the evolutionary constraint applied on corresponding avirulence factors.