

The effect of pathogens and pests on honey bee gene expression

Maria Navajas Navarro, Jean-Francois Martin, Yves Le Conte,
. Queen'S $\,$

University Belfast

► To cite this version:

Maria Navajas Navarro, Jean-Francois Martin, Yves Le Conte, . Queen'S University Belfast. The effect of pathogens and pests on honey bee gene expression. 3. European Conference of Apidology, Sep 2008, Belfast, United Kingdom. hal-02757923

HAL Id: hal-02757923 https://hal.inrae.fr/hal-02757923

Submitted on 4 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

The effect of pathogens and pests on honey bee gene expression

Maria Navajas, Jean-François Martin and Yves Le Conte

Institut National de la Recherche Agronomique (INRA), Centre de Biologie et Gestion des Populations, Campus International de Baillarguet CS 30 016,34988 Montferrier sur Lez, cedex., FranceEmail: <u>navajas@supagro.inra.fr</u>

The effect of pathogens and pests on honey bee gene expression is a fascinating area of research in itself and can lead to new molecular tools for diagnostics and selection in beekeeping. In this framework, we first investigated Varroa-bee interactions by using a combination of nuclear and mitochondrial DNA markers of Varroa destructor to trace the parasite invasion of Apis mellifera since it shifted from A. cerana. The extremely low worldwide mite genetic diversity found on A. mellifera outside Asia contrasts with the variety of known bee phenotypes regarding their response to the parasite. This prompted us to further explore the response of bees to Varroa, by using a transcriptional study. We compared parasitized and non-parasitized full-sister pupae, from two different genetic stocks of bees: one susceptible and one resistant to Varroa. We used a honey bee cDNA microarray, which contained a total of ~ 6,778 cDNAs representing ~ 5,500 different genes. We identified a set of genes that showed differential expression as a function of parasitization, another set that showed differential expression as a function of bee genotype, and a set of genes affected byboth factors. These patterns, and some of the genes that define them, are mostly involved in olfaction and sensitivity to stimuli. These results agree with the hypothesis that tolerance to Varroa is linked to a more efficient bee hygienic behaviour. In an ongoing work we further explore this hypothesis. Using q-PCR assays, we try to separate immunological and behavioral bee responses and also parasite effects from bee genotype effects.



Belfast 8-11 September 2008

EurBee3

3rd EUROPEAN CONFERENCE OF APIDOLOGY at the MBC, Queen's University Belfast 97 Lisburn Road

Edited by Jennifer Teal, Juliet L Osborne and Robert J Paxton







Belfast Visitor & Convention Bureau



