

**Real-time PCR assay for identification and
quantification of *Rhizoctonia solani* AG-2-2 in soil**
Veronique Edel-Hermann, Marlène Jobard, Nadine Gautheron, Hanna
Friberg, Christian Steinberg

► **To cite this version:**

Veronique Edel-Hermann, Marlène Jobard, Nadine Gautheron, Hanna Friberg, Christian Steinberg. Real-time PCR assay for identification and quantification of *Rhizoctonia solani* AG-2-2 in soil. Working Group "Multitrophic Interactions in Soil", Jun 2007, Dijon, France. hal-02758212

HAL Id: hal-02758212

<https://hal.inrae.fr/hal-02758212>

Submitted on 4 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

IOBC / WPRS

Working group “Multitrophic Interactions in Soil”

Proceedings of the meeting

at

Dijon (France)

June 24-27, 2007

Edited by:

**Christian Steinberg, Véronique Edel-Hermann, Hanna Friberg,
Claude Alabouvette and Arno Tronsmo**

**IOBC wprs Bulletin
Bulletin OILB srop**

Vol. 42, 2009

The content of the contributions is in the responsibility of the authors

The IOBC/WPRS Bulletin is published by the International Organization for Biological and Integrated Control of Noxious Animals and Plants, West Palearctic Regional Section (IOBC/WPRS)

Le Bulletin OILB/SROP est publié par l'Organisation Internationale de Lutte Biologique et Intégrée contre les Animaux et les Plantes Nuisibles, section Regionale Ouest Paléarctique (OILB/SROP)

Copyright: IOBC/WPRS 2009

The Publication Commission of the IOBC/WPRS:

Horst Bathon
Julius Kühn-Institute (JKI)
Federal Research Center for Cultivated Plants
Institute for Biological Control
Heinrichstr. 243
D-64287 Darmstadt (Germany)
Tel +49 6151 407-225, Fax +49 6151 407-290
e-mail: horst.bathon@jki.bund.de

Luc Tirry
University of Gent
Laboratory of Agrozoology
Department of Crop Protection
Coupure Links 653
B-9000 Gent (Belgium)
Tel +32-9-2646152, Fax +32-9-2646239
e-mail: luc.tirry@ugent.be

Address General Secretariat:

Dr. Philippe C. Nicot
INRA – Unité de Pathologie Végétale
Domaine St Maurice - B.P. 94
F-84143 Montfavet Cedex (France)

ISBN 978-92-9067-216-6

www.iobc-wprs.org

Contents

Preface.....	i
List of participants.....	iii
Mechanisms involved in spatial and temporal mobility of disease patches caused by <i>Rhizoctonia solani</i> in sugar beet field: Induction of antagonists within disease patch <i>Muhammad Anees, Arne Tronsmo, Véronique Edel-Hermann, Nadine Gautheron, Christian Steinberg</i>	1-5
Take-all decline: An epidemiological analysis <i>Douglas Bailey, Nik Cunniffe, Philippe Lucas, Marie Gosme, Neil Paveley, John Spink, Christopher Gilligan</i>	7-10
<i>Pythium</i> elicitors in biological control of <i>Botrytis cinerea</i> <i>Kanak Bala, Dalia Rav David, Bernard Paul, Yigal Elad</i>	11-14
Population dynamics of beneficial microorganisms co-applied to seed during drum priming <i>Amanda J. Bennett, John M. Whipps</i>	15-18
Microbial analysis of soils from avocado crops modified by different organic amendments and its role in disease suppressiveness <i>Nuria Bonilla, Juan A. Torés, Alejandro Pérez-García, José M. Hermoso, Jorge Gonzalez, David Sarmiento, Francisco M. Cazorla, Antonio de Vicente</i>	19-22
Diversity of <i>Sclerotinia sclerotiorum</i> in the UK and variability in germination of sclerotia <i>John Clarkson, Emily Clewes, John Whipps</i>	23-26
Towards understanding the temporal dynamics of <i>Allium</i> white rot: factors affecting the infectivity of <i>Sclerotium cepivorum</i> sclerotia <i>John Clarkson, Anita Scruby, John Whipps</i>	27-30
Antagonistic ability of <i>Bacillus subtilis</i> strains against <i>Fusarium oxysporum</i> f.sp. <i>radicis lycopersici</i> <i>Constantinescu Florica, Voshol G.P., Validov Shamil, Bloemberg Guido</i>	31-35
Biodiversity and soil quality in agroecosystems: the use of a qualitative multi-attribute model <i>Jérôme Cortet, Marko Bohanec, Bryan Griffiths, Martin Žnidaršič, Marko Debeljak, Sandra Caul, Jacqueline Thompson, Paul H. Krogh</i>	37-40
Real-time PCR assay for identification and quantification of <i>Rhizoctonia solani</i> AG-2-2 in soil <i>Véronique Edel-Hermann, Marlène Jobard, Nadine Gautheron, Hanna Friberg, Christian Steinberg</i>	41-46
Effect of organic matter on soil inoculum potential and soil suppressiveness to <i>Gaeumannomyces graminis</i> var. <i>tritici</i> and <i>Rhizoctonia solani</i> <i>Léon Fayolle, Claude Alabouvette, J.M. Bodet, Christian Steinberg</i>	47-51

Identification of a fungal population associated with soil suppressiveness to <i>Rhizoctonia solani</i> diseases in a biofumigated soil <i>Marie Fiers, Céline Janvier, Christian Steinberg, Véronique Edel-Hermann, François Villeneuve, Claude Alabouvette</i>	53-56
Interactions between bacteria and ectomycorrhizal fungi: what's new? <i>Pascale Frey-Klett, Aurélie Deveau, Mika Tarkka, Stéphane Uroz, Béatrice Palin, Jean-Claude Pierrat, Francis Martin, Jean Garbaye</i>	57-61
Response of <i>Rhizoctonia solani</i> to soil faunal grazing and organic amendments – different from general microbial dynamics <i>Hanna Friberg, Léon Fayolle, Véronique Edel-Hermann, Nadine Gautheron, Céline Faivre Christian Steinberg</i>	63-67
Synergy of <i>Brassica napus</i> green manure and <i>Trichoderma</i> seed treatment against <i>Sclerotium rolfsii</i> of sugar beet <i>Stefania Galletti, Pier Luigi Burzi, Eleonora Sala, Simona Marinello, Claudio Cerato</i>	69-72
Contribution of bacteria to the functional diversity of ectomycorrhizas in forest ecosystems <i>Jean Garbaye</i>	73-76
Differentially expressed genes during interactions in a fungistatic bacterial mixture <i>Paolina Garbeva and Wietse de Boer</i>	77-81
Induction of systemic resistance by PGPR, a suitable means to consider for managing of cucurbit powdery mildew <i>Laura García-Gutiérrez, Diego Romero, Houda Zerrouh, Francisco M. Cazorla, Antonio de Vicente, Alejandro Pérez-García</i>	83-86
Ecophysiological Influence of TerralytPlus® on electrochemical soil parameters <i>Hartmut Heilmann</i>	87-90
Trophic interactions between soil fungi and Collembola <i>Gloria Innocenti, Maria Agnese Sabatini, Sonia Ganassi, Matteo Montanari, Maria Barbara Branzanti</i>	91-94
Towards indicators of soil health <i>Céline Janvier, François Villeneuve, Véronique Edel-Hermann, Thierry Mateille, Claude Alabouvette, Christian Steinberg</i>	95-100
Spatial pattern and temporal dynamics of <i>Sclerotium</i> root rot (<i>Sclerotium rolfsii</i>) in fall sown sugar beet crops in southern Spain <i>Rafael Jordán-Ramírez, Rafael M. Jiménez-Díaz, Juan A. Navas-Cortés</i>	101-103
Biocontrol activity of <i>Collimonas fungivorans</i> against tomato foot and root rot caused by <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> <i>Faina Kamilova, Johan Leveau, Ben Lugtenberg</i>	105-108
Implications of root spatial relationships in young wheat obtained from CT-scanning for an invasion by fungal pathogens <i>Adam Kleczkowski, Douglas J. Bailey, Wilfred Otten, Margaret Grose, Christopher A. Gilligan</i>	109-112
Phylogenetic analysis of endophytic <i>Fusarium oxysporum</i> strains inducing systemic resistance against the burrowing nematode <i>Radopholus similis</i> in banana <i>Andreas Kurtz, Alexander Schouten and Richard A. Sikora</i>	113-118

Influence of Disease Resistant Management Strategies on Genetic and Pathogenic Diversity in Plant Pathogen Populations: Fusarium wilt of chickpea, a case study <i>Blanca B. Landa, M. Mar Jiménez-Gasco, and Rafael M. Jiménez-Díaz</i>	119-122
Compost performances in a turf system <i>Matteo Montanari, Gloria Innocenti, Sante Scagliarini</i>	123-126
Transformation of <i>Gnomonia fragariae</i> , the cause of strawberry root rot and petiole blight, with GFP gene and the study of host infection and colonization <i>Inga Moročko, Jamshid Fatehi</i>	127-130
Interconnectivity of habitats in soil: combining X-ray micro tomography and thin sectioning to reveal fungal-soil structure interactions <i>Wilfred Otten, Kirsty Binnie, Iain Young, Jonathan Villot, Dmitri Grinev</i>	131-134
Effect of <i>Glomus mosseae</i> BEG12, <i>Trichoderma viride</i> TV1 and <i>T. harzianum</i> T39 on plant growth of healthy and <i>Armillaria mellea</i> inoculated strawberry plants under greenhouse controlled conditions <i>Ilaria Pertot, Federica De Luca</i>	135-138
Agricultural practices affect microbial functional diversity, microbial activity and suppressiveness against soil-borne diseases <i>Michael Raviv, Ido Aviani, Yael Laor, Anat Yogev, Ibrahim Saadi, Rony Cohen, Shlomit Medina</i>	139-144
Consequences of liming on ectomycorrhizal community structure and functioning <i>François Rineau, Jean Garbaye</i>	145-150
Interaction between <i>Brassica carinata</i> seed meal and <i>Trichoderma</i> in soil infected by <i>Pythium ultimum</i> <i>Eleonora Sala, Stefania Galletti, Pier Luigi Burzi, Claudio Cerato</i>	151-154
Characterizing defense responses in banana induced by endophytic <i>Fusarium oxysporum</i> against the burrowing nematode <i>Radopholus similis</i> <i>Alexander Schouten, Kerstin Schäfer, Richard A. Sikora</i>	155-158
Biocontrol of root-knot nematodes by <i>Trichoderma</i> – modes of action <i>Edna Sharon, Ilan Chet, Meira Bar-Eyal, Yitzhak Spiegel</i>	159-163
Root exudates as important factor in the <i>Fusarium</i> – host plant interaction <i>Siegrid Steinkellner, Roswitha Mammeler, Horst Vierheilig</i>	165-168
Operalizing soil quality <i>Aad J. Termorshuizen, Peter van Erp, Renske Landeweert, Arjan Reijneveld, Roel Staps, Peter Veenhuizen, Petra C.J. van Vliet, Jos Wubben</i>	169-172
Saprotrophic basidiomycete <i>Hypholoma fasciculare</i> affects fungal and bacterial community composition in colonized wood and soil. <i>Vendula Valášková, Jaroslav Šnajdr, Pauline K. Gunnewiek, Wietse de Boer, Petr Baldrian</i>	173-176
Monitoring of pathogenic and nonpathogenic <i>Fusarium oxysporum</i> strains during tomato plant infection <i>Shamil Z. Validov, Faina D. Kamilova and Ben J.J. Lugtenberg</i>	177-183
Lignin enhances mycoparasitism of <i>Rhizoctonia solani</i> and <i>Botrytis cinerea</i> sclerotia <i>Sarah Van Beneden, Joachim Audenaert, Greet De Backer, Monica Höfte</i>	185-190

Comparison of four tillage systems in organic farming. Effect of soil structure modification and organic matter repartition on microbial biomass and soil respiration <i>Jean François Vian, Joséphine Peigné, Rémi Chaussod and Jean-Roger Estrade</i>	191-194
Characterization of bacteriophages of <i>Verticillium</i> -antagonists originated from the strawberry rhizosphere <i>Arite Wolf, Sabine Schulze, Horst Neve</i>	195-199
Selection and partial characterisation of biofumigants for management of <i>Verticillium</i> wilt in strawberries <i>David Yohalem, David Hall</i>	201-206