



HAL
open science

Ooencyrtus pityocampae Mercet rearing on three substitute hosts in laboratory to implement a biocontrol of *Thaumetopoea pityocampa* Den. & Schiff.

Elisabeth Tabone, Hilal Tunca, ETTY Colombel, Marine Venard, Thomas Defferier, Anne-Sophie Brinquin, Maurane Buradino, Estelle Morel, Jean Claude Martin

► **To cite this version:**

Elisabeth Tabone, Hilal Tunca, ETTY Colombel, Marine Venard, Thomas Defferier, et al.. *Ooencyrtus pityocampae* Mercet rearing on three substitute hosts in laboratory to implement a biocontrol of *Thaumetopoea pityocampa* Den. & Schiff.. Processionary meeting 2018, Institut National de Recherche en Génie Rural, Eaux et Forêts de Tunisie (INRGREF). TUN., Dec 2018, Hammamet, Tunisia. hal-02787072

HAL Id: hal-02787072

<https://hal.inrae.fr/hal-02787072>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

***Ooencyrtus pityocampae* (Mercet) rearing on three substitute hosts in laboratory to implement a biocontrol of *Thaumetopoea pityocampa* (Den. & Schiff.)**

E. Tabone¹, H. Tunca², E.-A. Colombel¹, M. Venard¹, T. Defferier¹, A.-S. Brinquin³, M. Buradino³, E. Morel³, J.-C. Martin³

¹ INRA UEFM Site Villa Thuret, Laboratoire BioContrôle, 90 Chemin Raymond, 06160 Antibes, France

² Ankara University, Faculty of Agriculture, Department of Plant Protection, Ankara, Turkey

³ INRA UEFM Site Agroparc Domaine Saint Paul F-84914 Avignon, France

Abstract

Egg parasitoids are considered as efficient biological control agents and are used worldwide for control of several pests in many crops. *Ooencyrtus pityocampae* (Mercet) (Hymenoptera: Encyrtidae) is a polyphagous egg parasitoid which parasitises *Thaumetopoea pityocampa* (Denis & Schiffermüller) (Lepidoptera: Notodontidae) eggs. To implement a biocontrol of pine processionary moth with these parasitoids, it is first necessary to rear *O. pityocampae*. Because of allergy risks and problems of long life cycle and behavior, *Thaumetopoea pityocampa* is not easy to rear so the use of substitute host is unavoidable. In this project, *Philosamia ricini* (Danovan) (Lepidoptera: Saturniidae), *Halyomorpha halys* (Stål) (Hemiptera: Pentatomidae) and *Nezara viridula* (Linnaeus) (Hemiptera: Pentatomidae) were evaluated all three as substitute hosts. Different biological characteristics of *O. pityocampae* were determined for each one at $25 \pm 1^\circ\text{C}$, $65 \pm 5\%$ RH, and a photoperiod of 16:8 h (L: D): development time, emergence rate, longevity, parasitism rate and fecundity. Results show that all three can be used to rear *O. pityocampae*.

Keywords: *Ooencyrtus pityocampae*, *Philosamia ricini*, *Halyomorpha halys*, *Nezara viridula*, rearing, biocontrol.