



HAL
open science

Development of a protocol based on linear programming to assess the amount of free sugars in industrially-processed foods in France

Romane Poinot, Marine Oseredczuk, Lucile Royer, Florent Vieux, Nicole
Darmon, Matthieu Maillot

► To cite this version:

Romane Poinot, Marine Oseredczuk, Lucile Royer, Florent Vieux, Nicole Darmon, et al.. Development of a protocol based on linear programming to assess the amount of free sugars in industrially-processed foods in France. EUROFIR Food Forum "Food data and tools: developments and application in food & nutrition", Apr 2019, Bruxelles, Belgium. 2019. hal-02787098

HAL Id: hal-02787098

<https://hal.inrae.fr/hal-02787098>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Development of a protocol based on linear programming to assess the amount of free sugars in processed foods in France

Romane Poinso^{1,2}, Marine Oseredczuk³, Lucile Royer⁴, Florent Vieux¹, Nicole Darmon², Matthieu Maillot¹

¹ MS-Nutrition, Marseille, France / ² MOISA, INRA, CIHEAM-IAMM, CIRAD, Montpellier SupAgro, Univ Montpellier, Montpellier, France

³ French Agency for Food, Environmental and Occupational Health Safety (ANSES), Paris, France / ⁴ Regional Centre for Innovation and Technology Transfer (CRITT), La Rochelle, France

INTRODUCTION


WHO recommends a free sugars intake lower than 10% of total energy intake

BUT

Free sugars are not available in nutritional composition database neither on food label.

OBJECTIVE

To develop and test a protocol using linear programming (LP) to estimate free sugars content in a batch of products.




Free sugars are defined as monosaccharide and disaccharide, regardless of sweetening powers, added to food and also total sugars naturally occurring in honey, syrups, fruit juices and fruit juices from concentrate.

MATERIALS AND METHODS

DATA COLLECTION

8 processed food items



- orange nectars
- marbled cakes
- two types of biscuits
- puffed corns with honey
- soft breads
- pizzas
- fresh cheeses

OOALI database

Selection in OOALI database of 3 different products per food item that have the **lowest, median and highest** amount of total sugars (+ 2 for nectar containing banana puree or glucose syrup).

= **26 different products**

+ **1 additional product**, whose yield factor and all ingredients amounts were known.

Extraction of nutrition and ingredients information :

1 Ingredients list as indicated on the label

Ingredients : orange juice from concentrate (65%), water, sugar, citric acid

2 Nutrition facts label (NFL)

Nutrition Information		Per 100 g
Energy		485 kJ / 117 kcal
Fat		8 g
Of which Saturates		3,7 g
Carbohydrate		9 g
Of which Sugars		8 g
Protein		1,4 g
Salt		0,02 g
Vitamin C		14,81 mg 19% RI*

3 A database of all ingredients nutritional composition:

energy, proteins, fats, carbohydrates, total sugars, salt, free sugars (estimated using Louie et al. method)

All our acknowledgments for Caroline ROUVEYROL (CRITT) and Christine CHENE (ADRIANOR) for their work to build the ingredients database

PROTOCOL applied to each product to assess free sugar content

Input data

1 Ingredients list as indicated on the label

2 Nutrition facts label

3 Database of all ingredients nutritional composition

Linear programming models

Variables : amounts of each ingredient

Constraints :

- Sum of ingredients = 100 g
- Amount of ingredient (when known) set to the labeled value
- Ingredients order conserved
- Total sugars set to the labelled value

Objective function : Minimize deviation from NFL (i.e. nutritional deviation)

→ **4 different LP models** varying according to the way to express the nutritional deviation

M1

Absolute difference

M2

Relative difference

M3

Weighted difference with nutrients tolerance from literature (Westrich et al, 1994)

M4

Weighted difference with European Commission nutrients tolerance for labelling


Output

Modelled amounts of ingredient in each model → **Free sugars contents**


RESULTS

For 2 products,

- The 4 LP models were unfeasible due to uncertainties in NFL or in nutrient compositions for ingredients or due to non-inclusion of manufacturing processes.



Biscuit topped with strawberry
53 g of total sugars (median)



« petit-beurre » biscuit
22 g of total sugars (median)

For 24 products,

- The 4 models resulted in similar ingredients amounts and free sugars content




Figure 1 : Average free sugars content among 24 products, in g/100g

For the additional product,

- Amount of free sugars calculated with known ingredients amounts and yield factor (0.92) = 27.5 g / 100g
- Average free sugars content estimated from the 4 models = 27.1 g**



estimation of free sugars content is close to the calculated value

CONCLUSION

This protocol, fast when nutritional content of ingredient is available and easily reproducible seems to provide an acceptable free sugars estimation, but further work might be needed to improve models and validate the approach.