



HAL
open science

Influence of landscape structure and cropping system on microbial diversity and microbial interactions in vineyards

Corinne Vacher, Charlie Pauvert, Thomas Fort, Marc Buée, Valerie Laval, Véronique Edel-Hermann, Laure Fauchery, Angelique Gautier, Isabelle Lesur Kupin, Laurent Deliere, et al.

► To cite this version:

Corinne Vacher, Charlie Pauvert, Thomas Fort, Marc Buée, Valerie Laval, et al.. Influence of landscape structure and cropping system on microbial diversity and microbial interactions in vineyards. Séminaire Pôle de Protection des Plantes (CIRAD 3P), Nov 2018, St-Pierre de la Réunion, France. hal-02787591

HAL Id: hal-02787591

<https://hal.inrae.fr/hal-02787591>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Influence of landscape structure and cropping system on microbial diversity and microbial interactions in vineyards

Corinne Vacher¹, Charlie Pauvert¹, Thomas Fort¹, Marc Buée², Valérie Laval³, Véronique Edel-Hermann⁴, Laure Fauchery², Angélique Gautier³, Isabelle Lesur^{1,5}, Laurent Delière⁶, Jessica Vallance⁶

1. BIOGECO, INRA, Univ. Bordeaux, 33615 Pessac, France
2. INRA, Université de Lorraine, UMR IAM 1136, Laboratoire d'Excellence ARBRE, Centre INRA-Lorraine, 54280 Champenoux, France
3. BIOGER, INRA, 78850 Thiverval Grignon, France
4. Agroécologie, AgroSup Dijon, CNRS, INRA, Univ. Bourgogne Franche-Comté, 21000 Dijon, France
5. HelixVenture, 33700 Mérignac, France
6. SAVE, Bordeaux Sciences Agro, INRA, ISVV, Univ. Bordeaux, 33882 Villenave d'Ornon, France

Microbial diversity and microbial interactions support many ecosystem services, including the regulation of plant diseases. A current challenge is to robustly infer these microbial community properties from environmental DNA, and to assess their resistance and resilience to agricultural practices and other global change components. To meet this challenge, we first used an artificial microbial community to identify the bioinformatic approach best recovering microbial community properties from metabarcoding data. We then used this approach to assess the influence of landscape structure and cropping system (conventional *versus* organic) on microbial diversity and microbial interactions in vineyards. We focused on the fungal component of grapevine microbial communities as it includes major pathogens. Our results showed that bioinformatic pipelines using DADA2 to detect amplicon sequence variants were the most effective for recovering the richness and composition of the artificial fungal community. We also showed that fungal dispersal events from forest patches to adjacent vineyards hardly influence grapevine foliar fungal communities. In contrast, the cropping system had a major impact on grapevine foliar fungal communities. Community richness, diversity and evenness were significantly higher in organic plots at the time of sampling, and community composition differed significantly between cropping systems. Fungal association networks also differed, but the high turnover of associations among plots did not allow us to reveal ecological interactions between fungal species. These findings suggest that microbial association networks inferred from metabarcoding data can capture variations in ecosystem functioning but are not robust enough to monitor the disease regulation service provided by the plant microbiota.