



HAL
open science

Lessons from a Prospective on the French Wine Industry Under Climate Change (2050)

Jean-Marc Touzard, Patrick Aigrain, Benjamin Bois, Eric Duchêne, Inaki Garcia de Cortazar Atauri, Eric Giraud-Heraud, Jacques Gautier, Hervé Hannin, Nathalie Ollat

► **To cite this version:**

Jean-Marc Touzard, Patrick Aigrain, Benjamin Bois, Eric Duchêne, Inaki Garcia de Cortazar Atauri, et al.. Lessons from a Prospective on the French Wine Industry Under Climate Change (2050). 4. Global Science Conference On Climate Smart Agriculture, Nouveau partenariat pour le développement de l'Afrique (NEPAD). Midrand, ZAF., Nov 2017, Johannesburg, South Africa. pp.20 vues. hal-02789930

HAL Id: hal-02789930

<https://hal.inrae.fr/hal-02789930v1>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Global Science Conference

November 28 to 30 2017
Johannesburg, South Africa



Lessons from a Prospective on the French Wine Industry Under Climate Change (2050)

Jean-Marc Touzard¹, Patrick Aigrain², Benjamin Bois⁵, Françoise Brugière², Eric Duchène¹, Inaki Garcia de Cortazar¹, Eric Giraud-Heraud¹, Jacques Gautier³, Hervé Hannin⁴, Nathalie Ollat¹

¹INRA; ² FranceAgrimer; ³ INAO; ⁴ SupAgro, ⁵University of Burgundy



Wine industry: key domain of research on agriculture and climate change

Economic and cultural importance of Wine in France

- 15% of value of French agricultural production, 250 000 jobs
- € 11 billions in export (2013), second export item
- Externalities on tourism, contribution to French culture...

Wine production is very sensitiv to climate

- Climate conditions affect both grape yield and wine quality
- wines are diferenciated by climate conditions (terroir, vintage)
- recognised as « **witness of CC** » (harvest dates...)


Wine industry raises key scientific issues on adaptation

- Perennial crop : short and long term strategies
- Complex interactions in the value chain, numerous levers
- Institutions (GI) codify practices, innovation and location...



LACCAVE project (2012-2016) (N. Ollat, J.-M.Touzard)

- Impacts of climate change on vine and wine
- solutions for adaptation in the wine industry



24 labs (INRA / CNRS / Universities)

95 researchers and students

Climatology, genetic, écophysiology, agronomy, œnologie, économiques, sociology....


Climate Change

CO₂

Rise in variability
and extrem events

Rise in average
temperature

Dryness, change in
pluviometry distribution



Grape

**Wine making
processes**



Wine




**Wine marketing
chains**



Climate Change impacts on vine and wine

observed, simulated



(Van Leuwen, Ollat, Touzard, 2016)



All development stages of vine are affected: earlier harvest

Water balance and stress
Affect yield (and quality)

Change in berry composition
More sugar, less acidity
Modification of aromas



Evolution of potential planting areas

Economic impacts
Incomes, assets, competitiveness

Perception of actors
Tensions on GI labels


Climate Change

CO₂

Rise in variability
and extrem events

Rise in average
temperature

Dryness, change in
pluviometry distribution



*Different scales
and combinations
of impacts
(regional climatic
scenarios)*

Grapevine physiology

Plant material

Plot location

**Viticultural
agrosystems**

Pest control

**Cultural practices,
including training system**

Irrigation

Grape

**Wine making
processes**

Microflora

**Vinification
practices**

Wine

**Wine marketing
chains**

Sourcing

**Consumer
preferences**

*Different scales and
combinations of actions*

Technological innovations

Spatial strategies

Institutional changes

Knowledge and
representations

Adaptation strategies

Focus on six main domains of adaptation

(Ollat, Touzard, Garcia de Cortazar, 2017)




« **New** » vine varieties
(old/foreign/created)
late, resistant to drought...



Changing viticultural practices
Pruning, soil management, irrigation
digital viticulture, agroecology



Enological innovations
To control acidity, alcohol,
temperature, yeast



Changing the location of vine
Moving up, new frontier
creation of new vineyards...




Changing the institutions
Code of practices, insurance,
R&D policy



The role of consumers
Acceptance, involvement
(experimental economics)

Controversial simulation and PNAS publication : geographical impact of CC on European vineyards

(Hannah et al.)



LETTER

Why climate change will not dramatically decrease viticultural suitability in main wine-producing areas by 2050

Hannah et al. (1) recently published a comprehensive study showing substantial impacts of climate change on viticultural suitability, leading to potential ecological issues. We agree that expansion of viticulture into new areas can lead to a decrease in biodiversity and that an increase in water use for irrigation might lead to major freshwater conservation impacts. However, we disagree with the alarming statement that suitability for winegrowing of main wine-producing areas worldwide will dramatically decrease over the next 40 y. We point out major methodological flaws in ref. 1, mostly linked to (i) the misuse of bibliographical data to compute suitability index, (ii) underestimation of adaptations of viticulture to warmer conditions, and (iii) the inadequacy of the monthly time step in the suitability approach.

The suitability index in ref. 1 is mainly compiled from grapevine maturity groupings

as defined by Jones (ref. 2 is the wrong citation; this classification is given in ref. 3) and Gladstones [(4), not peer-reviewed]. In refs. 3 and 4, groupings were constructed from empirical observations collected in premium wine-growing areas and not based on grapevine physiological modeling. We argue that it is very difficult to establish precise upper limits by variety for growing high-quality wines and that those given in ref. 3 are underestimated. To illustrate this aspect, we compare average growing season temperature (AVGST) from 1971 to 1999 and from 2000 to 2012 for three major wine-growing regions: Rheingau (Germany), Burgundy (France), and Rhone Valley (France; Fig. 1). Burgundy continues to grow great wines with Pinot noir since 2000, although AVGST is already above the upper temperature limit cited in ref. 3. The same is true for Rheingau with Pinot Gris and the Rhone Valley with

Syrah. High-quality viticulture is sustained in these regions despite increased temperatures and dry farming, because of both the evolution of consumer's preferences and implementation of adaptive strategies by growers. A major flaw in ref. 1 is that noncapped growing degree days (GDDs) are computed and subsequently compared with varietal maturity groupings from ref. 4, wherein GDDs are capped at 19 °C [called biologically effective degree days (BEDDs)]. As the climate becomes warmer, the seasonal difference between BEDDs and noncapped GDDs increases up to several hundreds of DDs. Hence, projected ripeness in ref. 1 is weeks ahead of modeled ripeness, whereas ref. 4 would have been properly applied. This subsequently results in much higher temperatures during the projected last month before ripeness, which was the main criterion used in ref. 1 to consider a region suitable for viticulture or not. A monthly time step was used in ref. 1. One month accounts for up to 270 BEDDs. When varieties are compared in maturity groupings that are 50 DDs apart, this resolution is too crude to yield reliable maturity predictions. Although Hannah et al. make an interesting point in predicting which regions worldwide may become suitable for viticulture by 2050 as a consequence of climate change, but in estimating related potential ecological impact, their conclusion that most of the present wine-growing regions will become unsuitable for viticulture is erroneous.




Fig. 1. Average growing season temperature from 1971 to 1999 and from 2000 to 2012 in Rheingau, Germany (Eisenheim station), Burgundy, France (Beaune station), and Rhone Valley, France (Orange station). Note that Müller-Thurgau and Pinot gris, Pinot noir, as well as Syrah and Vignier are already beyond the maximum value given in ref. 3

Cornelis van Leeuwen^{1,2,3}, Hans Schultz², Inaki Garcia de Cortazar-Atauri², Eric Duchêne², Nathalie Ollat^{2,3}, Philippe Pierret², Benjamin Bois², Jean-Pascal Goutouly^{2,4}, Hervé Quéno^{2,4}, Jean-Marc

Author contributions: C.v.L., H.S., I.G.C.-A., E.D., N.O., P.P., B.B., J.-P.G., H.Q., J.M.T., A.C.M., L.B., and S.D. performed research; C.v.L., I.G.C.-A., E.D., P.P., and B.B. analyzed data; and C.v.L. wrote the paper.

The authors declare no conflict of interest.
¹To whom correspondence should be addressed. Email: vanleeuwen@wur.nl

LETTER

A prospective study on the French Wine System

- To capitalise on the multidisciplinary LACCAVE project and to explore combinations of different levers of adaptation...
- To provide different scenarios for actors of the French wine industry by 2050, not only the catastrophic one
- To test a new prospective methodology focusing on adaptation pathways
- To build common vision and develop learning networks between researchers and stakeholders of the industry

A two steps approach


- 2014-16 : top down approach driven by a group of experts
- 2016-18 : bottom up participatory approach with stakeholders

Choice of horizon 2050, assumptions on climatic context and impacts on vine and wine

Median IPCC climatic scenario for 2050 :

- around + 2°C
- no radical change in rainfall but increasing water need for vine
- “moderate” increase of variability (extreme events)

Evolution de la température moyenne de la surface du globe
(GIEC 2013 et NCDC 2016)




Scenario
« Trump »

Scenario
COP21

Different impacts of CC according to a north-south gradient :


- In **the north**: maturity and productivity often favored by CC
potential changes in wine characteristics (acidity)
main problem : increased disease pressure
- In **the south**: drought and water balance deficit
lack of freshness during maturity stage
potential changes in wine (excess of alcohol degree)

Systemic representation of the French wine sector




Actors, Technics and product, Flows

First construction of four scenarios by crossing two main dimensions of adaptation



Collection of data, selection of assumptions, construction of pathways





interviews in 3 regions


Interviews in Laccave

Previous studies


70 hyp. retenues



Agrégat n°1 n°2 n°3
Driving assumptions




Finding the pathways which can build the adaptation scenarios



Publication and dissemination of first results



Each pathway is described by:

- Key assumptions (drivers, external and structural variables, events)
- Long narrative
- Summary



path

present



**About
2050**



Disséminations of scenarios

First presentations in :

- professional assemblies and journals
- policy makers :national assembly, OIV
- mass media (TV, radios...)

Four pathways preferentially leading to the four adaptation scenarios.

...Conservative

Facing pressure from i) health authorities on alcoholic drinks and ii) agricultural policy giving priority to land and water use to food crops, the wine industry, which is weakly linked to the research, perceives CC as a threat. Promoting the cultural and landscape image, the wine producers try to distinguish wine from other alcoholic drinks, but Gis wines and their regions become “island of resistance”, for a viticulture which starts to decrease in volume, area and value. This strategy becomes difficult to follow as CC is more intense.

...Innovative

Environmental, health and CC issues become an opportunity for the wine industry by integrating more and more innovation from the vineyard to the cellar. This development is allowed by a favorable and cooperative context which allow to maintain a relative stability between the French wine regions. This innovative context also relies on i) a voluntary research and innovation policy (private/public partnerships), ii) a binding policy on agricultural land management in the EU (zoning) and iii) more liberal conditions in terms of winemaking.

...Nomade

In the context of i) restrictive policy on alcohol and ii) a research focusing on the reduction of inputs use (pesticides and water), the consumers are aware to find the taste of the origin of the wines. Without sufficient knowledge to develop at large scale a “precision viticulture”, the wine producers find difficulty to reduce the variability of the wine quality. Some of them, joined by new investors, try to find "elsewhere" the reputation of the appellations, while others move to the plains where water is still available for irrigation.

....Liberal

In a more liberal and relatively favorable context, new international investors, mainly in blending & trading, lead to the redistribution of viticulture towards three kinds of areas: irrigated areas, residual inherited terroirs, new vineyards benefiting from climate change. Some “Terroir wines” or “regional brands” are still marketed, but the supply is mainly composed of technological wines controlled by few wine merchants. Climatic instability, competition between vineyards, deregulation and the power of international traders weaken the wine producers which are disorganized and can not fully benefit from R&D

Second step (2017-2018): towards a participatory approach



max ~32.4 °C

A quoi ressemblera la filière Vigne et Vin à l'horizon 2050 ?
Comment se sera-t-elle adaptée au changement climatique ?

Forum Prospective
La filière Vigne et Vin dans le contexte du changement climatique
Jeudi 24 Novembre 2016 // 9:00
INRA, Château Couhins
Villenave d'Ornon

INRA / 70 ans
VOTRE AVENIR EST NOTRE CULTURE

Climate Smart Agriculture
Booster

Organisation of
« prospective workshops »
In six wine Regions
Bordeaux/Cognac
Champagne
Bourgundy
Languedoc
Rhône Valley
Alsace



80-100 stakeholders react on the scenarios and propose strategies by using tablets available on discussion tables.

- 1) They **specified the pathways** leading to the four scenarios and explore their impacts
- 2) They **constructed strategies** to promote or avoid them

Attitudes stratégiques et priorités (résultats)

	Proactivité positive	Proactivité négative	Réactivité anticipée	Veille	Ø
Le chemin vers la stratégie conservatrice	13.3%	23.3%	36.7%	21.7%	5.0%
Le chemin vers la stratégie innovante	81.7%	1.7%	16.7%	0.0%	0.0%
Le chemin vers la stratégie nomade	1.7%	26.7%	33.3%	38.3%	0.0%
Le chemin vers la stratégie libérale	5.0%	43.3%	21.7%	28.3%	1.7%

Some results: strategic attitude on each scenario/pathway

...Conservative

Positive proactivity : 10-23%
negative proactivity : 15-32%
anticipated reactivity: 21-37%
Strategic watch : 17-28%

Continuation of current adaptation strategies, with diversity of strategic attitude, and questions

Available in many regions if climate remains under 2C, but decrease of competitiveness .

Consumers keep preference on terroir and accept impact of CC on wine quality

...Innovative

Positive proactivity : 56-86 %
negative proactivity : 1-17%
anticipated reactivity: 9-24%
Strategic watch : 0-14%

Innovating to stay in current wine areas, to protect multiple investments and specific assets

Alliance between producers, research, consumers questioning cost and orientation of investment

Need of climate stabilization (located investment).
Consumers may accept technologies

...Nomade

Positive proactivity : 0-6%
negative proactivity : 15-32%
anticipated reactivity: 24-41%
Strategic watch : 35-49%

Difficult to imagine, combination of threats and opportunities...

New actors investing in the wine production

New notions of « terroir » as principe of action

Consumers still purchasing specific and local wines

....Liberal

Positive proactivity : 5-16%
negative proactivity : 41-72%
anticipated reactivity: 18-31%
Strategic watch : 12-22%

The end of current wine world, but a possible world !

Wine producers are excluded from the governance, dominated by wine merchants, blenders, retailers who are taking advantage from CC...

Consumers consider wine as industrial beverage

Main outcomes and impacts of the prospective

- Successful **learning tool** in each wine region leading to awareness, capacity building, collective action that help the co-construction of climate strategy in regional vineyards
- **Political tool**: creation of a « national group on wine and CC » including the main wine organisations and administrations, and presentation at OIV (international organisation of vine and wine)
- **Innovation booster** : promoted by UE as an innovation for climate smart agriculture (Climate KIC)
- **Methodological outcomes** : interest of food system approach and prospective focusing contribution to the prospective methods for adaptation to CC on pathways
- Contribution to the Inra **research agenda** : new topics (soil, innovative systems, landscaping...) and new participatory method (living lab)
- **Impact on the society** (TV documentaries, national and international medias)

Construction of shared messages

- Adaptation strategies could be reasonably implemented in all French vineyards **if global warming stays below 2°C**
- **Reduction of GHG** emission is imperative , “if you like wine you must support Paris COP21 agreements”
- **No single solution**, but different combinations of technical innovations, spatial strategies and institutional changes.
- The integration of solutions must be elaborated considering **the value chain**, including the consumer preferences
- The adaptation strategies must be coordinated **at local and regional levels** where climate impacts are specific and where the use of resources can be optimized
- The best way to adapt is based on **collaborative capacity between researchers and stakeholders**, at regional and inter regional levels
- Prospective can be successful tool for **climate smart agriculture**