



## Surface-based cortical parcellation and atlas creation of the sheep brain

Scott Love, Marine Siwiaszczyk, Marie Auge, Christophe Destrieux, Frédéric Andersson, Elodie Chaillou

### ► To cite this version:

Scott Love, Marine Siwiaszczyk, Marie Auge, Christophe Destrieux, Frédéric Andersson, et al.. Surface-based cortical parcellation and atlas creation of the sheep brain. Workshop on Animal Population Imaging, Jun 2018, Paris, France. 1p., 2018. hal-02791117

HAL Id: hal-02791117

<https://hal.inrae.fr/hal-02791117>

Submitted on 5 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

Copyright

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Surface-based cortical parcellation of the sheep brain

Scott Love<sup>1,2</sup>, Marine Siwiaszczyk<sup>1,2</sup>, Marie Auge<sup>2</sup>, Christophe Destrieux<sup>2</sup>, Frédéric Andersson<sup>2</sup>, Elodie Chaillou<sup>1</sup>


<sup>1</sup>PRC, INRA, CNRS, IFCE, Université de Tours, Nouzilly, France

<sup>2</sup>UMR 1253, iBrain, Université de Tours, Inserm, Tours, France

## Introduction

- The sheep model is a compelling yet underused model for understanding structure and function of the cortex.
- Brain atlases have largely focused on subcortical regions in sheep, very little information is available about the cortical parcellation.
- Neuroanatomical labeling facilitates the generalizability and comparability of experimental results across studies and laboratories.
- The current work aimed to produce a surface-based labeling of the entire sheep cortex.

## Atlas of the Sheep Neocortex



## Conclusions

- A computerized labeling of the entire sheep neocortex containing 28 regions (12 gyri, 16 sulci) per hemisphere is provided.
- We also aim to produce a *probabilistic* parcellation that will optimize *automatic* labelling of the entire sheep brain.
- As well as providing an atlas of the sheep cortex it is hoped that the atlas, along with the pipelines used to create it, will also facilitate neuroimaging research of this valuable large animal model.

## Methods

- High-resolution ( $0.6 \text{ mm}^3$ ) T1-weighted MR images were collected from 20, two-year old Ile de France ewes using a 3T Siemens Magnetom Verio.
- Standard processing streams of the Freesurfer software suite (<http://freesurfer.net>, Dale 1999; Fischl 1999) that produce automatically labeled cortical surfaces of the *human* cortex (Destrieux 2010) were modified to enable semi-automatic labelling of the *sheep* cortex.
- Anatomical nomenclature is based on previous literature (e.g., Landacre 1930) and the Nomina Anatomica Veterinaria (5<sup>th</sup> Edition).

