



HAL
open science

Dissecting the role of lysin motif receptor-like kinases (LYKs) in chitin-triggered immunity in grapevine

Laura Davies, Clizia Villano, Daphnée Brulé, Marie-Claire Heloir, Freddy Boutrot, Cyril Zipfel, Benoît Poinssot, Ian B. Dry

► To cite this version:

Laura Davies, Clizia Villano, Daphnée Brulé, Marie-Claire Heloir, Freddy Boutrot, et al.. Dissecting the role of lysin motif receptor-like kinases (LYKs) in chitin-triggered immunity in grapevine. 17. International Congress on Molecular Plant-Microbe Interactions, Jul 2016, Portland, United States. hal-02801301

HAL Id: hal-02801301

<https://hal.inrae.fr/hal-02801301>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Laura J. Davies¹, Clizia Villano², Daphnée Brulé³, Marie-Claire Héloir³, Freddy Boutrot⁴, Cyril Zipfel⁴, Benoit Poinssot³, Ian B. Dry¹

¹Commonwealth Scientific and Industrial Research Organisation, Adelaide, South Australia, Australia; ²University of Naples Federico II, Portici, Naples, Italy; ³INRA, Université de Bourgogne, Agrosup, Dijon, France. ⁴ The Sainsbury Laboratory, Norwich, UK.

Dissecting the role of lysin motif receptor-like kinases (LYKs) in chitin-triggered immunity in grapevine

A key aspect of the plant innate immune system is the recognition of invading pathogens. This occurs through plasma membrane localised pattern recognition receptors (PRRs) detecting conserved pathogen signatures, termed pathogen-associated molecular patterns (PAMPs). In *Arabidopsis thaliana* CERK1 is a lysin motif receptor-like kinase (LYK), which is involved in the perception of chitin released from invading fungal pathogens. In comparison to the five members of the *LYK* gene family in *Arabidopsis*, we have identified ten members of the gene family in grapevine (*Vitis vinifera*), three of which (*VvLYK1-1*, *VvLYK1-2* & *VvLYK1-3*) are highly homologous to CERK1. *VvLYK1-1:GFP* was shown to localise to the plasma membrane. Expression of *VvLYK1-1* in the *Atcerk1* mutant background restored chitin-induced defense responses as demonstrated by MAPK activation and infection assays with the non-adapted grapevine powdery mildew pathogen, *Erysiphe necator*. This suggests that *VvLYK1-1* plays a key role in PAMP-triggered immunity to powdery mildew in grapevine.

The kinase domain of *VvLYK1-1* was used as a bait in a yeast two-hybrid screen to search for interacting factors. The yeast two-hybrid screen identified a U-box E3 ubiquitin ligase, which shows high homology to the *Arabidopsis* PUB13 protein. PUB13 has been previously demonstrated to polyubiquitinate FLS2, the receptor of bacterial flagellin (flg22), and promote flagellin-induced FLS2 endocytosis and subsequent degradation.