



HAL
open science

Perception and implementation of nutritional recommendations: the prevention of obesity in France

Faustine Régnier, Ana Masullo

► **To cite this version:**

Faustine Régnier, Ana Masullo. Perception and implementation of nutritional recommendations: the prevention of obesity in France. Making connections for Health, Asociación Internacional de Sociología (AIS). ESP.; Canadian Medical Sociology Association. CAN., May 2008, Montréal, Canada. 14 p. hal-02814629

HAL Id: hal-02814629

<https://hal.inrae.fr/hal-02814629v1>

Submitted on 6 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Perception and implementation of nutritional recommendations: the prevention of obesity in France

Faustine Régnier, Ana Masullo

4 points

- Methodology
- Nutritional recommendations and food preferences
- Recommendations and norms
- The diversity of implementation

Research about food preferences and acceptance of nutritional

86 semi-directive interviews, 800 pages of discourse
recommendations

- **3 operations of obesity prevention (n=52):**
 - Nutrition Service, hospital Hôtel-Dieu (Paris)
 - Roubaix, Epode city (« Together let's prevent childhood obesity »)
 - Teenager workshops « Eat better, move more », Val-de-Marne
- + **General population (n=34)**
- **Contrasted sample :**
 - Upper/middle/working class social strata ;
 - Paris / the suburbs / the country.

Nutritional recommendations and food preferences

« Eating well » and social classes
2 ideal types : upper / lower strata

A relation between food, health and obesity prevention?

A high and permanent attention to health and slimness in the upper strata



The link between food and health is not clear in the poor strata. Slimness is a matter of aesthetics


Upper strata

Lower strata

-
- Upper strata : food taste preferences are determined
 - Preference for “healthy” food
 - Tastes as an answer to a moral constraint : «taste of necessity » (≠ Bourdieu)
 - Lower strata : “ tastes of liberty”
 - A food taste preference is only a food taste preference
 - Health is not a priority
 - Importance of food abundance and choice
 - Food : primary affordable luxury sphere
 - A way to participate in social life and in the consumer society

Feeding one' child well

Preferences can be modeled



Education toward "good for health" food



Controlling nutritional contents

Upper strata

Please children to be sure they will eat



Taking pride in abundance and choice



Feeding our children ourselves

Lower strata

Nutritional norms, body norms

Recommandations as norms

The gap between prevention messages and food/body practices and representations

Coincidence between message content, practices, representations

Strong distance between message content, practices, representations



Sharp attention, comprehension, application



Prevention messages



External imposition
Devaluation of daily practices and knowledge



Seen as advice



Seen as orders

The implementation of recommendations

- Upper strata : a simple modification of previous practices or norms
- Lower strata : the domestic economy is called into question (a tight budget)
- The implementation of recommendations in relation to one's identity :
 - Daily food practices
 - Children's education
 - Symbolic corporal representations

Body representations

- Children's bodies
 - Upper strata : early control of body weight
 - Lower strata : higher tolerance to plumpness and at a more advanced age
- Women's bodies
 - Upper strata : conforming to the dominant body norm
 - Lower strata : being overweight is a normal fact in the group one belongs to

The diversity of implementation

Statistical and lexicography analysis
2 main oppositions and 7 clusters

Two different perspectives

Preventive

Long term

Hygiene of life


Recommendations are applied to all family members

Curative

Short term

Targeted treatment

Recommendations are applied to the one who is obese



Upper strata

Lower strata

