

Egg cannibalism promotes paternal care in brown trout (*Salmo trutta*)

Cédric Tentelier, Maider Larrieu, Jean-Christophe Aymes, Jacques Labonne

► **To cite this version:**

Cédric Tentelier, Maider Larrieu, Jean-Christophe Aymes, Jacques Labonne. Egg cannibalism promotes paternal care in brown trout (*Salmo trutta*). *Advances in the Population Ecology of Stream Salmonids*, May 2010, Lluçmaçà, Spain. 1 p. hal-02817507

HAL Id: hal-02817507

<https://hal.inrae.fr/hal-02817507>

Submitted on 6 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Egg cannibalism promotes paternal care in brown trout (*Salmo trutta*)

Cédric Tentelier, Maider Larrieu,
Jean-Christophe Aymes & Jacques Labonne



*UMR Ecologie Comportementale et
Biologie des Populations de Poissons*

(Fish Behavioural Ecology and Population Biology)



Points against paternal care in brown trout

1. No one has ever observed it!

2. High cost of caring for females than caring


3. Females why do it. → if she cares of the eggs,

4. Paternity uncertainty → don't loose time and energy caring of other's eggs

So, why the hell did you study paternal care?



but...






83 aerial/underwater videos shot in
3 natural populations over
5 reproductive seasons



Aymes et al. 2010. *Naturwissenschaften*

but...

Proportion of cannibalised clutches



Points **for** paternal care in brown trout

Males could protect their eggs against cannibalism

1. No one has ever observed it!
It may not be found everywhere, and should not last long
1. High OSR → better spend time competing for females than caring
Cannibalism occurs soon after fecundation → low time cost of care
OSR increases the risk of cannibalism → increases the benefits of caring
1. Female stays on the nest after spawning → if she cares of the eggs, why do it?
She's busy covering the eggs, so she can not defend them at the same time
1. Paternity uncertainty → don't loose time and energy caring of other's eggs
Then males should not care after multiple mating



Questions



1. Can the dominant male lower the risk of egg cannibalism (paternal care)?
2. Could the female assess a male's capacity of defense, before spawning (mate choice)?

Methods

- 83 aerial/underwater videos shot in 3 natural populations over 5 seasons
- Analysis of 30 min. before and 2 min. after spawning
 - Cannibalism
 - **Operational sex ratio (number of males)**
 - **Male/female size**
 - **Rate of chase by dominant male towards peripherals before and after spawning**
 - **Multiple or single fecundation**
- Binomial GLM on probability of egg cannibalism

Results

Males chased peripherals after spawning (unless there were too many), and this reduced the probability of egg cannibalism.






$$P(\text{cannib.}) \sim \text{chases} \times \text{OSR}$$

Chasing rate after spawning not correlated to pre-spawning indicators

Results



There was an optimal size ratio which minimized the probability of egg cannibalism



$$P(\text{cannib.}) \sim \text{size ratio} \times \text{OSR}$$

Results

Multiple mating did not reduce paternal care but promoted cannibalism by dominant male




Discussion

1. Can the dominant male lower the risk of egg cannibalism (paternal care)? **YES!**

- Chases after spawning = paternal care (not male-male competition)
- Male size can also serve male-male competition

1. Could the female assess a male's capacity of defense before spawning (mate choice)? **POSSIBLY**

- Chases after spawning correlated to no pre-spawning cue
- Male size assessable before spawning



Discussion

Implications

Direct benefits, among which paternal care, may matter in salmonids mating systems.

Brown trout so far considered a good model for mate choice based on indirect benefits only (good genes, sexy sons, compatible genes)

Future directions

→ ***Cannibalism as a selective force in the evolution of mating systems***

Costs and benefits of cannibalism/care

Occurrence at large scale (your help needed)

Thank you!

