



HAL
open science

Do soil micro-organisms influence the oxygen isotope signal of atmospheric CO₂?

Lisa Wingate, Jérôme Ogée, U. Seisst, Matthias Cuntz

► To cite this version:

Lisa Wingate, Jérôme Ogée, U. Seisst, Matthias Cuntz. Do soil micro-organisms influence the oxygen isotope signal of atmospheric CO₂?. Joint European Stable Isotope User Meeting, JESIUM 2008, Aug 2008, Presqu'île de Giens, France. 1 p. hal-02819049

HAL Id: hal-02819049

<https://hal.inrae.fr/hal-02819049v1>

Submitted on 6 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Do soil micro-organisms influence the oxygen isotope composition of atmospheric CO₂?

L. Wingate^{1*}, J. Ogée², U. Seibt³ and M. Cuntz⁴

¹School of GeoSciences, University of Edinburgh, UK, EH9 3JN

²INRA, EPHYSE, BP81, 33883, Villenave d'Ornon, France

³Department of Plant Science, Cambridge University, UK

⁴Max Planck Institute for Biogeochemistry, Jena, Germany

*Author to whom correspondence should be addressed at l.wingate@ed.ac.uk

Terrestrial ecosystem processes, such as photosynthesis and respiration play a role in shaping the oxygen isotope composition of CO₂ in the atmosphere ($\delta^{18}\text{O}_a$) (Francey & Tans, 1987; Farquhar *et al.*, 1993). However, global models incorporating these two large and opposing gross fluxes currently fail to capture the seasonal phasing of $\delta^{18}\text{O}_a$ (Ciais *et al.*, 1997; Peylin *et al.*, 1999; Cuntz *et al.*, 2003). Soil dwelling organisms may have a large influence on $\delta^{18}\text{O}_a$. This is because the enzyme carbonic anhydrase (CA) accelerates the isotopic exchange of oxygen atoms between CO₂ and soil water, thereby amplifying the contributions of "atmospheric CO₂ invasion" to the oxygen isotope composition of the net soil CO₂ flux ($\delta^{18}\text{O}_R$). This influence of soil microbial physiology on $\delta^{18}\text{O}_a$ has been largely ignored because of conflicting findings within the literature. Here, using several datasets containing $\delta^{18}\text{O}_R$ measured in soil chambers and depth-resolved profiles of soil water oxygen isotope composition ($\delta^{18}\text{O}_{sw}$) from a range of different ecosystems, we show that accelerated isotopic exchange may be a general phenomenon. As the oxygen isotope signals of soil CO₂ exchange are thought to have a larger influence on the spatial and intra-annual variability of $\delta^{18}\text{O}_a$ than biosphere photosynthesis (Ciais *et al.*, 1997) the influence of microbial carbonic anhydrase activity should be examined in future simulations of $\delta^{18}\text{O}_a$ at the global scale.

References

- Ciais, P. *et al.*, 1997. JGR 102: 5873.
Cuntz, M. *et al.*, 2003. JGR 108: 4527.
Farquhar, G.D. *et al.*, 1993. Nature 363: 439.
Francey, R.J. & Tans, P.P., 1987. Nature 327: 495.
Peylin, P. *et al.*, 1999. Tellus B 51: 642.