



**HAL**  
open science

## Iron dynamics in the rhizosphere as a case study for analyzing interactions between soils, plants and microbes

Philippe P. Lemanceau, Petra Bauer, Stephan Kraemer, Jean-François Briat

### ► To cite this version:

Philippe P. Lemanceau, Petra Bauer, Stephan Kraemer, Jean-François Briat. Iron dynamics in the rhizosphere as a case study for analyzing interactions between soils, plants and microbes. *Rhizosphere: achievements and challenges*, 104, Springer Science + Business Media B.V., 536 p., 2010, *Developments in Plant and Soil Sciences*, 978-90-481-2855-6. hal-02824519

**HAL Id: hal-02824519**

**<https://hal.inrae.fr/hal-02824519>**

Submitted on 6 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Yves Dessaux  
Philippe Hinsinger  
Philippe Lemanceau  
*Editors*

DEVELOPMENT IN PLANT AND SOIL SCIENCES 104

# Rhizosphere: Achievements and Challenges

 Springer

Development in Plant and Soil Sciences 104

Yves Dessaux

Philippe Hinsinger

Philippe Lemanceau

Editors

**Rhizosphere: Achievements and Challenges**

Described by Hiltner over a century ago (1904), the rhizosphere is defined as the fraction of soil influenced by plant root activities. This dynamic, complex interface where soil, plant roots and microbes interact is a major hotspot of microbial activity, where numerous subtle molecular processes, as well as multiple feedback events take place. Rhizosphere investigations at the microscopic scale have driven spectacular academic advances in the fields of soil sciences or plant-microbe interactions. They bear promises in terms of environmentally-friendly procedures such as bioremediation or ecological engineering. The long recognized role of rhizosphere processes in plant nutrition and health, and more generally in plant adaptation to stress conditions, is now becoming central for designing sustainable management practices of agricultural and forest ecosystems. The rhizosphere, however, must also be considered and investigated at a much larger scale than its own, especially as a location where important steps of both carbon and nitrogen cycles occur, with obvious links with global changes. Major advances in understanding the rhizosphere have been achieved over the last two decades. Combined expertise in plant biology, microbial ecology and soil sciences and design of research strategies including the latest innovative methods in these fields opens exciting prospects for the future.

Reprinted from *Plant and Soil*, Vol. 321, nos 1-2

ISBN 978-90-481-2855-6



9 789048 128556

> [springer.com](http://springer.com)

Yves Dessaux · Philippe Hinsinger · Philippe Lemanceau  
Editors

# Plants and Soil

Reprinted from *Plant and Soil*, Vol 321, nos 1-2.

 Springer

### Editors

Yves Dessaux  
CNRS, Inst. Sciences due Vegetal (ISV)  
avenue de la Terrasse,  
91198 Gif-sur-Yvette, France

Philippe Hinsinger  
INRA – SupAgro, UMR 1222 Biogéochimie du,  
Sol et de la, Rhizosphere, place Viala,  
34060 Montpellier, France

Philippe Lemanceau  
Université Bourgogne, INRA-CMSE,  
UMR 1229 Microbiologie du, Sol et de,  
21065 Dijon, France

### Cover caption:

Background photograph: Fababean (*Vicia faba* L.) grown in the long-term P-fertilizer field trial at Aùzeville (INRA Toulouse), exhibiting roots with N<sub>2</sub>-fixing nodules, abundant roots hairs and adhering soil, i.e. key players and features in the rhizosphere of legumes (photograph by P. Hinsinger).

Left insert photograph: *In situ* detection of *gfp*-tagged *Pseudomonas* sp. DSMZ 13134 cells on root surface of barley (*Hordeum vulgare* L.) using the CLSM (confocal laser scanning microscope LSM510, Carl Zeiss, Jena, Germany). Two-day old seedlings were inoculated with a bacterial suspension (10<sup>8</sup> cells per seedling). Plants were grown for two weeks in agricultural soil in pots in a greenhouse before analysis of the root colonization. Autofluorescent soil particles can be seen in the upper right corner (courtesy of K. Buddrus-Schiemann, Helmholtz Zentrum München, Neuherberg, Germany).

Right insert photograph: *In situ* detection of bacterial cells on the root surface of potato (*Solanum tuberosum* L.) grown under field conditions four weeks after planting. Fluorescence *in situ* hybridization (FISH) was performed using the oligonucleotide probe EUB-338-mix labeled with Fluos. Bacterial cells appear with the CLSM as green fluorescent signals and a clay particle can be seen as redish autofluorescence (courtesy of K. Buddrus-Schiemann, Helmholtz Zentrum München, Neuherberg, Germany).

ISBN: 978-90-481-2855-6      eISBN: 978-90-481-2857-0

DOI: 10.1007/978-90-481-2857-0

Library of Congress Control Number: 9789048128556

© Springer Science + Business Media B.V., 2010

No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work.

Printed on acid-free paper

springer.com

## Contents

### Editorial

#### **Rhizosphere: so many achievements and even more challenges**

Y. Dessaux · P. Hinsinger · P. Lemanceau

1–3

### Review Articles

#### **Carbon flow in the rhizosphere: carbon trading at the soil–root interface**

D.L. Jones · C. Nguyen · R.D. Finlay

5–33

#### **Nitrogen-fixing bacteria associated with leguminous and non-leguminous plants**

C. Franche · K. Lindström · C. Elmerich

35–59

#### **Biochemical cycling in the rhizosphere having an impact on global change**

L. Philippot · S. Hallin · G. Börjesson · E.M. Baggs

61–81

#### **Plant-microbe-soil interactions in the rhizosphere: an evolutionary perspective**

H. Lambers · C. Mougél · B. Jaillard · P. Hinsinger

83–115

#### **Rhizosphere: biophysics, biogeochemistry and ecological relevance**

P. Hinsinger · A.G. Bengough · D. Vetterlein · I.M. Young

117–152

#### **Plant root growth, architecture and function**

A. Hodge · G. Berta · C. Doussan · F. Merchan · M. Crespi

153–187

#### **The rhizosphere zoo: An overview of plant-associated communities of microorganisms, including phages, bacteria, archaea, and fungi, and of some of their structuring factors**

M. Buée · W. De Boer · F. Martin · L. van Overbeek · E. Jurkevitch

189–212

#### **Rhizosphere fauna: the functional and structural diversity of intimate interactions of soil fauna with plant roots**

M. Bonkowski · C. Villenave · B. Griffiths

213–233

#### **Plant-driven selection of microbes**

A. Hartmann · M. Schmid · D. van Tuinen · G. Berg

235–257

#### **Rhizosphere microbiota interferes with plant-plant interactions**

A. Sanon · Z.N. Andrianjaka · Y. Prin · R. Bally · J. Thioulouse · G. Comte · R. Duponnois

259–278

#### **Molecular communication in the rhizosphere**

D. Faure · D. Vereecke · J.H.J. Leveau

279–303

#### **Acquisition of phosphorus and nitrogen in the rhizosphere and plant growth promotion by microorganisms**

A.E. Richardson · J.-M. Barea · A.M. McNeill · C. Prigent-Combaret

305–339

#### **The rhizosphere: a playground and battlefield for soilborne pathogens and beneficial microorganisms**

J.M. Raaijmakers · T.C. Paulitz · C. Steinberg · C. Alabouvette · Y. Moëgne-Loccoz

341–361

#### **Rhizosphere engineering and management for sustainable agriculture**

P.R. Ryan · Y. Dessaux · L.S. Thomashow · D.M. Weller

363–383

#### **Rhizosphere processes and management in plant-assisted bioremediation (phytoremediation) of soils**

W.W. Wenzel

385–408

|   |         |
|---|---------|
| <b>Novel approaches in plant breeding for rhizosphere-related traits</b><br>M. Wissuwa · M. Mazzola · C. Picard   | 409–430 |
| <b>Strategies and methods for studying the rhizosphere—the plant science toolbox</b><br>G. Neumann · T.S. George · C. Plassard  | 431–456 |
| <b>Sampling, defining, characterising and modeling the rhizosphere—the soil science tool box</b><br>J. Luster · A. Göttlein · B. Nowack · G. Sarret                         | 457–482 |
| <b>Molecular tools in rhizosphere microbiology—from single-cell to whole-community analysis</b><br>J. Sørensen · M. Haubjerg Nicolaisen · E. Ron · P. Simonet               | 483–512 |
| <b>Iron dynamics in the rhizosphere as a case study for analyzing interactions between soils, plants and microbes</b><br>P. Lemanceau · P. Bauer · S. Kraemer · J.-F. Briat | 513–535 |