



HAL
open science

Surface emissivity data from PORTOS-Avignon experiment. Appendix B

Andre Chanzy, Jean-Pierre Wigneron, J.C. Calvet, L. Laguerre, S. Raju

► **To cite this version:**

Andre Chanzy, Jean-Pierre Wigneron, J.C. Calvet, L. Laguerre, S. Raju. Surface emissivity data from PORTOS-Avignon experiment. Appendix B. Radiative transfer models for microwave radiometry. Final report of project 1, Office for Official Publications of the European Communities, 2000, 92-828-9842-3. hal-02840825

HAL Id: hal-02840825

<https://hal.inrae.fr/hal-02840825v1>

Submitted on 7 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Appendix B: Surface emissivity data from PORTOS-Avignon experiment

André Chanzy, Jean-Pierre Wigneron, Jean -Christophe. Calvet, Laurent Laguerre and Suresh Raju

The data displayed in the following table were collected at the INRA research Centre near Avignon (43°55'N, 4°53'E, south of France) in 1993. Emissivity values were estimated from the measurements made by the PORTOS radiometer (Chanzy et al. 1994). The atmospheric and sky contributions were removed from the brightness temperature measured by PORTOS by an algorithm described in Calvet et al., 1995. Atmospheric and sky contributions were estimated using the outputs of the Météo-France 15 levels weather forecast model PERIDOT and the cloud observations made at the experimental site along with the radiometric acquisitions. The surface effective temperature was estimated by the skin temperature measured by a thermal infrared radiometer. The expected error in microwave emissivities is +/- 0.015.

All the measurements were made on a silty clay loam soil (27% of Clay, 11% of Sand). For each surface type, a set of three moisture conditions (wet, medium wet and dry) were gathered in the table in order to give the range of emissivity variations due to the soil moisture. Measurements of the surface characteristics (soil moisture, surface roughness and vegetation) are given in the table for each set of microwave measurements (one line in the table) since measurements at all radiometric configurations were collected together.

The whole Avignon 93 database is available on a CD (Chanzy et al., 1999), which can be obtained upon request (contact : achanzy@avignon.inra.fr). The database includes a very large data set in terms of incidence, moisture, surface roughness, biomass and detailed ground truth data (detailed vegetation description, soil characteristics, water balance for the wheat surface, climatic measurements).

References

- Calvet J.-C., J.-P. Wigneron, A. Chanzy, Suresh Raju and L. Laguerre, "Microwave dielectric properties of a silt loam at high frequencies", *IEEE Trans. on Geoscience and Remote Sensing*, Vol. 33, pp. 634-642 (1995a).
- Chanzy A., D. Haboudane, J.-P. Wigneron, J.-C. Calvet and O. Grosjean, " Radiométrie micro-onde sur divers types de couverts végétaux : influence de l'humidité du sol." in : *Colloque International ISPRS Mesures physiques et signatures en télédétection*, Val d'Isère (FRA), 1994/01/17-21, pp. 505-512, (1994).
- Chanzy A., J.-P. Wigneron, J.-C. Calvet, L. Laguerre and Suresh Raju, "Avignon 93 data base of passive microwave measurements collected from 1.4 to 90 GHz on various agricultural surfaces", letter submitted to *International Journal of Remote Sensing* (1999).

Emissivity measurements collected over agricultural surfaces with bare soil and vegetation covers at $\theta = 40^\circ$

Veg. Type	Veg. water content (kg/m ³)	Surface observation	HRMS (mm)	Correl. length (mm)	Soil wat. content (0-5mm) (m ³ /m ³)	Emiss. 1.4 GHz H-pol	Emiss. 1.4 GHz V-pol	Emiss. 5.05 GHz H-pol	Emiss. 5.05 GHz V-pol	Emiss. 10.65 GHz H-pol	Emiss. 10.65 GHz V-pol	Emiss. 23.8 GHz H-pol	Emiss. 23.8 GHz V-pol	Emiss. 36.5 GHz H-pol	Emiss. 36.5 GHz V-pol	Emiss. 90 GHz H-pol	Emiss. 90 GHz V-pol
Bare	0	Very rough	60	72	0.247	0.83	0.91	0.80	0.84	0.82	0.84	0.84	0.87	0.89	0.84	0.89	0.89
Bare	0	Very rough	60	72	0.117	0.86	-	0.86	0.88	0.87	0.89	0.89	0.89	0.93	0.91	0.89	0.90
Bare	0	Very rough	60	72	0.011	0.91	0.95	0.90	0.92	0.92	0.93	0.94	0.95	0.96	0.95	0.93	0.93
Bare	0	Rough	19	66	0.311	0.75	0.88	0.79	0.86	0.82	0.85	0.83	0.85	0.83	0.84	0.89	0.90
Bare	0	Rough	19	66	0.132	0.82	0.93	0.83	0.90	0.86	0.89	0.87	0.89	0.86	0.88	0.91	0.93
Bare	0	Rough	19	66	0.014	0.90	0.95	0.93	0.95	0.90	0.94	0.93	0.94	0.94	0.96	0.95	0.96
Bare	0	Smooth	8	31	0.364	0.56	0.70	0.74	0.78	0.76	0.82	0.77	0.83	0.76	0.84	0.81	0.85
Bare	0	Smooth	8	31	0.189	0.75	-	-	0.85	-	0.85	-	0.86	-	0.89	0.85	0.91
Bare	0	Smooth	8	31	0.065	0.80	0.91	0.86	0.94	0.89	0.94	0.89	0.94	0.91	0.96	0.89	0.94
Bare	0	Very smooth	5	206	0.365	0.51	0.74	0.51	0.71	0.55	0.72	0.54	0.73	0.57	-	0.65	0.83
Bare	0	Very smooth	5	206	0.127	0.70	0.82	0.72	0.87	0.76	0.89	0.75	0.89	0.78	0.94	0.81	0.92
Bare	0	Very smooth	5	206	0.021	0.85	0.96	0.85	0.96	0.89	0.96	0.92	0.97	0.93	0.98	0.92	0.95
Wheat	1.9	green veg.	6	93	0.314	0.74	0.92	0.92	0.95	0.95	0.96	0.95	0.96	0.97	0.98	0.95	0.96
Wheat	2.6	green veg.	6	93	0.240	0.80	0.95	0.94	0.94	0.95	0.96	0.95	0.96	0.96	0.96	0.92	0.93
Wheat	2.6	green veg.	6	93	0.152	0.83	0.99	0.95	0.95	0.97	0.97	0.97	0.97	0.98	0.97	0.96	0.97
Wheat	1.2	Senescent	6	93	0.031	0.74	-	0.88	0.92	0.95	0.98	0.96	0.97	0.97	0.97	0.98	0.99
Wheat	1.1	Senescent	6	93	0.315	0.63	0.87	0.86	0.92	0.96	0.98	0.96	0.97	0.97	0.97	0.99	0.99
Wheat	1.1	Senescent	6	93	0.200	0.65	0.88	0.85	0.92	0.95	0.98	0.96	0.97	0.97	0.96	0.97	0.98
Sorgho	0.23	Sparse veg.	5	63	0.203	0.68	0.85	0.71	0.79	0.73	0.81	0.73	0.83	0.72	0.87	0.78	0.88
Sorgho	0.29	Sparse veg.	5	63	0.059	0.78	0.93	0.84	0.91	0.87	0.94	0.91	0.96	0.87	0.95	0.89	0.97
Sorgho	0.61	Sparse veg.	6	76	0.25	0.70	-	0.78	0.82	0.82	0.87	0.84	0.88	0.83	0.91	0.86	0.89
Sorgho	0.77	Sparse veg.	6	76	0.07	0.82	0.93	0.90	0.92	0.91	0.94	0.92	0.93	0.90	0.94	0.90	0.93

Interested in European research?

RTD info is our quarterly magazine keeping you in touch with main developments (results, programmes, events, etc). It is available in English, French and German. A free sample copy or free subscription can be obtained from:

Directorate-General for Research
Communication Unit
European Commission
Rue de la Loi/Wetstraat 200
B-1049 Brussels
Fax (32-2) 29-58220
E-mail: rtd-info@cec.eu.int
Internet: <http://europa.eu.int/comm/research/rtdinfo.html>

EUROPEAN COMMISSION
Directorate-General for Research
Unit AP.2 — COST

Contact: Mr Zoltán Dunkel
Address: European Commission, rue de la Loi/Wetstraat 200 (SDME 1/53),
B-1049 Brussels — Tel (32-2) 29-65169; fax (32-2) 29-64289

European Commission

COST Action 712

Radiative transfer models for microwave radiometry

COST Action 712:
*Application of Microwave Radiometry to Atmospheric
Research and Monitoring*

Project 1:
Development of Radiative Transfer Models

Edited by
Christian Mätzler
Berne, Switzerland, February 2000

Final report

Directorate-General for Research

2000

EUR 19543 EN