



HAL
open science

A Universal Model of Commuting Networks

Maxime Lenormand

► **To cite this version:**

Maxime Lenormand. A Universal Model of Commuting Networks. Urbannet'13, Satellite Workshop of the European Conference on Complex Systems ECCS'13, 2013, Barcelone, Spain. 10.1371/journal.pone.0045985 . hal-02890635

HAL Id: hal-02890635

<https://hal.inrae.fr/hal-02890635>

Submitted on 6 Jul 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A Universal Model of Commuting Networks


Maxime Lenormand, Sylvie Huet, Floriana Gargiulo and Guillaume Deffuant

Urbannet 2013, Barcelona


18th of September, 2013




Motivation




Motivation



Motivation




Motivation




Motivation

Number of out-commuters




Motivation

Number of in-commuters




Motivation




Motivation

Euclidean distances between municipalities



Motivation




Outline

- ▶ The Model
- ▶ Calibration of β
- ▶ Results
- ▶ Comparison with the "radiation model"


Outline

- ▶ The Model
- ▶ Calibration of β
- ▶ Results
- ▶ Comparison with the "radiation model"


The Model




The Model



The Model



The Model



The Model

$$P_{A \rightarrow B} \sim 7 \cdot e^{-\beta d_{AB}}$$


$$P_{A \rightarrow C} \sim 0 \cdot e^{-\beta d_{AC}}$$

The Model


$$P_{A \rightarrow B} \sim 7 \cdot e^{-\beta d_{AB}}$$

$$P_{A \rightarrow C} \sim 0 \cdot e^{-\beta d_{AC}}$$


The Model




The Model




The Model




The Model




The Model



The Model




The Model




Outline

- ▶ The Model
- ▶ Calibration of β
- ▶ Results
- ▶ Comparison with the "radiation model"

Calibration of β



Calibration of β



$$D_{KS} = \sup_d |F_O(d) - F_S(d)|$$

$$CPC = \frac{2 \sum_i \sum_j \min(S_{ij}, O_{ij})}{\sum_i \sum_j O_{ij} + \sum_i \sum_j S_{ij}}$$

Outline

- ▶ The Model
- ▶ Calibration of β
- ▶ Results
- ▶ Comparison with the "radiation model"


Results

Datasets

- 1 Czech Republic - 1 region - municipality - 2001
- 2 France - 34 regions - municipality - 1999
- 3 France - 15 regions - canton - 1999
- 4 France - 1 region - département - 1999
- 5 Italy - 10 regions - municipality - 2001
- 6 Italy - 5 regions - provincia - 2001
- 7 USA - 15 regions - county - 2000


Results

Model evaluation



Results

Estimation of β




Lenormand, M., Huet, S., Gargiulo, F., and Deffuant, G. A Universal Model of Commuting Networks. *Plos One*, 2012, .

Results


Estimation of β

MUNICIPALITY



$\langle S \rangle \sim 15\text{Km}^2$

CANTON



$\langle S \rangle \sim 150\text{Km}^2$


DEPARTMENT



$\langle S \rangle \sim 5000\text{Km}^2$

Results

Estimation of β




Outline

- ▶ The Model
- ▶ Calibration of β
- ▶ Results
- ▶ Comparison with the "radiation model"

Comparison with the "radiation model"


Radiation Model

$$\langle T_{ij} \rangle = \left(m_i \frac{P_c}{P} \right) \frac{m_i n_j}{(m_i + s_{ij})(m_i + n_j + s_{ij})}$$




Simini, F., Gonzalez, M. C., Maritan, A., and Barabasi, A.-L. A universal model for mobility and migration patterns. *Nature*, 2012, 484(7392):96-100.

Comparison with the "radiation model"



Comparison with the "radiation model"



Summary

- Model tested on 80 different regions (size and scale).

Summary

- Model tested on 80 different regions (size and scale).
- Estimation of β tested on 80 regions.


Summary

- Model tested on 80 different regions (size and scale).
- Estimation of β tested on 80 regions.
- Comparison with the "radiation model".


Summary

- Model tested on 80 different regions (size and scale).
- Estimation of β tested on 80 regions.
- Comparison with the "radiation model".
- **Does it works at urban scale?**

Barcelona



London



Results

