

Special Issue: "The Complexity of the Potyviral Interaction Network"

Sylvie German-Retana, Kristiina Makinen

▶ To cite this version:

Sylvie German-Retana, Kristiina Makinen. Special Issue: "The Complexity of the Potyviral Interaction Network". Viruses, 2020, 12 (8), pp.874. 10.3390/v12080874 . hal-02927217

HAL Id: hal-02927217 https://hal.inrae.fr/hal-02927217

Submitted on 1 Sep 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License





Editorial Special Issue: "The Complexity of the Potyviral Interaction Network"

Sylvie German-Retana^{1,*} and Kristiina Mäkinen^{2,*}

- ¹ UMR 1332 Biologie du Fruit et Pathologie, INRAE, Univ. Bordeaux, 71 Av. E. Bourlaux, CS 20032, 33882 Villenave d'Ornon Cedex, France
- ² Department of Microbiology and Viikki Plant Science Centre, University of Helsinki, 00014 Helsinki, Finland
- * Correspondence: sylvie.german-retana@inrae.fr (S.G.-R.); Kristiina.makinen@helsinki.fi (K.M.)

Received: 22 July 2020; Accepted: 23 July 2020; Published: 11 August 2020



Many potyvirus species are among the most economically-significant plant viruses as they cause substantial yield losses to crop plants globally. Investigating their infectious cycles and host–potyvirus interactions is therefore essential for the development of anti-viral strategies and resistant cultivars. The thirteen original articles included in the Special Issue on "The Complexity of the Potyviral Interaction Network" shed light on the current state of potyvirus research in three main areas: (i) complex interactions between multifunctional potyviral proteins and antiviral or proviral host factors; (ii) molecular and physiological responses of the plant to potyvirus infection; and (iii) potyvirus evolution and phylogeny.

The review of Shen et al. [1] illustrates how the RNA-dependent RNA polymerase, as a multifunctional potyviral protein, can recruit pro-viral host factors crucial for the infection cycle or for the suppression of immunity defense, while being targeted by antiviral responses such as autophagy and effector-triggered immunity. The two complementary studies of Ala-Poikela et al. [2] and Saha and Mäkinen [3] provide more insights into the role of translation initiation factors in potyvirus infection. Potyviral proteins VPg and HCpro and host proteins eIF4E and eIF(iso)4E form an interaction network, which likely contributes to RNAi suppression [2]. The binding of eIF(iso)4E to VPg is proposed to mediate RNA stabilization, transfer to the RNA silencing suppression pathway, and further to polysomes for viral protein synthesis [3]. The study of Hervás et al. [4] illustrates how post-translational modifications of potyviral capsid protein through O-GlcNAcylation and phosphorylation in herbaceous and ligneous hosts may contribute to both general and strain-specific strategies deployed during plant–virus interactions. The study of Sabharwal and Savithri highlights the role of intrinsically disordered domains in the multiple functions of potyviral proteins and describes how potyvirus-like particles can be used as nanocarriers for biomedical applications [5].

In an additional four articles, the molecular responses of crops to potyvirus infection are analyzed through high-throughput transcriptomics approaches. Different pathosystems that yield different outcomes in potyviral infection are analyzed, which include antagonism or synergism induced in papaya by mixed-infection of papaya ringspot potyvirus and papaya mosaic potexvirus [6], tomato recovery from potato virus Y (PVY) infection [7], potato susceptibility or resistance to PVY [8], soybean susceptibility to soybean mosaic virus depending on light conditions [9], and transition from mild to severe tobacco etch disease in tobacco [10]. In particular, these studies highlight how the outcome of an infection can be linked to the regulation of genes involved in plant immunity and the role played by small RNAs in those processes. In their original paper, Tarazona et al. [10] applied Dynamical Network Biomarker (DNB) theory for the first time to a plant virus to identify genes or network elements that could be used as early-warnings of the transition from health to disease. Through physiological and ultrastructural analyses, Otulak-Koziel et al. [11] highlighted the role of plant expansins and extensins in the dynamics of the cell wall structure during incompatible interactions in resistant and compatible interactions in susceptible potato upon potato virus Y infections.

Finally, two complementary articles on potyvirus phylogeny complete the contributions to this Special Issue. The study of Moury and Desbiez [12] describe how potyviruses may have undergone numerous host range changes in a relatively short amount of time and that crop plants have contributed substantially to their diversification [12]. The paper of Gibbs et al. [13] provides a thorough review of potyvirus evolution, starting from a historical perspective and progressing to the taxonomical relationships between potyviruses and their temporal and geographical distribution.

Collectively, the papers in this Special Issue exemplify the diversity of studies focused on this major plant virus group. We wish to express our sincere thanks to all authors who contributed to the Special Issue "The Complexity of the Potyviral Interaction Network" and our gratitude to the reviewers who vetted the contributions.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

- 1. Shen, W.; Shi, Y.; Dai, Z.; Wang, A. The RNA-Dependent RNA Polymerase NIb of Potyviruses Plays Multifunctional, Contrasting Roles during Viral Infection. *Viruses* **2020**, *12*, 77. [CrossRef] [PubMed]
- 2. Ala-Poikela, M.; Rajamäki, M.-L.; Valkonen, J.P.T. A Novel Interaction Network Used by Potyviruses in Virus–Host Interactions at the Protein Level. *Viruses* **2019**, *11*, 1158. [CrossRef] [PubMed]
- 3. Saha, S.; Mäkinen, K. Insights into the Functions of eIF4E-Binding Motif of VPg in Potato Virus A Infection. *Viruses* **2020**, *12*, 197. [CrossRef] [PubMed]
- Hervás, M.; Ciordia, S.; Navajas, R.; García, J.A.; Martínez-Turiño, S. Common and Strain-Specific Post-Translational Modifications of the Potyvirus Plum pox virus Coat Protein in Different Hosts. *Viruses* 2020, 12, 308. [CrossRef] [PubMed]
- 5. Sabharwal, P.; Savithri, H.S. Functional characterization of pepper vein banding virus encoded Proteins and their interactions: Implications in potyvirus Infection. *Viruses* **2020**, in press.
- 6. Vargas-Mejía, P.; Vega-Arreguín, J.; Chávez-Calvillo, G.; Ibarra-Laclette, E.; Silva-Rosales, L. Differential Accumulation of Innate- and Adaptive-Immune-Response-Derived Transcripts during Antagonism between Papaya Ringspot Virus and Papaya Mosaic Virus. *Viruses* **2020**, *12*, 230. [CrossRef] [PubMed]
- Prigigallo, M.I.; Križnik, M.; De Paola, D.; Catalano, D.; Gruden, K.; Finetti-Sialer, M.M.; Cillo, F. Potato Virus Y Infection Alters Small RNA Metabolism and Immune Response in Tomato. *Viruses* 2019, *11*, 1100. [CrossRef] [PubMed]
- 8. Baebler, Š.; Coll, A.; Gruden, K. Plant Molecular Responses to Potato Virus Y: A Continuum of Outcomes from Sensitivity and Tolerance to Resistance. *Viruses* **2020**, *12*, 217. [CrossRef] [PubMed]
- 9. Zhang, L.; Shang, J.; Wang, W.; Du, J.; Li, K.; Wu, X.; Yu, L.; Liu, C.; Khaskheli, M.I.; Yang, W. Comparison of Transcriptome Differences in Soybean Response to Soybean Mosaic Virus under Normal Light and in the Shade. *Viruses* **2019**, *11*, 793. [CrossRef] [PubMed]
- Tarazona, A.; Forment, J.; Elena, S.F. Identifying Early Warning Signals for the Sudden Transition from Mild to Severe Tobacco Etch Disease by Dynamical Network Biomarkers. *Viruses* 2019, 12, 16. [CrossRef] [PubMed]
- Otulak-Kozieł, K.; Kozieł, E.; Lockhart, B.E.L.; Bujarski, J.J. The Expression of Potato Expansin A3 (StEXPA3) and Extensin4 (StEXT4) Genes with Distribution of StEXPAs and HRGPs-Extensin Changes as an Effect of Cell Wall Rebuilding in Two Types of PVYNTN–Solanum tuberosum Interactions. *Viruses* 2020, 12, 66. [CrossRef] [PubMed]
- 12. Moury, B.; Desbiez, C. Host Range Evolution of Potyviruses: A Global Phylogenetic Analysis. *Viruses* **2020**, *12*, 111. [CrossRef]
- 13. Gibbs, A.J.; Hajizadeh, M.; Ohshima, K.; Jones, R.A.C. The Potyviruses: An Evolutionary Synthesis Is Emerging. *Viruses* **2020**, *12*, 132. [CrossRef]



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).